



MATERIAL DATA SAFETY SHEET - TALC

Section 1. Product and Company Identification

Product Names	IMP 1826L FCC BC	IMP 1888L BC	IMP 1822L BC	IMP 1823L USP BC
	IMP 1819L BC	IMP 1886L BC	IMP 1887L BC	IMP 1889L USP FCC BC
	IMP 1890L USP BC	IMP 1817L	IMP 1818L BC	IMP 1891L USP BC
	IMP 1821L BC	IMP 1824L BC	IMP 1820L BC	IMP 1825L FCC BC
	IMP 1827L	IMP 1828L	IMP 1884L BC	IMP 1892L USP EP BC
			IMP 1829L BC	IMP 1885L USP BC

Synonyms Talcum powder, Soapstone, Steatite

Chemical Name Talc ; Hydrous magnesium silicate **CAS#** 14807-96-6 **Chemical Family** Phyllosilicates

Manufacturer Luzenac America, Inc.
345 Inverness Drive South
Centennial, CO 80112
Toll-free 800-325-0299

Emergency Health Information (24 hrs)
303-623-5716

Section 2. Composition/Information on Ingredients

Substance	CAS#	% by Weight	TLV - TWA
Talc	14807-96-6	98-100	2 mg/m ³ respirable fraction (ACGIH)
Dolomite	16389-88-1	0-2	Use Talc TLV for total exposure measurements

Section 3. Health Hazards Identification and Emergency Overview

Emergency Overview Under normal conditions of use, this product is not expected to create any unusual emergency hazards. This product is NOT flammable, NOT reactive, NOT explosive, has NO flash point, and poses NO special hazards in the presence of fire.

Potential Health Effects from Acute and Chronic Occupational Exposures to Talc

TARGET ORGANS



LUNGS, RESPIRATORY SYSTEM

Inhalation ACUTE: Exposure to a large concentration of air-borne dust of this material may cause mechanical irritation of the mucous membranes and respiratory tract.
CHRONIC: Repeated or prolonged inhalation of air-borne dust of this material may cause scarring of the lungs (pulmonary fibrosis), with shortness of breath, chronic cough, and respiratory assisted heart failure. Prolonged exposure to talc can produce symptomatic talc pneumoconiosis (talcosis).

Skin Contact ACUTE: Direct contact may cause dryness, or may cause mild irritation if an allergic predisposition exists.
CHRONIC: Prolonged contact may cause dryness of the skin, or may cause mild irritation if an allergic pre-disposition exists

Eye Contact ACUTE: Direct contact with dust may cause mechanical irritation of the eyes.
CHRONIC: Repeated exposure may cause conjunctivae inflammation.

Ingestion ACUTE: This material is considered to be harmless and inert when ingested.
CHRONIC: Repeated ingestion of large doses of talc for 13 and 10 successive days by rabbits and mice revealed negative teratogenic and carcinogenic results.

Section 4: First Aid Measures

Inhalation	Remove from exposure area to fresh air. If breathing has stopped, perform artificial respiration and get medical attention immediately. Keep person warm and at rest. Treat symptomatically and supportively.
Skin Contact	Apply common skin moisturizers to relieve dryness. Irritations are uncommon; however, if irritation or redness develops, seek medical attention. Broken skin can be cleansed with mild soap and water.
Eye Contact	Wash eyes with large amounts of water or normal saline solution. If irritation or redness develops, seek medical attention.

Section 5: Fire Fighting Measures

Flammability	This product is NOT flammable, NOT reactive, NOT explosive, has NO flash point, and poses NO special hazards in the presence of fire. Firefighters require NO special protective equipment or precautions.
---------------------	--

Section 6: Accidental Release Measures

Small Spill	Use vacuum to clean up spillage. Place in sealed container.
Large Spill	For large spills, shovel or sweep up (while keeping dispersion of dust in air to a minimum) and place into suitable sealed containers for reclamation or later disposal. Residue should be cleaned up using a high-efficiency particulate filter vacuum. The use of water wash-down is not recommended. Wet material can cause a surface used for walking to become extremely slippery. Talc is not considered a hazardous waste by RCRA criteria (40 CFR 261).

Section 7: Handling and Storage

Handling & Storage	Handle in ways to minimize the creation of dust. Preserve product in sealed containers.
-------------------------------	---

Section 8: Exposure Controls & Personal Protection

Personal Protection	Use NIOSH approved dust respirator. Use safety glasses or dust tight goggles. No special skin protection is usually required, but gloves should be worn by workers susceptible to skin irritation.
----------------------------	--



Controls	Provide local exhaust or process enclosure ventilation to meet published exposure limits (TLV).
-----------------	---

Appearance	White to grayish-white powder
-------------------	-------------------------------

Odor	Slight earthy odor.
-------------	---------------------

Flammability	This product is NOT flammable, NOT reactive, NOT explosive, has NO flash point.
---------------------	---

Specific Gravity	2.8 (water = 1.0)
-------------------------	-------------------

Melting Point	None
----------------------	------

pH	Slightly basic (10% slurry in water)
-----------	--------------------------------------

Solubility	Water: <1 mg/mL @ 21 C Ethanol: <1 mg/mL @ 21 C Acetone: <1 mg/mL @ 21 C Cold acids: Insoluble Alkalies: Insoluble
-------------------	--

Section 10. Stability & Reactivity Data

Stability This product is stable, non-reactive, and non-corrosive.

Incompatibility with various substances Non reactive/none known.

Section 11. Toxicological Information

Toxicology NIOSH Registry Number: WW2710C00
SAX Toxicity Evaluation: THIR: Not available
Carcinogenic Status:

IARC: (2006 in preparation) Has concluded that perineal use of talc-based body powder is possibly carcinogenic to humans (Group 2B). This is not a route of exposure relevant for workers and applies to one specific use of talc only.

IARC: (2006 in preparation) Inhaled talc not containing asbestos or asbestiform fibres not classifiable as a human carcinogen (Group 3)

OSHA: Not listed.

ACGIH: A4 - Not Classifiable as a Human Carcinogen

NTP: Not listed. A 2-year inhalation study demonstrated clear evidence of carcinogenic activity in female rats at exposure levels of 18 mg/m³. Some evidence of carcinogenic activity was observed in male rats at the same level. No evidence of carcinogenic activity was found in mice (NTP TR-421).

Tumorigenic Data:

TCLo: inh-rat 11 mg/m³/1Y-I

TDLo: imp-rat 200 mg/kg

Other Toxicity Data:

Skin and Eye Irritation Data: skin-hmn 300 ug/3D-I MLD

Teratogenicity (Reproductive Effects Data): Not available.

Mutation Data: Not available.

Section 12. Ecological Information**Ecological Data**

Species	Alga (<i>Scleractium cupricuratum</i>)	<i>Daphnia Magna</i>	<i>Daphnia Magna</i>
Test	Growth inhibition	Acute immobilization	Reproduction
Endpoint	Growth rate 48hr-EC50 48hr-NOEC AUG 72hr-EC50 72hr-NOEC	48hr-EC50	21 day-EC50 21 day-NOEC
Conc. (mg/L)			
FY			
References			

*AUG=Area Under Growth curve

Section 13. Disposal Considerations

Waste Disposal Information Talc is not considered a hazardous waste by RCRA criteria (40 CFR 261). Dry material can usually be land-filled. State and Local regulations/restrictions are complex and may differ from Federal regulations. Responsibility for proper waste disposal is with the owner of the waste.

Section 14. Transport Information

Transport Information U.S. Department of Transportation - DOT: No classification assigned
 CANADIAN Transportation of Dangerous Goods: No classification assigned
 LAND Transport - ADR/RID: No classification assigned
 AIR Transport - IATA/ICAO: No classification assigned (International Air Transport Association/International Civil Aviation Organization)
 MARITIME Transport - IMDG: No classifications assigned International Maritime Dangerous Goods)
 HARMONIZED Tariff Code: Talc - crushed or powdered. 2526.20.00. (Stat. Suffix 00)
 EPA TSCA 12(B) Export Notification: Not listed

Section 15. Regulatory Information

Chemical Inventories EPA TSCA Status: Listed (CAS # 14807-96-6) EINECS (European No: 238-877-9)
 CEPA Domestic Substance List - DSL: Listed CEPA Non-domestic substance List - NDSL: Not listed
 AICS (Australian - NICNAS) ECL (Korean No: KE-32773)
 SWISS (Giftliste No: G-6939) PICCS (Philippines)
 ENCS/MITI (Japan) - Talc exempt IECSC (China): Listed

Other Pertinent Classifications/Regulations

CALIFORNIA PROP 65 Status: Talc not listed
 STATE RIGHT-TO-KNOW: Talc listed - Illinois; Massachusetts; New Jersey; Pennsylvania; Florida
 CLEAN AIR ACT - Ozone Depleting Chemicals (ODCs): None
 CONEG Approved Packaging: Yes
 NFPA RATINGS: (Scale 0-4) Health = 1, Fire = 0, Reactivity = 0

NPCA: National Paint and Coatings Association - Hazardous Material Identification System HMIS)

HEALTH: 1* (Chronic Potential)
 FLAMMABILITY: 0
 PHYSICAL: 0
 PERSONAL PROTECTION: dust respirator, glasses or goggles, gloves

Section 16. Other Information

Label Hazard Warning CAUTION - PROLONGED EXCESSIVE INHALATION MAY CAUSE LUNG INJURY

Label Precautions UTILIZE DUST RESPIRATOR AND EXHAUST VENTILATION. REFER TO MSDS FOR COMPLETE DETAILS

Primary References for Key Data ACGIH - Documentation of TLV's 2001
 OSHA - Chemical Sampling Information: Talc (Containing no asbestos) (Revised 1/15/1999)
 OSHA - TALC (Containing no asbestos). OSHA comments from the June 19, 1988 Final Rule on Air Contaminants Project extracted from 54FR2324 *et seq.*
 OSHA - Compliance Interpretation Letter dated August 22, 2000 regarding talc products containing less than 1% quartz.
 OSHA - Guidelines for Employer Compliance (Advisory) 1910.1200 App E
 NIOSH - Pocket Guide to Chemical Hazards. Talc (containing no asbestos and less than 1% quartz).
 NIOSH - REL's and General Recommendations for Safety and Health. [TALC (containing no asbestos).
 AIHA - Hygienic Guides Series - Talc (1982)
 IARC - Talc Vol: 42 (1987) (p.185) 5. Summary of Data Reported and Evaluation; Supplement 7: (1987) (p.349) Talc Not Containing Asbestiform Fibers (Group 3).
 CCOHS - Database MSDS FTSS. Network Version 2002.
 NTP - RoC/NIEHS Database. Network Version 2002.

Glossary ACGIH - American Conference of Governmental Industrial Hygienists
 AIHA - American Industrial Hygiene Association

CCOHS – Canadian Centre for Occupational Health and Safety
IARC – International Agency for Research on Cancer
NIOSH – National Institute of Occupational Safety and Health
NTP – National Toxicological Program
OSHA – Occupational Safety and Health Association
PEL – Permissible Exposure Level
TLV – Threshold Limit Value
TWA – Time Weighted Average

**Important
Notice**

Luzenac America, Inc. provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgment in determining its appropriateness for a particular purpose.

Issued by

Richard J. Zazenski
Regulatory Affairs Manager
E-mail: rich.zazenski@america.luzenac.com
Phone: 1-303-643-0404 Fax: 1-303-643-0446