

Test Results**Industrial Hygiene**

Sample Date Range

1/1/93

12/31/93

Concentration Range

Action Level

100%

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
BTO: 08 TEFLON@									
LOC: 045 BLDG. 162 ROOF- GENERAL									
11/4/93	2310	450	A			C-8/FC-143	<.03	MPB	5.4%
BTO: 08 TEFLON@									
LOC: 113 P/S - SHIFT MECHANIC (58MD)									
11/16/93	19224	360	P		58MD	C-8/FC-143	<.03	MPB	5.4%
BTO: 08 TEFLON@									
LOC: 701 FINE POWDER DRYER-EAST SIDE #2									
1/21/93	8818	445	A			C-8/FC-143	2.94	MPB	525.0% **
6/14/93	8823	360	A			C-8/FC-143	0.31	MPB	55.4%
6/29/93	8825	440	A			C-8/FC-143	0.23	MPB	41.1%
9/8/93	8832	360	A			C-8/FC-143	0.39	MPB	69.6%
BTO: 08 TEFLON@									
LOC: 702 FINE POWDER DRYER CONTROL ROOM (ALSO SEE TTF031)									
1/21/93	1801	445	A			C-8/FC-143	0.07	MPB	12.5%
6/17/93	2135	450	A			C-8/FC-143	0	MPB	0.0%
6/29/93	2140	440	A			C-8/FC-143	0.1	MPB	17.9%
BTO: 08 TEFLON@									
LOC: 703 FINE POWDER PACKOUT ROOM									
8/26/93	2172	375	A			C-8/FC-143	<.03	MPB	5.4%
8/31/93	2173	360	A			C-8/FC-143	<.03	MPB	5.4%
9/13/93	2216	375	A			C-8/FC-143	<.03	MPB	5.4%
10/20/93	2271	375	A			C-8/FC-143	<.03	MPB	5.4%
11/8/93	2306	360	A			C-8/FC-143	<.03	MPB	5.4%
BTO: 08 TEFLON@									
LOC: 706 FINE POWDER DRYER #3									
1/21/93	1800	440	A			C-8/FC-143	0.1	MPB	17.9%
6/14/93	2138	360	A			C-8/FC-143	0.08	MPB	14.3%
6/29/93	2139	440	A			C-8/FC-143	0	MPB	0.0%

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
BTO: 08 TEFLON@									
LOC: 707 FINE POWDER DRYER #2									
8/31/93	2174	375	A			C-8/FC-143	0.32	MPB	57.1%
BTO: 08 TEFLON@									
LOC: 708 P/S - FINE POWDER PACKOUT (08PJ)									
8/26/93	18878	360	P	HARDING, DARLENE J	08PJ	C-8/FC-143	<.03	MPB	5.4%
8/26/93	18879	375	P		08PJ	C-8/FC-143	<.03	MPB	5.4%
8/31/93	18880	360	P		08PJ	C-8/FC-143	<.03	MPB	5.4%
9/13/93	18950	375	P		08PJ	C-8/FC-143	<.03	MPB	5.4%
9/13/93	18951	340	P		08PJ	C-8/FC-143	<.03	MPB	5.4%
10/20/93	19022	375	P		08PJ	C-8/FC-143	<.03	MPB	5.4%
11/8/93	19094	360	P		08PJ	C-8/FC-143	<.03	MPB	5.4%
BTO: 08 TEFLON@									
LOC: 712 NORTH END OF DRYER #3									
1/21/93	8817	440	A			C-8/FC-143	0.44	MPB	78.6%
6/14/93	8820	360	A			C-8/FC-143	0.26	MPB	46.4%
6/29/93	8826	430	A			C-8/FC-143	0.01	MPB	1.8%
9/8/93	8833	360	A			C-8/FC-143	<.03	MPB	5.4%
BTO: 08 TEFLON@									
LOC: 713 FINE POWDER OFFICE AREA-GENERAL									
9/1/93	8831	360	A			C-8/FC-143	<.03	MPB	5.4%
9/13/93	8842	375	A			C-8/FC-143	<.03	MPB	5.4%
BTO: 08 TEFLON@									
LOC: 715 SOUTH END DRYER #2									
6/17/93	8822	450	A			C-8/FC-143	0.39	MPB	69.6%
6/29/93	8824	440	A			C-8/FC-143	0.38	MPB	67.9%
8/31/93	8828	375	A			C-8/FC-143	0.06	MPB	10.7%
BTO: 08 TEFLON@									
LOC: 717 ROOF AREA-GENERAL									
1/21/93	8819	435	A			C-8/FC-143	0.18	MPB	32.1%
6/17/93	8821	450	A			C-8/FC-143	2.72	MPB	485.7% **
6/29/93	8827	435	A			C-8/FC-143	3.86	MPB	689.3% **
9/13/93	8843	345	A			C-8/FC-143	3.6	MPB	642.9% **
10/8/93	8844	295	A			C-8/FC-143	<.03	MPB	5.4%

AJP003870

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
BTO: 08 TEFLON@									
LOC: 728 WAX ROOM - B-162 - 1ST FLOOR									
6/14/93	2137	360	A			C-8/FC-143	0.18	MPB	32.1%
9/8/93	2184	386	A			C-8/FC-143	0.63	MPB	112.5% **
BTO: 08 TEFLON@									
LOC: 731 A/S - INSIDE F.P. DRYER CONTROL ROOM									
6/17/93	2136	450	A			C-8/FC-143	0	MPB	0.0%
9/1/93	2177	360	A			C-8/FC-143	<.03	MPB	5.4%
10/20/93	2272	390	A			C-8/FC-143	<.03	MPB	5.4%
BTO: 08 TEFLON@									
LOC: 768 P/S - C-8 RECOV OP CHG ROOF FLTRS (08PM)									
11/8/93	19095	375	P		08PM	C-8/FC-143	<.03	MPB	5.4%
BTO: 08 TEFLON@									
LOC: 769 C-8 RECOVERY BLDG. CR - B-124									
11/8/93	2308	360	A			C-8/FC-143	<.03	MPB	5.4%
BTO: 08 TEFLON@									
LOC: 770 C-8 RECOVERY BUILDING - B-124									
1/21/93	1799	425	A			C-8/FC-143	0.19	MPB	33.9%
6/17/93	2134	450	A			C-8/FC-143	1.04	MPB	185.7% **
9/13/93	2217	340	A			C-8/FC-143	1.58	MPB	282.1% **
9/13/93	2218	340	A			C-8/FC-143	1.64	MPB	292.9% **
11/8/93	2307	360	A			C-8/FC-143	0.16	MPB	28.6%
BTO: 08 TEFLON@									
LOC: 807 P/S - ENVIRONMENTAL CONTROL OPERATOR									
6/17/93	29993	450	P	HARDING, DARLENE J	08PI	C-8/FC-143	0.06	MPB	10.7%
BTO: 08 TEFLON@									
LOC: 809 P/S - DAY POLYMER E&I MECH (58MC)									
3/12/93	29984	360	P		none	C-8/FC-143	0	MPB	0.0%
6/14/93	29994	360	P		55MH	C-8/FC-143	0	MPB	0.0%
6/30/93	29995	480	P		55MH	C-8/FC-143	0	MPB	0.0%
8/20/93	30001	360	P		58MG	C-8/FC-143	0.04	MPB	7.1%
10/20/93	30022	360	P		58MF	C-8/FC-143	0.71	MPB	126.8% **
11/5/93	30033	390	P		58MG	C-8/FC-143	<.03	MPB	5.4%
12/15/93	30037	360	P		58MF	C-8/FC-143	<.03	MPB	5.4%

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
BTO: 08 TEFLON@									
LOC: 810 P/S - DAY POLY AREA MECH (58MC)									
8/31/93	30009	360	P		58MC	C-8/FC-143	0.06	MPB	10.7%
10/8/93	30023	315	P		58MC	C-8/FC-143	<.03	MPB	5.4%
11/5/93	30032	390	P		58MC	C-8/FC-143	0.11	MPB	19.6%
12/15/93	30038	300	P		58MC	C-8/FC-143	<.03	MPB	5.4%
BTO: 17 RESEARCH									
LOC: 103 P/S FP POLLYKETTLE OPERATOR (17LG)									
6/14/93	18803	480	P		17LG	C-8/FC-143	0	MPB	0.0%
6/14/93	18804	480	P		17LG	C-8/FC-143	0	MPB	0.0%
BTO: 18 TEFLON@ COPOLYMERS									
LOC: 108 TELOMER A-THIRD LEVEL-VENTING SBF5 CYL									
9/13/93	18949	355	P		08PF	C-8/FC-143	<.03	MPB	5.4%
BTO: 18 TEFLON@ COPOLYMERS									
LOC: 149 P/S FEP FLAKE PACKOUT (WET FINISHING)									
11/17/93	19198	360	P		18PC	C-8/FC-143	0.23	MPB	41.1%
12/15/93	19276	240	P		18PC	C-8/FC-143	<.03	MPB	5.4%
BTO: 18 TEFLON@ COPOLYMERS									
LOC: 210 #1 COAGULATOR-2ND FLOOR									
7/9/93	2169	360	A			C-8/FC-143	1.18	MPB	210.7% **
9/8/93	2178	410	A			C-8/FC-143	0.87	MPB	155.4% **
11/15/93	2383	360	A			C-8/FC-143	0.58	MPB	103.6% **
12/13/93	2400	360	A			C-8/FC-143	0.62	MPB	110.7% **
BTO: 18 TEFLON@ COPOLYMERS									
LOC: 211 FEP-WET FINISHING ROOM									
10/25/93	2294	375	A			C-8/FC-143	2.93	MPB	523.2% **
11/15/93	2384	360	A			C-8/FC-143	1.45	MPB	258.9% **
12/15/93	2422	60	A			C-8/FC-143	<.03	MPB	5.4%
BTO: 18 TEFLON@ COPOLYMERS									
LOC: 216 P/S - WET FIN OP (18PA) ALSO SEE TCP149									
10/25/93	19052	240	P		18PC	C-8/FC-143	<.03	MPB	5.4%
11/15/93	19227	360	P		18PC	C-8/FC-143	<.03	MPB	5.4%
12/13/93	19251	360	P		18PC	C-8/FC-143	<.03	MPB	5.4%

AJP003872

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
BTO: 18 TEFLON@ COPOLYMERS									
LOC: 221 P/S - FEP PROCESS PK OPERATOR (18PA)									
7/9/93	18855	360	P		18PA	C-8/FC-143	0.05	MPB	8.9%
9/8/93	18893	410	P		10PA	C-8/FC-143	<.03	MPB	5.4%
11/15/93	19228	360	P		18PA	C-8/FC-143	<.03	MPB	5.4%
12/13/93	19252	360	P		18PA	C-8/FC-143	0.09	MPB	16.1%
BTO: 18 TEFLON@ COPOLYMERS									
LOC: 229 P/S - FEP OVEN OPERATOR (18PB)									
10/25/93	19051	360	P		18PB	C-8/FC-143	0.07	MPB	12.5%
11/4/93	19097	450	P		18PB	C-8/FC-143	0.15	MPB	26.8%
11/4/93	19098	450	P		18PB	C-8/FC-143	0.17	MPB	30.4%
11/16/93	19226	360	P	BRILLIANT, DONALD E	18PB	C-8/FC-143	<.03	MPB	5.4%
12/13/93	19253	360	P		18PB	C-8/FC-143	<.03	MPB	5.4%
BTO: 18 TEFLON@ COPOLYMERS									
LOC: 255 P/S - FEP EXTRUDER OPERATOR (18PB)									
11/5/93	19096	405	P		18PB	C-8/FC-143	<.03	MPB	5.4%
BTO: 18 TEFLON@ COPOLYMERS									
LOC: 275 P/S - FEP PACKOUT ROOM OPERATOR (18PD)									
11/16/93	19225	360	P		18PD	C-8/FC-143	<.03	MPB	5.4%
12/15/93	19277	360	P		18PD	C-8/FC-143	<.03	MPB	5.4%
BTO: 18 TEFLON@ COPOLYMERS									
LOC: 279 EXTRUDER AREA - GENERAL B-163 1ST FLOOR									
11/4/93	2309	450	A			C-8/FC-143	0.17	MPB	30.4%
BTO: 18 TEFLON@ COPOLYMERS									
LOC: 293 P/S - FEP DISPERSION OPERATOR (18PK)									
11/15/93	19229	360	P		18PK	C-8/FC-143	<.03	MPB	5.4%
12/13/93	19254	360	P		18PK	C-8/FC-143	<.03	MPB	5.4%