FILE NAME: Owens-Corning (OC)

DATE: 1970 Sept 15

DOC#: OC263

DOCUMENT DESCRIPTION: Memo RE Warning Label for Asbestos Containing Insulation Products with Handwritten Notations

Produced in camera under seal by order of Judges Paul Riley and Gordon Maag, October 16, 1989, in Jackson v. A. P. Green, et al. 87-L1230

SEP 2 0 1970

To

E. Mirre, Jr. - Tower 12

Jon L. Konsen, M.D. - 11

September 15, 1970

Frank Brisley - Tower 12
Robert Logan - Tower 28

WARNING LABEL FOR ASBESTOS CONTAINING INSULATION PRODUCTS

The following is a suggested revision for a precautionary label which would be attached to Unarcoboard manufactured at Bloomington.

By copy of this correspondence I am asking Mr. Robert Logan of the Corporate Legal Staff to review this warning label.

The suggested label reads:

WARNING

This product contains asbestos fibers. Inhalation of asbestos fibers in excessive quantities over long periods of time may be harmful. Avoid breathing the dust. If adequate ventilation control is not possible wear respirators approved by the U.S. Bureau of Mines for pneumoconiosis producing dusts.

OK
Logan
9/18/70

If you have any questions or comments please let me know.

JLK:mgm

01 043 0186