


TO: DISTRIBUTION
FROM: JERALD UPTAIN
DATE: 10-25-85
SUBJECT: HAZARD COMMUNICATION STANDARD - PLANT CHEMICAL LIST

ATTACHED ARE THE DEPARTMENT LISTS OF CHEMICALS FOR USE IN THE "HAZARDOUS MATERIALS REFERENCE BOOKS," REFERRED TO IN THE "HAZARD COMMUNICATION PROGRAM" PROPOSAL YOU RECEIVED TODAY. THE DATA BASE FROM WHICH THE LISTS ARE MADE IS BEING KEPT USING "IBM."

PLEASE LET ME KNOW OF ANY CHANGES YOU WISH, ESPECIALLY NEEDED ADDITIONS OR DELETIONS.



C: JF, JWW, CAS, PSK, DWH, WHM, VEM, RAF, WFH

PROD: 2-ETHYL HEXALDEHYDE
CHEM: 2-ETHYL HEXANAL
USAGE: PVC PROCESSING AGENT
MANUF: EASTMAN CHEMICAL PRODUCTS

PROD: 2-MERCAPTOETHANOL
CHEM: 2-HYDROXYETHYL MERCAPTAN
USAGE:
MANUF: MORTON THIOKOL, INC.

PROD: ALPEROX - F
CHEM: BIS(1-OXODODECYL) PEROXIDE OR DODECANOYL
USAGE: CATALYST
MANUF: PENNWALT CORPORATION

PROD: AMS
CHEM: ALPHA METHYL STYRENE
USAGE: PVC REACTION SHORT-STOP
MANUF: USS CHEMICALS

PROD: AMSCO SOLV 1241
CHEM: ODORLESS MINERAL SPIRITS
USAGE: SOLVENT
MANUF: UNION OIL CO. OF CALIF.

PROD: CAO-3
CHEM: BUTYLATED HYDROXYTOLUENE
USAGE: ANTI-OXIDANT
MANUF: SHEREX CHEM. CO.

PROD: DIESEL FUEL
CHEM: HYDROCARBON BLEND
USAGE: AUTOMOTIVE FUEL
MANUF: WHITE OIL COMPANY (DISTRIBUTOR)

PROD: ESPEROX 33M
CHEM: T-BUTYL PEROXYNEODECANOATE
USAGE: CATALYST
MANUF: WITCO CHEM. CORP.

PROD: ESPEROX 939M
CHEM: CUMYL PEROXYNEODECANOATE
USAGE: CATALYST
MANUF: WITCO CHEMICAL CORP.

PROD: GASOLINE
CHEM: HYDROCARBON BLEND
USAGE: AUTOMOTIVE FUEL
MANUF: WHITE OIL COMPANY (DISTRIBUTOR)

PROD: IONOL CP
CHEM: 2, 6 DITERTIARY BUTYL-P-CRESOL IN TOLUENE (BHT)
USAGE: ANTI-OXIDANT
MANUF: SHELL CHEMICAL CO.

PROD: KEMSTRENE
CHEM: GLYCERIN
USAGE: ANTI-STATIC AGENT
MANUF: WITCO CHEM. CORP

PROD: LUPERSOL 10M75
CHEM: T-BUTYL PEROXYNEODECANOATE
USAGE: CATALYST
MANUF: PENNWALT CORP.

PROD: LUPERSOL 11
CHEM: T-BUTYL PEROXYPIVALATE
USAGE: CATALYST
MANUF: PENWALT CORP.

PROD: LUPERSOL 188-M75
CHEM: ALPHA-CUMYL PEROXYNEODECANOATE
USAGE: CATALYST
MANUF: PENNWALT CORP.

PROD: LUPERSOL 223-M75
CHEM: DI-(2- ETHYL HEXYL) PEROXYDICARBONATE
USAGE: CATALYST
MANUF: PENNWALT CORP.

PROD: LUPERSOL TA 46-M75
CHEM: T-AMYL PEROXYNEODECANOATE
USAGE: CATALYST
MANUF: PENNWALT CORP.

PROD: METHANOL
CHEM: METHYL ALCOHOL
USAGE: SOLVENT
MANUF: ASHLAND CHEMICAL CO.

PROD: NITROGEN
CHEM: NITROGEN, COMPRESSED
USAGE: MISC. PROCESS CONTROLS; G. C. CARRIER GAS
MANUF: AIRCO, INC. UPPLY

PROD: NOSE-GUARD
CHEM: NATURAL OIL EXTRACT, ISOPROPYL ALCOHOL
USAGE: ODOR MASKING AGENT
MANUF: PHILIPS CHEMICAL CO.

PROD: ODORLESS MINERAL SPIRITS
CHEM: ALIPHATIC PETROLEUM DISTILATES
USAGE: SOLVENT
MANUF: ASHLAND CHEMICAL CO.

PROD: PC-555
CHEM: 4,6 DI-NONYL O-CRESOL
USAGE: ANTI-OXIDANT
MANUF: PITT-CONSOL CHEM.

PROD: POLIVIC S-202-35%
CHEM: VINYL ACETATE/VINYL ALCOHOL COPOLYMER
USAGE: PROCESSING ADDITIVE
MANUF: VVV CORPORATION

PROD: PPG EHP-75%
CHEM: DI (2-ETHYL HEXYL) PEROXYDICARBONATE
USAGE: CATALYST
MANUF: PPG INDUSTRIES, INC.

PROD: RECONSTITUTEED BREATHING AIR
CHEM: AIR, COMPRESSED
USAGE: SELF-CONTAINED BREATHING APPARATUS AIR
MANUF: MS WELDING SUPPLY

PROD: SHELL SOL 71
CHEM: HYDROCARBON
USAGE: SOLVENT
MANUF: SHELL CHEMICAL CO.

PROD: STP-TRIPOLY
CHEM: SODIUM TRIPOLYPHOSHATE
USAGE: PROCESS ADDITIVE
MANUF: MONSANTO COMPNAY

PROD: SULFITE 3
CHEM: AQUEOUS SOLUTION CONTAINING A BISULFATE SALT, A COBALT SALT, AND A
PHOSPHONIC ACID DERIVATIVE
USAGE: WATER TREATMENT CHEMICAL
MANUF: BETZ LABORATORIES, INC.

PROD: TECQUINOL
CHEM: HYDROQUINONE
USAGE: INHIBITOR
MANUF: EASTMAN CHEMICAL PRODUCTS, INC.

PROD: TRIGNOX 36-C75
CHEM: BIS(3,5,5-TRIMETHYLHEXANOYL) PEROXIDE
USAGE: CATALYST
MANUF: NOURY CHEMICAL CORP.

PROD: TRIGONOX EHP-C75
CHEM: BIS(2-ETHYLHEXYL) PEROXYDICARBONATE
USAGE: CATALYST
MANUF: NOURY CHEMICAL CORP.

PROD: VCM
CHEM: VINYL CHLORIDE MONOMER
USAGE: PVC RAW MATERIAL
MANUF: VISTA CHEMICAL CO.; B. F. GOODRICH CO.; GENERAL TIRE & RUBBER

PROD: BUBBLE BREAKER 3056A
CHEM: REACTED SILICA IN HYDROCARBON SOLVENT
USAGE: ANTIFOAM AGENT
MANUF: WITCO CHEM. CO.

PROD: CALCIUM STEARATE, 50 %
CHEM: CALCIUM STEARATE
USAGE: ANTI-STATIC AGENT
MANUF: MALLINCKRODT, INC.

PROD: CULMINAL MHPC 25
CHEM: METHYL HYDROXYPROPYL CELLULOSE
USAGE: SUSPENDING AGENT
MANUF: HENKEL CORP

PROD: FOAMASTER DF-160-L
CHEM: HYDROCARBON - SILICATE DISPERSION
USAGE: ANTI-FOAM AGENT
MANUF: DIAMOND SHAMROCK CORP.

PROD: GOHSENOL
CHEM: POLYVINYL ALCOHOL
USAGE: SUSPENDING AGENT
MANUF: NIPPON SYNTHETIC CHEMICAL INDUSTRY CO., LTD.

PROD: ISONOX 132
CHEM: 2, 6-DI-TERT-BUTYL-4-SEC-BUTYLPHENOL
USAGE: ANTI-OXIDANT
MANUF: SCHENECTADY CHEMICALS, INC.

PROD: LUBRACAL 48N
CHEM: AQUEOUS DISPERSION OF CALCIUM STEARATE
USAGE: ANTI-STATIC AGENT
MANUF: WITCO CHEM. CORP.

PROD: METHOCEL F-50
CHEM: HYDROXYPROPYL METHYLCELLULOSE
USAGE: SUSPENDING AGENT
MANUF: DOW CHEMICAL CO.

PROD: NAUGARD 492
CHEM: PHOSPHITE/PHENOLIC BLEND
USAGE: ANTI-OXIDANT
MANUF: UNIROYAL

PROD: 1943-T1 GRAY
CHEM: COLOR CONCENTRATE
USAGE: COMPOUND COLOR PIGMENT
MANUF: AMERICHEM, INC.

PROD: 2013-T1 GRAY
CHEM: COLOR CONCENTRATE
USAGE: COMPOUND COLOR PIGMENT
MANUF: AMERICHEM, INC.

PROD: 2170-T1 GRAY
CHEM: PVC COLOR CONCENTRATE
USAGE: COMPOUND COLOR PIGMENT
MANUF: AMERICHEM, INC.

PROD: 32-GY-18
CHEM: COLOR CONCENTRATE
USAGE: COMPOUND COLOR PIGMENT
MANUF: WILSON PRODUCTS CO.

PROD: ADAVASTAB TM 948
CHEM: ALKYTIN MERCAPTOACID ESTER
USAGE: DRY BLEND STABILIZER
MANUF: MORTON THIOKOL, INC.

PROD: ANTIMONY OXIDE TMS
CHEM: ANTIMONY OXIDE
USAGE: COMPOUND FLAME RETARDENT
MANUF: ANZO AMERICA, INC.

PROD: ANZON BFR2
CHEM: ANTIMONY TRIOXIDE
USAGE: COMPOUND FLAME RETARDENT
MANUF: ANZON AMERICA, INC.

PROD: BISPHENOL A
CHEM: 4,4 ISOPROPYLLIDENEDIPHENOL
USAGE: COMPOUND ANTI-OXIDANT
MANUF: USS CHEMICALS, SHELL CHEM.CO., UNION CARBIDE

PROD: CYASTAB 15
CHEM: DIBASIC LEAD CARBONATE
USAGE: COMPOUND HEAT STABILIZER
MANUF: AMERICAN CYANAMID CO

PROD: CYASTAB 247
CHEM: DIBASTIC LEAD STEARATE
USAGE: COMPOUND HEAT STABILIZER
MANUF: AMERICAN CYANAMID CO.

PROD: CYASTAB 523
CHEM: TRIBASIC LEAD SULFATE
USAGE: COMPOUND HEAT STABILIZER
MANUF: AMERICAN CYANAMID CO.

PROD: CYASTAB 564
CHEM: TRIBASIC LEAD SULFATE
USAGE: COMPOUND HEAT STABILIZER
MANUF: AMERICAN CYANAMID CO.

PROD: CYASTAB 712
CHEM: DIBASIC LEAD PHOSPHITE
USAGE: COMPOUND HEAT STABILIZER
MANUF: AMERICAN CYANAMID CO.

PROD: CYASTAB 800
CHEM: TRIBASIC LEAD SULFATE
USAGE: COMPOUND HEAT STABILIZER
MANUF: AMERICAN CYANAMID CO.

PROD: CYASTAB 988
CHEM: DIBASIC LEAD PHTHALATE
USAGE: COMPOUND HEAT STABILIZER
MANUF: AMERICAN CYANAMID CO.

PROD: DIESEL FUEL
CHEM: HYDROCARBON BLEND
USAGE: AUTOMOTIVE FUEL
MANUF: WHITE OIL COMPANY (DISTRIBUTOR)

PROD: DS-207 OILED
CHEM: LEAD STEARATE
USAGE: COMPOUND HEAT STABILIZER
MANUF: ASSOC. LEAD, INC.

PROD: DYPHOS OILED
CHEM: DIBASIC LEAD PHOSPHITE
USAGE: COMPOUND HEAT STABILIZER
MANUF: ASSOC. LEAD, INC.

PROD: DYTHAL ENVIROSTAB
CHEM: DIBASIC LEAD PHTHALATE
USAGE: COMPOUND HEAT STABILIZER
MANUF: ASSOC. LEAD, INC.

PROD: DYTHAL XL ND
CHEM: DIBASIC LEAD PHTHALATE
USAGE: COMPOUND HEAT STABILIZER
MANUF: ASSOC. LEAD, INC.

PROD: EPISTATIC 100
CHEM: TRIBASIC LEAD SULFATE
USAGE: COMPOUND HEAT STABILIZER
MANUF: EAGLE-PICHER INDUST., INC.

PROD: EPISTATIC 102
CHEM: TRIBASIC LEAD SULFATE
USAGE: COMPOUND HEAT STABILIZER
MANUF: EAGLE-PICHER INDUST., INC.

PROD: EPISTATIC 112
CHEM: TRIBASIC LEAD SULFATE
USAGE: COMPOUND HEAT STABILIZER
MANUF: EAGLE-PICHER INDUST., INC.

PROD: EPITHAL 122
CHEM: DIBASIC LEAD PHTHALATE
USAGE: COMPOUND HEAT STABILIZER
MANUF: EAGLE-PICHER INDUST., INC.

PROD: FERRO 1827
CHEM: BARIUM/CADMIUM FATTY ACID SOAPS
USAGE: COMPOUND HEAT STABILIZER
MANUF: FERRO CORP.

PROD: FIRE SHIELD
CHEM: ANTIMONY OXIDE
USAGE: COMPOUND HEAT STABILIZER
MANUF: PPG INDUSTRIES, INC.

PROD: GASOLINE
CHEM: HYDROCARBON BLEND
USAGE: AUTOMOTIVE FUEL
MANUF: WHITE OIL COMPANY (DISTRIBUTOR)

PROD: HAL-LUB-D
CHEM: DIBASIC LEAD STEARATE
USAGE: COMPOUND HEAT STABILIZER
MANUF: HAMMOND LEAD PROD., INC.

PROD: HALBASE 10
CHEM: TRIBASIC LEAD SULFATE
USAGE: COMPOUND HEAT STABILIZER
MANUF: HAMMOND LEAD PROD., INC.

PROD: HALBASE 10/EP
CHEM: TRIBASIC LEAD SULFATE
USAGE: COMPOUND HEAT STABILIZER
MANUF: HAMMOND LEAD PROD., INC.

PROD: HALBASE 100 EP
CHEM: TRIBASIC LEAD SULFATE
USAGE: COMPOUND HEAT STABILIZER
MANUF: HAMMOND LEAD PROD., INC.

PROD: HALCARB 20
CHEM: DIBASIC LEAD CARBONATE
USAGE: COMPOUND HEAT STABILIZER
MANUF: HAMMOND LEAD PROD., INC.

PROD: HALPHOS
CHEM: DIBASIC LEAD PHOSPHITE
USAGE: COMPOUND HEAT STABILIZER
MANUF: HAMMOND LEAD PROD., INC.

PROD: HALTHAL EP
CHEM: DIBASIC LEAD PHTHALATE
USAGE: COMPOUND HEAT STABILIZER
MANUF: HAMMOND LEAD PROD., INC.

PROD: INTERSTAB R-4067
CHEM: BARIUM/CADMIUM/ZINC ORGANIC COMPLEX
USAGE: COMPOUND HEAT STABILIZER
MANUF: INTERSTAB CHEM., INC.

PROD: MARK 1314
CHEM: BARIUM/CADMIUM COMPLEX
USAGE: COMPOUND HEAT STABILIZER
MANUF: WITCO CHEM. CORP.

PROD: MARK 2045
CHEM: BARIUM/CADMIUM/ZINC ORGANIC COMPLEX
USAGE: COMPOUND HEAT STABILIZER
MANUF: WITCO CHEMICAL CORP.

PROD: MARK 7119
CHEM: LIQUID BARIUM-CADMIUM-ZINC STABILIZER
USAGE: COMPOUND HEAT STABILIZER
MANUF: WITCO CHEM. CORP.

PROD: MARK SC 111-32A
CHEM: BARIUM/CADMIUM SOAP
USAGE: COMPOUND HEAT STABILIZER
MANUF: ARGUS CHEMICAL CORP.

PROD: MK 7119
CHEM: LIQUID BARIUM-CADMIUM-ZINC COMPLEX
USAGE: COMPOUND HEAT STABILIZER
MANUF: ARGUS CHEMICAL CORP.

PROD: ONGARD 2
CHEM: MAGNESIUM OXIDE AND ZINC OXIDE
USAGE: COMPOUND FLAME RETARDENT
MANUF: ANZON AMERICA, INC.

PROD: RECONSTITUTEED BREATHING AIR
CHEM: AIR, COMPRESSED
USAGE: SELF-CONTAINED BREATHING APPARATUS AIR
MANUF: MS WELDING SUPPLY

PROD: RED STAR
CHEM: ANTIMONY OXIDE
USAGE: COMPOUND FLAME RETARDENT
MANUF: ANZON AMERICA, INC.

PROD: SYNPRON 1438
CHEM: BARIUM CALCIUM ZINC COMPLEX
USAGE: COMPOUND HEAT STABILIZER
MANUF: SYNTHETIC PRODUCTS CO.

PROD: SYNPRON 1641
CHEM: BARIUM/CADMIUM/ZINC ORGANIC COMPLEX
USAGE: COMPOUND HEAT STABILIZER
MANUF: SYNTHETIC PRODUCTS CO.

PROD: SYNPRON 1666
CHEM: BARIUM/CADMIUM/ZINC COMPLEX
USAGE: COMPOUND HEAT STABILIZER
MANUF: SYNTHETIC PRODUCTS CO.

PROD: THERMOGARD S
CHEM: ANTIMONY OXIDE
USAGE: COMPOUND FLAME RETARDENT
MANUF: M & T CHEMICAL, INC.

PROD: THERMOGARD WE
CHEM: ANTIMONY OXIDE
USAGE: COMPOUND FLAME RETARDENT
MANUF: M & T CHEMICALS, INC.

PROD: TRIBASE EXL
CHEM: TRIBASIC LEAD SULFATE
USAGE: COMPOUND HEAT STABILIZER
MANUF: ASSOC. LEAD, INC.

PROD: TRIBASE ND
CHEM: TRIBASIC LEAD SULFATE
USAGE: COMPOUND HEAT STABILIZER
MANUF: ASSOC. LEAD, INC.

PROD: TRIBASE XL ND
CHEM: TRIBASIC LEAD SULFATE
USAGE: COMPOUND HEAT STABILIZER
MANUF: ASSOC. LEAD, INC.

PROD: TRIBASE XL-TOTM
CHEM: MODIFIED TRIBASIC LEAD SULFATE
USAGE: COMPOUND HEAT STABILIZER
MANUF: ASSOC. LEAD, INC.

PROD: VINYZENE SB-1
CHEM: 10,10'-OXYBISPHENOXARSINE/POLYMERIC RESIN
USAGE: COMPOUND FUNGICIDE
MANUF: MORTON THIOKOL, INC.

PROD: VISTA 610-P
CHEM: N-HEXYL, N-OCTYL, N-DECYL PHTHALATE
USAGE: COMPOUND PLASTICIZER
MANUF: VISTA POLYMERS, INC.

PROD: 1186-R1 RED
CHEM: PVC COLOR CONCENTRATE
USAGE: COMPOUND COLOR PIGMENT
MANUF: AMERICHEM, INC.

PROD: 19349-R2 BLUE
CHEM: PVC COLOR CONCENTRATE
USAGE: COMPOUND COLOR PIGMENT
MANUF: AMERICHEM, INC.

PROD: 19349-R2 WHITE
CHEM: PVC COLOR CONCENTRATE
USAGE: COMPOUND COLOR PIGMENT
MANUF: AMERICHEM, INC.

PROD: 1942-T1 WHITE
CHEM: PVC COLOR CONCENTRATE
USAGE: COMPOUND COLOR CONCENTRATE
MANUF: AMERICHEM, INC.

PROD: 2228-T1 BLACK
CHEM: PVC COLOR CONCENTRATE
USAGE: COMPOUND COLOR PIGMENT
MANUF: AMERICHEM, INC.

PROD: 2312-T1 SILVER
CHEM: COLOR CONCENTRATE
USAGE: COMPOUND COLOR PIGMENT
MANUF: AMERICHEM, INC.

PROD: 2486-T1 WHITE
CHEM: PVC COLOR CONCENTRATE
USAGE: COMPOUND COLOR PIGMENT
MANUF: AMERICHEM, INC.

PROD: 2489-T1 WHITE
CHEM: PVC COLOR CONCENTRATE
USAGE: COMPOUND COLOR PIGMENT
MANUF: AMERICHEM, INC.

PROD: 2602-T1 WHITE
CHEM: PVC COLOR CONCENTRATE
USAGE: COMPOUND COLOR PIGMENT
MANUF: AMERICHEM, INC.

PROD: 2656-T1 BLUE
CHEM: PVC COLOR CONCENTRATE
USAGE: COMPOUND COLOR PIGMENT
MANUF: AMERICHEM, INC.

PROD: 2777-T1 CHROME
CHEM: PVC COLOR CONCENTRATE
USAGE: COMPOUND COLOR PIGMENT
MANUF: AMERICHEM, INC.

PROD: 30-BK-32
CHEM: PVC COLOR CONCENTRATE
USAGE: COMPOUND COLOR PIGMENT
MANUF: WILSON-FIBERFIL INTERNATIONAL

PROD: 3152-T1 WHITE
CHEM: PVC COLOR CONCENTRATE
USAGE: COMPOUND COLOR CONCENTRATE
MANUF: AMERICHEM, INC.

PROD: 32-BK-1
CHEM: COLOR CONCENTRATE
USAGE: COMPOUND COLOR PIGMENT
MANUF: WILSON PRODUCTS CO.

PROD: 32-BK-33
CHEM: COLOR CONCENTRATE
USAGE: COMPOUND COLOR PIGMENT
MANUF: WILSON-FIBERFIL INTERNATIONAL

PROD: 32-GY-16
CHEM: COLOR CONCENTRATE
USAGE: COMPOUND COLOR PIGMENT
MANUF: WILSON PRODUCTS CO.

PROD: 32-GY-4
CHEM: COLOR CONCENTRATE
USAGE: COMPOUND COLOR PIGMENT
MANUF: WILSON PRODUCTS CO.

PROD: 4310-R1 VIOLET
CHEM: COLOR CONCENTRATE
USAGE: COMPOUND COLOR PIGMENT
MANUF: AMERICHEM, INC.

PROD: 6500-R4 BLACK
CHEM: PVC COLOR CONCENTRATE
USAGE: COMPOUND COLOR PIGMENT
MANUF: AMERICHEM, INC.

PROD: A-C POLYETHYLENE
CHEM: LOW MOL. WT. POLYETHYLENE
USAGE: COMPOUND LUBRICANT
MANUF: ALLIED CHEM. CORP.

PROD: ADMEX 711
CHEM: EPOXIDIZED SOYBEAN OIL
USAGE: COMPOUND PLASTICIZER
MANUF: SHEREX CHEM. CO.

PROD: ADVAWAX 165
CHEM: REFINED PARAFFIN WAX
USAGE: COMPOUND/DRY BLEND LUBRICANT
MANUF: MORTON THIokol, INC.

PROD: ADVAWAX 280
CHEM: REFINED PARAFFIN WAX
USAGE: COMPOUND/DRYBLEND LUBRICANT
MANUF: MORTON THIOROL, INC.

PROD: ALCOA HYDRATED ALUMINA
CHEM: HYDRATED ALUMINA
USAGE: COMPOUND FLAME RETARDANT
MANUF: ALUM. CO. OF AMERICA

PROD: ATOMITE
CHEM: CALCIUM CARBONATE
USAGE: COMPOUND FILLER
MANUF: THOMPSON WEINMAN, & CO.

PROD: BURGESS 30
CHEM: ANHYDROUS KAOLIN CLAY
USAGE: COMPOUND FILLER
MANUF: BURGESS PIGMENT CO.

PROD: BURGESS 30 P
CHEM: ANHYDROUS KAOLIN CLAY
USAGE: COMPOUND FILLER
MANUF: BURGESS PIGMENT CO.

PROD: CARNATION WHITE MINERAL OIL
CHEM: WHITE MINERAL OIL
USAGE: COMPOUND INTERNAL LUBRICANT
MANUF: WITCO CHEM. CORP.

PROD: CERECOR S-52
CHEM: CHLORINATED PARAFFIN
USAGE: COMPOUND SECONDARY PLASTICIZER
MANUF: ENNIS CHEM. CO.

PROD: CS-2027
CHEM: PARAFFINIC WAX
USAGE: COMPOUND LUBRICANT
MANUF: CRYSTAL SOAP & CHEMICAL CO.

PROD: CYASORB UV 531
CHEM: 2-HYDROXY-4-N-OCTOXYBENZOPHENONE
USAGE: COMPOUND LIGHT ABSORBER
MANUF: AMERICAN CYANAMID CO.

PROD: DIOCTYL ADIPATE
CHEM: BIS(2-ETHYLHEXYL) ADIPATE; DI(2-ETHYLHEXYL) ADIPATE; HEXANEDIOIC ACID, BIS(2-ETHYLHEXYL) ESTER
USAGE: COMPOUND PLASTICIZER
MANUF: MONSANTO CO.

PROD: DIUNDECYL PHTHALATE (DUP)
CHEM: 1,2-BENXENEDICARBOXYLIC ACID, DIUNDECYL ESTER
USAGE: COMPOUND PLASTICIZER
MANUF: MONSANTO CO.

PROD: DRAPEX 6.8
CHEM: EPOXIDIZED SOYBEAN OIL
USAGE: COMPOUND SECONDARY PLASTICIZER
MANUF: ARGUS CHEMICAL CORP.

PROD: EPOLENE E14P
CHEM: OXIDIZED POLYOLEFIN
USAGE: COMPOUND/DRY BLEND LUBRICANT
MANUF: EASTMAN CHEM. PROD., INC.

PROD: GAMA-SPERSE 6532
CHEM: CALCIUM CARBONATE
USAGE: COMPOUND FILLER
MANUF: GEORGIA MARBLE COMPANY

PROD: GRAY VCP 5082
CHEM: COLOR CONCENTRATE
USAGE: COMPOUND COLOR PIGMENT
MANUF: HARWICK CHEM. CO.

PROD: GRAY VCP 5083
CHEM: COLOR CONCENTRATE
USAGE: COMPOUND COLOR PIGMENT
MANUF: HARWICK CHEM. CO.

PROD: HOSTALUB XL-165
CHEM: SYNTHETIC PETROLEUM WAX
USAGE: COMPOUND/DRY BLEND LUBRICANT
MANUF: AMERICAN HOECHST CORP.

PROD: HYDRATED ALUMINA
CHEM: HYDRATED ALUMINA
USAGE: COMPOUND FLAME RETARDENT
MANUF: ALUM. CO. OF AMERICA

PROD: HYDROFOL 1655
CHEM: STEARIC ACID
USAGE: COMPOUND LUBRICANT
MANUF: SHEREX CHEM. CO.

PROD: HYSTRENE 5016
CHEM: STEARIC ACID
USAGE: COMPOUND LUBRICANT
MANUF: WITCO CHEM. CORP.

PROD: JAYFLEX DIDP
CHEM: DI ISODECYL PHTHALATE
USAGE: COMPOUND PLASTICIZER
MANUF: EXXON CHEM. CO.

PROD: KODAFLEX TOTM
CHEM: TRI (2-ETHYL HEXYL) TRIMELLITATE
USAGE: COMPOUND PLASTICIZER
MANUF: EASTMAN CHEM. PROD. INC.

PROD: KRONOTEX 100
CHEM: TRI ARYL PHOSPHATE
USAGE: COMPOUND SECONDARY PLASTICIZER
MANUF: FMC CORP.

PROD: KRONOX S
CHEM: EPOXIDIZED SOYBEAN OIL
USAGE: COMPOUND SECONDARY PLASTICIZER
MANUF: FMC CORP.

PROD: LOXIOX H 7107
CHEM: SYTHETIC WAX BLEND
USAGE: COMPOUND LUBRICANT
MANUF: HENKEL CORP.

PROD: LOXIOX HOB 7121
CHEM: PENTAERYTHRITOL MONO-DI-STEARATE
USAGE: COMPOUND LUBRICANT
MANUF: HENKEL CORP.

PROD: MICOWHITE
CHEM: CALCIUM CARBONATE
USAGE: COMPOUND FILLER
MANUF: SYLACAUGA CALCIUM PROD.

PROD: MINEX #4
CHEM: NEPHELINE SYENITE
USAGE: COMPOUND FILLER
MANUF: INDUSTMIN LTD.

PROD: PX-316
CHEM: N-OCTYL, N-DECYL PHTHALATE
USAGE: COMPOUND PLASTICIZER
MANUF: USS CHEMICALS

PROD: ROSS WAX 145
CHEM: PETROLEUM WAX
USAGE: COMPOUND LUBRICANT
MANUF: FRANK B ROSS COMPANY

PROD: SAND BEIGE 3189 T1
CHEM: COLOR CONCENTRATE
USAGE: COMPOUND COLOR PIGMENT
MANUF: AMERICHEM, INC.

PROD: SANTICIZER 146
CHEM: MODIFIED PHOSPHATE ESTER
USAGE: COMPOUND PLASTICIZER
MANUF: MONSANTO CO.

PROD: SANTICIZER 429
CHEM: POLYESTER OF ADIPIC ACID
USAGE: COMPOUND PLASTICIZER
MANUF: MONSANTO CO.

PROD: SANTICIZER 97
CHEM: DI-ALKYL ADIPATE; HEXANEDIOIL ACID; BIS-ALKYL ESTERS
USAGE: COMPOUND PLASTICIZER
MANUF: MANSANTO CO

PROD: SATIN TONE NO. 2
CHEM: ANHYDROUS ALUMINUM SILICATE
USAGE: COMPOUND FILLER
MANUF: ENGLEHARD MINER & CHEMICAL CORP.

PROD: SP 33
CHEM: ANHYDROUS KAOLIN CLAY
USAGE: COMPOUND FILLER
MANUF: FREEPORT KAOLIN CO.

PROD: SUNOLITE 160
CHEM: PETROLEUM WAX
USAGE: COMPOUND/DRY BLEND LUBRICANT
MANUF: WITCO CHEMICAL CORP.

PROD: T-CARB ULTRA
CHEM: CALCIUM CARBONATE
USAGE: COMPOUND FILLER
MANUF: THOMPSON HAYWARD CHEMICAL COMPANY

PROD: TALCRON CP44-31
CHEM: MAGNESIUM SILICATE HYDRATE-TALC
USAGE: COMPOUND FLATTENING AGENT
MANUF: PFIZER

PROD: TALCRON MP 45-26
CHEM: MAGNESIUM SILICATE HYDRATE-TALC
USAGE: COMPOUND SURFACE FLATTENING AGENT
MANUF: PFIZER

PROD: TI-PURE R-101
CHEM: TITANIUM DIOXIDE
USAGE: COMPOUND/DRY BLEND COLOR PIGMENT
MANUF: DUPONT COMPANY

PROD: TI-PURE R-902
CHEM: TITANIUM DIOXIDE
USAGE: COMPOUND/DRY BLEND COLOR PIGMENT
MANUF: DUPONT CO.

PROD: TI-PURE R-960
CHEM: TITANIUM DIOXIDE
USAGE: COMPOUND/DRY BLEND COLOR PIGMENT
MANUF: DUPONT CO.

PROD: TOTM
CHEM: TRIOCTYL TRIMELLITATE
USAGE: COMPOUND PLASTICIZER
MANUF: BADISCHE CORP.

PROD: TRONOX TITANIUM DIOXIDE
CHEM: TITANIUM DIOXIDE
USAGE: COMPOUND/DRY BLEND COLOR PIGMENT
MANUF: KERR MCGEE CHEMICAL CORP.

PROD: UNITANE OR 460
CHEM: TITANIUM DIOXIDE
USAGE: COMPOUND PIGMENT
MANUF: AMER. CYANAMID COMPANY

PROD: VIKOFLEX 7170
CHEM: EPOXIDIZED SOYBEAN OIL
USAGE: COMPOUND SECONDARY PLASTICIZER
MANUF: VIKING CHEMICAL COMPANY

PROD: VISTA 108P
CHEM: N-OCTYL, N-DECYL PHTHALATE
USAGE: COMPOUND STABILIZER
MANUF: VISTA POLYMERS, INC.

PROD: ZOPAQUE R-69
CHEM: TITANIUM DIOXIDE
USAGE: COMPOUND COLOR PIGMENT
MANUF: SCM CORP.

PROD: ACRYLOID K 120N
CHEM: PROPRIETARY ACRYLIC ESTER COPOLYMER
USAGE: DRY BLEND PROCESSING AID
MANUF: ROHM & HAAS

PROD: ACRYLOID K175
CHEM: PROPRIETARY ACRYLIC POLYMER
USAGE: DRY BLEND IMPACT MODIFIER
MANUF: ROHM & HAAS

PROD: ACRYLOID K653
CHEM: METHACRYLATE/BUTADIENE/STYRENE POLYMER
USAGE: DRY BLEND IMPACT MODIFIER
MANUF: ROHM & HAAS

PROD: ACRYLOID KM 323B
CHEM: PROPRIETARY ACRYLIC POLYMER
USAGE: DRY BLEND IMPACT MODIFIER
MANUF: ROHM & HAAS

PROD: ACRYLOID KM/330
CHEM: PROPRIETARY ACRYLIC POLYMER
USAGE: DRY BLEND IMPACT MODIFIER
MANUF: ROHM & HAAS

PROD: ADVASTAB TM 181
CHEM: ALKYL TIN MERCAPTOACID ESTER
USAGE: DRY BLEND HEAT STABILIZER
MANUF: MORTON THIOKOL, INC.

PROD: ADVASTAB TM 692
CHEM: ALKYL TIN MERCAPTIDE
USAGE: DRY BLEND STABILIZER
MANUF: MORTON THIOKOL, INC.

PROD: DIESEL FUEL
CHEM: HYDROCARBON BLEND
USAGE: AUTOMOTIVE FUEL
MANUF: WHITE OIL COMPANY (DISTRIBUTOR)

PROD: DURASTRENGTH 200
CHEM: PROPRIETARY ACRYLIC POLYMER
USAGE:
MANUF: M & T CHEM., INC.

PROD: GASOLINE
CHEM: HYDROCARBON BLEND
USAGE: AUTOMOTIVE FUEL
MANUF: WHITE OIL COMPANY (DISTRIBUTOR)

PROD: MARK 1900
CHEM: METHYL TIN MERCAPTO ESTER COMPLEX
USAGE: DRY BLEND HEAT STABILIZER
MANUF: ARGUS CHEM. CORP.



PROD: MARK 1925
CHEM: METHYL TIN MERCAPTO ESTER COMPLEX
USAGE: DRY BLEND HEAT STABILIZER
MANUF: ARGUS CHEM. CORP.

PROD: MARK 1928
CHEM: BARIUM/CADMIUM SOAP
USAGE: DRY BLEND HEAT STABILIZER
MANUF: ARGUS CHEMICAL CORP.

PROD: RECONSTITUTEED BREATHING AIR
CHEM: AIR, COMPRESSED
USAGE: SELF-CONTAINED BREATHING APPARATUS AIR
MANUF: MS WELDING SUPPLY

PROD: THERMOLITE 101
CHEM: ORGANO TIN MERCAPTO ESTER COMPLEX
USAGE: DRY BLEND HEAT STABILIZER
MANUF: M & T CHEMICALS, INC.

PROD: THERMOLITE 175
CHEM: ORGANO TIN MERCAPTO ESTER COMPLEX
USAGE: DRY BLEND HEAT STABILIZER
MANUF: M & T CHEMICALS, INC.

PROD: A-C POLYETHYLENE 629
CHEM: LOW MOL. WT. POLYETHYLENE
USAGE: DRY BLEND LUBRICANT
MANUF: ALLIED CHEM. CORP.

PROD: ADVAWAX 165
CHEM: REFINED PARAFFIN WAX
USAGE: COMPOUND/DRY BLEND LUBRICANT
MANUF: MORTON THIKOL, INC.

PROD: ADVAWAX 280
CHEM: REFINED PARAFFIN WAX
USAGE: COMPOUND/DRYBLEND LUBRICANT
MANUF: MORTON THIOROL, INC.

PROD: CALCIUM STEARATE
CHEM: CALCIUM STEARATE
USAGE: DRY BLEND LUBRICANT
MANUF: NITCO CHEM. CORP.

PROD: EPOLENE E14P
CHEM: OXIDIZED POLYOLEFIN
USAGE: COMPOUND/DRY BLEND LUBRICANT
MANUF: EASTMAN CHEM. PROD., INC.

PROD: HOSTALUB XL-165
CHEM: SYNTHETIC PETROLEUM WAX
USAGE: COMPOUND/DRY BLEND LUBRICANT
MANUF: AMERICAN HOECHST CORP.

PROD: OMYACARB UF-T
CHEM: CALCIUM CARBONATE
USAGE: DRY BLEND FILLER
MANUF: OMYA, INC.

PROD: SUNOLITE 160
CHEM: PETROLEUM WAX
USAGE: COMPOUND/DRY BLEND LUBRICANT
MANUF: WITCO CHEMICAL CORP.

PROD: SUPERCOAT
CHEM: CALCIUM CARBONATE
USAGE: DRY BLEND FILLER
MANUF: THOMPSON, WEINMAN & CO.

PROD: SUPERFINE F
CHEM: CALCIUM STEARATE
USAGE: DRY BLEND LUBRICANT
MANUF: WITCO CHEM. CORP.

PROD: SUPERMITE
CHEM: CALCIUM CARBONATE
USAGE: DRY BLEND FILLER
MANUF: THOMPSON, WEINMAN & CO.

PROD: TI-PURE R-101
CHEM: TITANIUM DIOXIDE
USAGE: COMPOUND/DRY BLEND COLOR PIGMENT
MANUF: DUPONT COMPANY

PROD: TI-PURE R-902
CHEM: TITANIUM DIOXIDE
USAGE: COMPOUND/DRY BLEND COLOR PIGMENT
MANUF: DUPONT CO.

PROD: TI-PURE R-960
CHEM: TITANIUM DIOXIDE
USAGE: COMPOUND/DRY BLEND COLOR PIGMENT
MANUF: DUPONT CO.

PROD: TRONOX TITANIUM DIOXIDE
CHEM: TITANIUM DIOXIDE
USAGE: COMPOUND/DRY BLEND COLOR PIGMENT
MANUF: KERR MCGEE CHEMICAL CORP.

PROD: ULTRA-PFLEX
CHEM: CALCIUM CARBONATE
USAGE: DRY BLEND FILLER
MANUF: PFIZER

PROD: WINNOFIL-S
CHEM: CALCIUM CARBONATE
USAGE: DRY BLEND FILLER
MANUF: ICI UNITED STATES, INC.

PROD: 2-ETHYLHEXANOL
CHEM: 2-ETHYL-1-HEXANOL, 2-ETHYLHEXYL ALCOHOL
USAGE: PLASTICIZER RAW MATERIAL
MANUF: BADISCHE CORP

PROD: ALFOL 610
CHEM: 6,8,10 BLEND OF NORMAL ALCOHOLS
USAGE: PLASTICIZER RAW MATERIAL
MANUF: VISTA CHEM. CO.

PROD: ALFOL 810
CHEM: 8,10 BLEND OF NORMAL ALCOHOLS
USAGE: PLASTICIZER RAW MATERIAL
MANUF: VISTA CHEM. CO.

PROD: BISPHENOL A
CHEM: 4,4 ISOPROPYLIDENEDIPHENOL
USAGE: COMPOUND ANTI-OXIDANT
MANUF: USS CHEMICALS, SHELL CHEM.CO., UNION CARBIDE

PROD: DARCO S-51
CHEM: ACTIVATED CARBON
USAGE: DECOLORIZING CHARCOAL
MANUF: ICI AMERICAS, INC.

PROD: DECYL ALCOHOL
CHEM: ISODECANOL
USAGE: PLASTICIZER RAW MATERIAL
MANUF: EXXON CHEM. CO.

PROD: DIESEL FUEL
CHEM: HYDROCARBON BLEND
USAGE: AUTOMOTIVE FUEL
MANUF: WHITE OIL COMPANY (DISTRIBUTOR)

PROD: GASOLINE
CHEM: HYDROCARBON BLEND
USAGE: AUTOMOTIVE FUEL
MANUF: WHITE OIL COMPANY (DISTRIBUTOR)

PROD: PARA TOLUENESULFONIC ACID
CHEM: TOLUENESULFONIC ACID
USAGE: PLASTICIZER ACID CATALYST
MANUF: JIM WALTERS RESOURCES, INC.

PROD: PHTHALIC ANHYDRIDE
CHEM: PHTHALIC ANHYDRIDE
USAGE: PLASTICIZER RAW MATERIAL
MANUF: USS CHEMICALS, MONSANTO, EXXON

PROD: RECONSTITUTEED BREATHING AIR
CHEM: AIR, COMPRESSED
USAGE: SELF-CONTAINED BREATHING APPARATUS AIR
MANUF: MS WELDING SUPPLY

PROD: SODIUM HYDROXIDE, 50 % LIQUID
CHEM: SODIUM HYDROXIDE
USAGE: PLASTICIZER PROCESSING
MANUF: VULCAN MATERIALS, DIAMOND SHAMROCK, OCCIDENTAL CHEMICAL CO.

PROD: FILTROL K85
CHEM: DIATOMACEOUS EARTH
USAGE: CLAY ABSORBENT FOR DECOLORIZING
MANUF: FILTROL CORP.

PROD: HYFLO SUPER-CEL
CHEM: DIATOMACEOUS EARTH
USAGE: FILTER AID
MANUF: JOHNS-MANVILLE

PROD: SUPER FILTROL
CHEM: DIATOMACEOUS EARTH
USAGE: CLAY ABSORBENT FOR DECOLORIZING
MANUF: FILTROL CORP.

PROD: TSP
CHEM: TRISODIUM PHOSPHATE
USAGE: OIL ABSORBENT
MANUF: OLIN CHEMICALS

PROD: ACETYLENE
CHEM: ACETYLENE
USAGE: FLAME CUTTING & WELDING
MANUF: AIRCO, INC.

PROD: AGITENE
CHEM: PETROLEUM NAPTHAS
USAGE: CLEANING SOLVENT
MANUF: GRAYMILLS CORP.

PROD: ANHYDROUS AMMONIA
CHEM: AMMONIA, ANHYDROUS LIQUID
USAGE: EFFLUENT WATER TREATMENT
MANUF: US AGRICHEMICAL

PROD: ARGON
CHEM: ARGON, COMPRESSED
USAGE: HELI-ARC WELDING
MANUF: MS WELDING SUPPLY

PROD: BALANCED POLYMER 5000 SERIES
CHEM: WATER SOLN: NAOH; SALTS OF EDTA, NITRATE, SILICATE, SULFITE, POLYCARBOXYLIC ACIDS, POLYALKYLENE GLYCOL, ANHYDROUS POLYPHOSPHATE
USAGE: BOILER FEEDWATER TREATMENT
MANUF: BETZ LABORATORIES, INC.

PROD: BETZ 2060
CHEM: AQUEOUS SOLUTION OF POTASSIUM HYDROXIDE, ORGANO PHOSPHONATE, PHOSPHATE SALTS, SILICATE SALT AND AN AROMATIC NITROGEN HETEROCYCLE
USAGE: WATER TREATMENT
MANUF: BETZ LABORATORIES, INC.

PROD: BIOSPERSE 250
CHEM: ISOTHIAZOLNE
USAGE: COOLING WATER TREATMENT
MANUF: DREW CHEM. CO.

PROD: CATALYZED SULFITE
CHEM:
USAGE: STEAM CONDENSATE TREATMENT
MANUF: DREW CHEM. CORP.

PROD: CORREGEN
CHEM: CATALYZED SODIUM SULFITE
USAGE: WATER TREATMENT
MANUF: BETZ LABORATORIES, INC.

PROD: DIESEL FUEL
CHEM: HYDROCARBON BLEND
USAGE: AUTOMOTIVE FUEL
MANUF: WHITE OIL COMPANY (DISTRIBUTOR)

PROD: FREON 11
CHEM: TRICHLOROFLUOROMETHANE
USAGE: REFRIGERANT
MANUF: DUPONT

PROD: FREON 12
CHEM: DICHLORODIFLUOROMETHANE
USAGE: REFRIGERANT
MANUF: DUPONT

PROD: FREON 22
CHEM: CHLORODIFLUOROMETHANE
USAGE: REFRIGERENT
MANUF: DUPONT

PROD: GASOLINE
CHEM: HYDROCARBON BLEND
USAGE: AUTOMOTIVE FUEL
MANUF: WHITE OIL COMPANY (DISTRIBUTOR)

PROD: HYDROCHLORIC ACID
CHEM: HYDROCHLORIC ACID
USAGE: EFFLUENT WATER TREATMENT
MANUF: STAUFFER CHEM. CO.

PROD: HYZEEN
CHEM: HYDRAZEEN-DIAMINE
USAGE: BOILER FEEDWATER CORROSION INHIBITOR
MANUF: BETZ LABORATORIES, INC.

PROD: KI-2
CHEM: WATER SOLUTION OF AN ACID CHELANT, AN ORGANO PHOSPHONATE, & ORGANIC
CORROSION INHIBITOR
USAGE: ION EXCHANGE RESIN CLEANER
MANUF: BETZ LABORATORIES, INC.

PROD: LIQUID CHLORINE
CHEM: CHLORINE
USAGE: COOLING WATER TREATMENT
MANUF: DIAMOND SHAMROCK, DOW CHEM. CO.

PROD: NEUTRAMEEN NA-7
CHEM: CYCLOHEXYLAMINE & MORPHOLINE IN WATER
USAGE: CORROSION INHIBITOR
MANUF: BETZ LABORATORIES, INC.

PROD: OAKITE DRYCID
CHEM: CATIONIC-INHIBITED INORGANIC ACID
USAGE: ACID-CLEANING OF EQUIPMENT
MANUF: OAKITE PRODUCTS, INC.

PROD: OXYGEN
CHEM: OXYGEN, COMPRESSED
USAGE: FLAME CUTTING & WELDING; PVC COMPOUND QUALITY CONTROL AID
MANUF: AIRCO, INC.

PROD: PHOSPHORIC ACID, 75 PCT
CHEM: PHOSPHORIC ACID
USAGE: EFFLUENT WATER TREATMENT
MANUF: STAUFFER CHEMICAL CO.

PROD: POLYSERSE PLUS
CHEM: AQUEOUS SOLUTION OF A POLYSTYRENE DERIVATIVE, A POLYACRYLATE POLYMER,
ANTI-FOAM AGENT, & CAUSTIC SODA
USAGE: COOLING WATER TREATMENT CHEMICAL
MANUF: BETZ LABORATORIES, INC.

PROD: RECONSTITUTEED BREATHING AIR
CHEM: AIR, COMPRESSED
USAGE: SELF-CONTAINED BREATHING APPARATUS AIR
MANUF: MS WELDING SUPPLY

PROD: SLIMICIDE C-31
CHEM: BLEND OF DODECYLGUANIDINE HYDROCHLORIDE AND METHYLENE
BIS(THIOCYANATE)
USAGE: COOLING WATER TREATMENT
MANUF: BETZ LABORATORIES, INC.

PROD: SLIMICIDE C-68
CHEM: BLEND OF 5-CHLORO-2-METHYL-4-ISOTHIZOLIN & 2-METHYL-4-ISOTHIAZOLIN
USAGE: COOLING WATER TREATMENT
MANUF: BETZ LABORATORIES, INC.

PROD: SLIMICIDE J-12
CHEM: AQUEOUS SOLUTION OF N-ALKYL BENZYL AMMONIUM CHLORIDE, BIS(TRIBUTYL)T
IN OXIDE, SODIUM HYDROXIDE AND SILICONE EMULSION
USAGE: COOLING WATER TREATMENT
MANUF: BETZ LABORATORIES, INC.

PROD: SULPHURIC ACID
CHEM: SULPHURIC ACID
USAGE: EFFLUENT WATER PH CONTROL
MANUF: INDUSTRIAL CHEMICALS

PROD: SUPER-AGITENE
CHEM: PETROLEUM NAPHAS
USAGE: CLEANING SOLVENT
MANUF: GRAYMILLS CORP.

PROD: VCM STANDARD GAS
CHEM: VINYL CHLORIDE MONOMER
USAGE: EQUIPMENT CALIBRATION
MANUF: MS WELDING SUPPLY (DISTRIBUTOR)

PROD: ZERO AIR
CHEM: AIR, COMPRESSED
USAGE: INSTRUMENT CALIBRATION
MANUF: MS WELDING SUPPLY (DISTRIBUTOR)

PROD: COGLUBE LUBRICANTS
CHEM: PETROLEUM LUBRICATING OILS
USAGE: LUBRICANT
MANUF: CONOCO

PROD: CONOCO LUBRICATING GREASES
CHEM: PETROLEUM HYDROCARBONS
USAGE: LUBRICANT
MANUF: CONOCO

PROD: CONOCO MOTOR OILS
CHEM: PETROLEUM HYDROCARBONS
USAGE: LUBRICANT
MANUF: CONOCO

PROD: CONOCO TRANSMISSION FLUIDS
CHEM: PETROLEUM HYDROCARBONS
USAGE: HYDRAULIC TRANSMISSION FLUID
MANUF: CONOCO

PROD: DECTOL R & O OIL 116
CHEM: PETROLEUM LUBRICATING & HYDRAULIC OIL
USAGE: LUBRICANT
MANUF: CONOCO

PROD: DECTOL R & O OIL 150
CHEM: PETROLEUM LUBRICATING & HYDRAULIC OIL
USAGE: LUBRICANT
MANUF: CONOCO

PROD: DECTOL R & O OIL 46
CHEM: PETROLEUM LUBRICATING & HYDRAULIC OIL
USAGE: LUBRICANT
MANUF: CONOCO

PROD: DECTOL R & O OIL 68
CHEM: PETROLEUM LUBRICATING & HYDRAULIC OIL
USAGE: LUBRICANT
MANUF: CONOCO

PROD: DELTOL R & O OIL 15
CHEM: PETROLEUM LUBRICATING & HYDRAULIC OIL
USAGE: LUBRICANT
MANUF: CONOCO

PROD: DELTOL R & O OIL 32
CHEM: PETROLEUM LUBRICATING & HYDRAULIC OIL
USAGE: LUBRICANT
MANUF: CONOCO

PROD: E.F. LUBRICANT HD 220
CHEM: PETROLEUM HYDROCARBON
USAGE: LUBRICANT
MANUF: GULF OIL CORP.

PROD: INCA OIL
CHEM: PETROLEUM HYDROCARBON OIL
USAGE: LUBRICANT
MANUF: CONOCO

PROD: MILL GEAR OILS
CHEM: PETROLEUM HYDROCARBONS
USAGE: LUBRICANT
MANUF: CONOCO

PROD: OMALA OIL 150
CHEM: LUBRICATING OIL
USAGE: LUBRICANT
MANUF: SHELL CHEMICAL

PROD: OMALA OIL 220
CHEM: LUBRICATING OIL
USAGE: LUBRICANT
MANUF: SHELL CHEMICAL

PROD: OMALA OIL 320
CHEM: LUBRICATING OIL
USAGE: LUBRICANT
MANUF: SHELL CHEMICAL

PROD: OMALA OIL 680
CHEM: LUBRICATING OIL
USAGE: LUBRICANT
MANUF: SHELL CHEMICAL

PROD: ROTELLA T MULTIGRADE 15W/40
CHEM: LUBRICATING OIL
USAGE: LUBRICANT
MANUF: SHELL CHEMICAL

PROD: SHELL DONAX (R) TG FLUID
CHEM: LUBRICATING OIL
USAGE: LUBRICANT
MANUF: SHELL CHEMICAL

PROD: SHELL SPIRAX (R) HEAVY DUTY 80W/90
CHEM: LUBRICATING OIL
USAGE: LUBRICANT
MANUF: SHELL CHEMICAL

PROD: SHELL TURBO (R) OIL 100
CHEM: LUBRICATING OIL
USAGE: LUBRICANT
MANUF: SHELL CHEMICAL CO.

PROD: SHELL TURBO (R) OIL 150
CHEM: LUBRICATING OIL
USAGE: LUBRICANT
MANUF: SHELL CHEMICAL CO.

PROD: SHELL TURBO (R) OIL 32
CHEM: LUBRICATING OIL
USAGE: LUBRICANT
MANUF: SHELL CHEMICAL CO.

PROD: SHELL TURBO (R) OIL 46
CHEM: LUBRICATING OIL
USAGE: LUBRICANT
MANUF: SHELL CHEMICAL CO.

PROD: SHELL TURBO (R) OIL 68
CHEM: LUBRICATING OIL
USAGE: LUBRICANT
MANUF: SHELL CHEMICAL CO.

PROD: SOLUBLE OIL
CHEM: PETROLEUM OIL BLEND
USAGE: CUTTING FLUID
MANUF: CONOCO

PROD: SUPER HYDRAULIC OILS
CHEM: PETROLEUM HYDROCARBONS
USAGE: HYDRAULIC FLUID
MANUF: CONOCO

PROD: SUPER INDUSTRIAL CLEANER 500
CHEM:
USAGE: METAL PARTS CLEANING SOLVENT
MANUF: HUNTER CHEMICAL, INC.

PROD: TELLUS OIL 32
CHEM: LUBRICATING OIL
USAGE: LUBRICANT
MANUF: SHELL CHEMICAL

PROD: TELLUS OIL 46
CHEM: LUBRICATING OIL
USAGE: LUBRICANT
MANUF: SHELL CHEMICAL

PROD: TELLUS OIL 68
CHEM: LUBRICATING OIL
USAGE: LUBRICANT
MANUF: SHELL CHEMICAL CO

PROD: TURBINE OIL 15
CHEM: PETROLEUM LUBRICATING OIL
USAGE: LUBRICANT
MANUF: CONOCO

PROD: TURBINE OIL 21
CHEM: PETROLEUM LUBRICATING OIL
USAGE: LUBRICANT
MANUF: CONOCO

PROD: TURBINE OIL 32
CHEM: PETROLEUM LUBRICATING OIL
USAGE: LUBRICANT
MANUF: CONOCO

PROD: UCON CALENDAR LUBRICANT 51
CHEM: POLYALKYLENE GLYCOL MIXTURE
USAGE: COMPOUND LINE 3 FCM HEATING OIL
MANUF: UNION CARBIDE

PROD: UCON HEAT TRANSFER FLUID 500
CHEM: INHIBITED POLYALKYLENE GLYCOL
USAGE: HEAT TRANSFER FLUID
MANUF: UNION CARBIDE

PROD: VALVATA OIL J460
CHEM: HYDROCARBON
USAGE: LUBRICANT
MANUF: SHELL CHEMICAL CO.

PROD: DIESEL FUEL
CHEM: HYDROCARBON BLEND
USAGE: AUTOMOTIVE FUEL
MANUF: WHITE OIL COMPANY (DISTRIBUTOR)

PROD: GASOLINE
CHEM: HYDROCARBON BLEND
USAGE: AUTOMOTIVE FUEL
MANUF: WHITE OIL COMPANY (DISTRIBUTOR)

PROD: HELIUM
CHEM: HELIUM, COMPRESSED
USAGE: G.C. CARRIER GAS
MANUF: AIRCO, INC.

PROD: HYDROGEN
CHEM: HYDROGEN, COMPRESSED
USAGE: G. C. FUEL
MANUF: AIRCO, INC.

PROD: NITROGEN
CHEM: NITROGEN, COMPRESSED
USAGE: MISC. PROCESS CONTROLS; G. C. CARRIER GAS
MANUF: AIRCO, INC. UPPLY

PROD: OXYGEN
CHEM: OXYGEN, COMPRESSED
USAGE: FLAME CUTTING & WELDING; PVC COMPOUND QUALITY CONTROL AID
MANUF: AIRCO, INC.

PROD: RECONSTITUTEED BREATHING AIR
CHEM: AIR, COMPRESSED
USAGE: SELF-CONTAINED BREATHING APPARATUS AIR
MANUF: MS WELDING SUPPLY

PROD: VCM STANDARD GAS
CHEM: VINYL CHLORIDE MONOMER
USAGE: EQUIPMENT CALIBRATION
MANUF: MS WELDING SUPPLY (DISTRIBUTOR)

