

MD-3-A

PACKAGE TICKET

(DRY AND PASTE ONLY)

CODE KY-7880 LOT 34874

| NET WT/PKG | NO. PKG | PACK. WGT | LOCATION | PQ |
|------------|---------|-----------|----------|----|
|------------|---------|-----------|----------|----|

|           |           |             |  |  |
|-----------|-----------|-------------|--|--|
| <u>50</u> | <u>72</u> | <u>3600</u> |  |  |
|           |           |             |  |  |
|           |           |             |  |  |
|           |           |             |  |  |
|           |           |             |  |  |
|           |           |             |  |  |
|           |           |             |  |  |

STUMP

TOTAL NET WT. 3600 PKG. N-CODE 1130

PROD. SPVR. \_\_\_\_\_ DATE \_\_\_\_\_ WHSE. OPER. \_\_\_\_\_

RH 3/15/80

N 27538

23  
244

CG 03 CODE KY-788-D PKG.  
MAR 13 34874  
EST. WGT. 960 860 LBS.

OK  
KP

PROCESSING INSTRUCTIONS: BATCH UNIT

| PROCESSES    | APPROVED BY |
|--------------|-------------|
| KY-788-D (J) | ENK 9/22/76 |
|              | DCB 9/27/76 |
|              |             |
| TYPED BY     |             |
| NE 2/17/77   |             |

MAKING NOTES

REMARKS

3460  
Total Wgt. 3560# Req( )

NAME: "KROLOR" YELLOW - LIGHT

NON-BLEEDING

INSTRUCTIONS

-PRESSING-

RECORD

| VAT | DATE | TIME    | RELEASED BY | PRESS | NO. OF Cakes | PRESS With              | WASH TO | TEST AFTER | LOAD ON | PRESSLOAD | STARTED | Cakes USED | WATER ON | HRS. WASHED | OHMS | HRS. WASHED | OHMS | HRS. WASHED | OHMS | CAKE CONDITION | NO. CARS LOADED | EXPLAIN LOSSES |
|-----|------|---------|-------------|-------|--------------|-------------------------|---------|------------|---------|-----------|---------|------------|----------|-------------|------|-------------|------|-------------|------|----------------|-----------------|----------------|
|     | 3-13 | 6:30 AM | 237         | 22    | 46           | With                    | 2000    | 2          | cars    |           |         |            |          |             |      |             |      |             |      |                |                 |                |
|     |      |         |             | 23    | 46           | AGITATION               |         |            |         |           |         |            |          |             |      |             |      |             |      |                |                 |                |
|     |      |         |             | 24    | 46           | OHMS with 35-75°F water |         |            |         |           |         |            |          |             |      |             |      |             |      |                |                 |                |
|     |      |         |             |       |              | HOURS                   |         |            |         |           |         |            |          |             |      |             |      |             |      |                |                 |                |

SAMPLES 1- 8oz JAR  
DELIVER TO CIL for Color

SAMPLED BY 169 RELEASED BY

-DRYING-

Dry 12 hrs at 220 °F L.V.  
Then Dry 8 hrs at 160 °F

LUMP: - OK - WET - SALTS - CONTAMINATED

ADDITIONAL DRYING HOURS REQUIRED

SAMPLES  
DELIVER TO

NO. CARS PULLED  
SAMPLED BY

No Drums 16  
LUMP WGT. 3366  
RELEASED BY 7-215

-GRINDING-

MILL 939 HSP 3/32" RP SCREEN 3500 RPM  
MAX. TEMP. 150 °F

SCREEN RPM  
MAX. TEMP. °F

EXPLAIN LOSSES

SAMPLE AFTER / WITHOUT MIXING  
SAMPLES 1 Env. & 1 Pt can  
DELIVER TO CIL

DATE MIXED

SAMPLED BY

RELEASED BY

3 4 8.7 4 #

.41 #

.17 #

.00 T

2.20

.12 -

2.20

.12 -

2.15

.12 -

2.20

.12 -

2.34

.12 -

2.32

.12 -

2.28

.12 -

2.30

.12 -

2.21

.12 -

2.20

.12 -

2.30

.12 -

2.31

.12 -

2.23

.12 -

2.36

.12 -

2.21

.12 -

1.77

.12 -

3 3.6 6 T