

FIRST-COATERS AND LIQUID FILLERS

	Gals.	1/2 Gals. per gal.	Qts. per gal.	Pts. each	1/2 Pts. each
33' 0/15 Mission-lac.....	2 25	2 45	2 60	37	21
First or Finishing-coat for Mission Stains.....	1 35	2 55	2 70	37	22
Hard-Drying Coater.....	2 00	2 20	2 35	28	16
Shellac-coat.....	1 75		2 10	28	
"A better-than-Shellac" first-coater.....	1 00	1 10	1 20		
Shellacine.....	1 25	1 65	1 85	25	15
A liquid wood filler.....	1 50	1 80	1 70	25	16
Liquid Filler.....	1 50	1 80	1 70	25	16
Wall Size.....	1 50	1 80	1 70	25	16
Trade discount.....per cent	1.10				

DRIERS AND JAPANS

	Gals.	1/2 Gals. per gal.	Qts. per gal.	Pts. each	1/2 Pts. each
Gold Size Japan.....	3 50	3 70	3 85	53	28
Imperial Coach Japan.....	2 75	2 95	3 10		
Coach Painters' Japan.....	2 40	2 60	2 75		
Drying Japan.....	2 50	2 70	2 85		
White Liquid Drier.....	1 65	1 85	2 00	28	16
Hercules Drier.....	1 80	2 00	2 15	28	16
Dry-o-nite (the Master Painters' Drier).....	1 80	2 00	2 15	25	17
Japan Drier.....	1 10	1 30	1 45	22	15
Brown Drier.....	90	1 10	1 25	18	12
Trade discount.....per cent	3.3				

ASPHALTUMS

Finest Turpentine Asphaltum.....	2 00	2 20	2 35	31	18
No. 1 Asphaltum.....	1 25	1 45	1 60	25	15
Premo Asphaltum.....	85	1 05	1 20	17	12
Trade discount.....per cent	3.3				

NOTE—For prices in 5-gallon cans, deduct 10 cents per gallon, and for barrels, deduct 20 cents per gallon from the one-gallon list price.

SHELLACS

Cut in Pure Denatured Alcohol

	Gals.	Qts.	Pts.	1/2 Pts.	1/4 Pts.
Pure White.....					
Pure Orange.....					
White.....					
Orange.....					

Net prices subject to market changes without notice.

(1/4 pints to quarts put up in glass bottles, gallons in cans.)

SHERWIN-WILLIAMS PRODUCTS AND THEIR USES

As an aid to our agents and dealers, we give herewith a list of various classes of work, suggesting such specialties as should best be fitted for the purpose:

For Barns, Roofs, Fences, Outbuildings, Etc.

- S-W Creosote Paint.* Nineteen good shades.
- S-W Roof and Bridge Paint.* Red, Brown, Gray Slate, Black, and Bronze Green.
- S-W Commonwealth Barn Red.* A bright economical Red.
- S-W Commonwealth Barn Gray.* A handsome shade.

For Bath-tubs, Sinks, Etc.

- S-W Bath-tub Enamel.* Stands hot and cold water.

For Buggies, Autos, Boats, or Exposed Work

- S-W Buggy and Auto Paint.* A varnish gloss paint of great durability.

For Buildings, Outside and Inside, also Roofs

- S-W Liquid Primer and Sherwin-Williams Paint, Prepared.* The best and most economical paint that can be made.

For Carriage and Automobile Painting and Repairs

- S-W Quick-Drying Colors.* The best coach colors that can be made.
- S-W Gloss Colors.* Strong covering, colored rubbing varnishes.
- S-W Perfect Method System.* A scientific system of under-coatings.

For Chairs, Tables, Decorating Woodwork, Furniture, Etc.

- S-W Old Dutch Enamel.* The finest enamel made.
- S-W Enamel.* For a high-gloss finish.
- S-W Brighten Up Stain or S-W Floorlac.* For staining and varnishing at one operation.

For Cupboards, Baseboards, Shelving, Etc.

- S-W Family Paint.* A durable oil-paint; easily cleaned.

For Cleaning and Polishing Metals, Etc.

- S-W Bras-Brûle.* The reliable liquid polish.

For Finishing Interior Woodwork

- S-W Handcraft Stains.* For finishing modern interior woodwork.
- S-W Golden Oak Stain.* Permanent in color—dries well.
- S-W Woodcraft Stains.* For medium-priced work.
- S-W Oil Stain.* For staining new work at a moderate cost.
- S-W Brighten Up Stain.* For staining and varnishing at one operation.
- S-W Floorlac.* A very durable stain in varnish.
- S-W Enamel.* For a high-gloss, enamel finish.
- S-W Old Dutch Enamel.* Highest quality enamel for interior gloss or flat finishing.
- S-W Durable Household Varnish.* Unexcelled for general use.

For Filling and First-Coating

- S-W Shellac-Coal.* "A better than Shellac" first-coater.
- S-W Shellacine.* A liquid wood filler for first-coating.
- S-W Liquid Filler.* For first-coating on close-grained wood.
- S-W Paste Filler.* For all open-grained hardwoods.

For Finishing Furniture

- S-W Handcraft Stains.* A complete line of artistic finishes
- S-W Golden Oak Stain.* Permanent in color, easy working.
- S-W Woodcraft Stains.* For medium-priced work.
- S-W Floorlac or S-W Brighten Up Stain.* For staining and varnishing at one operation.

For Floors

- S-W Inside Floor Paint.* For painted finish.
- S-W Porch and Deck Paint.* For painted finish.
- S-W Mar-not.* For varnished finish.
- S-W Durable Household Varnish.* For varnished finish.
- S-W Floorlac.* For stained finish.
- S-W Brighten Up Stain.* For stained finish.
- S-W Floor Wax.* For waxed finish.
- S-W Dancing Floor Wax.* For dancing floors.
- S-W Crack and Seam Filler.* For filling cracks and seams.
- S-W Wood Crack Filler.* Reliable water putty.
- S-W Polish-ol.* For brightening varnished floors.
- S-W Flaxoap.* A linseed oil soap for general cleaning.
- S-W Graining Preparation.* For graining floors, etc.
- S-W Floorwipe.* Cleans and renews original surface.

For Furniture, Cleaning and Polishing

- S-W Polish-ol.* Renews the original finish.
- S-W Flaxoap.* A pure linseed oil soap.

VARNISH TRADE NET PRICES

FOR REPRESENTATIVES' CONFIDENTIAL USE

CARRIAGE VARNISHES—BODY FINISHING

	Gals.	$\frac{1}{2}$ Gals.	Qtz.	Pt.
	per gal.	per gal.	per gal.	cans each
Whitest Body Finishing	4 00	4 13	4 23	
Wearing Body Finishing	3 67	3 80	3 90	
Carriage Body Finishing	2 33	2 47	2 57	

CARRIAGE VARNISHES—GEAR FINISHING

	Gals.	$\frac{1}{2}$ Gals.	Qtz.	Pt.
	per gal.	per gal.	per gal.	cans each
Whitest Gear Finishing	3 50	3 63	3 73	
Elastic Gear Finishing	3 33	3 47	3 57	
Pale Perfection Gear	2 83	2 97	3 07	
One Coat Carriage (Body or Gear)	2 83	2 97	3 07	40
Extra Pale Express Coach	2 50	2 63	2 73	
Hard-Drying Gear	2 00	2 13	2 23	
Wagon Coach	1 80	1 93	2 03	

CARRIAGE VARNISHES—RUBBING

	Gals.	$\frac{1}{2}$ Gals.	Qtz.	Pt.
	per gal.	per gal.	per gal.	cans each
Whitest Body Rubbing	3 67	3 80	3 90	
Extra Pale Body Rubbing	3 00	3 13	3 23	
Pale Quick Rubbing	2 67	2 80	2 90	
Quick Rubbing (Body or Gear)	2 17	2 30	2 40	31
Gear Rubbing	2 00	2 13	2 23	

MASTER PAINTERS' VARNISH SPECIALTIES

	Gals.	$\frac{1}{2}$ Gals.	Qtz.	Pt.	$\frac{1}{2}$ Pt.
	per gal.	per gal.	per gal.	cans each	cans each
Durable Spar	3 17	3 30	3 40	44	24
Marine Spar	2 17	2 30	2 40		
Kopal	2 20	2 33	2 43	32	18
Federal Building	2 17				
Pale Interior Polishing	2 20	2 33			
Excello	1 83	1 97	2 07	27	16
Mar-not	2 00	2 13	2 23	29	17
Transparent Floor	1 87	2 00	2 10		
Hard-Drying Floor	1 73	1 87	1 97		
No. 5 Floor	1 47	1 60	1 70		
Hard-Drying Seat	2 00	2 13	2 23	29	17
No. 5 Exterior	1 80				
Pale Durable Interior	1 50	1 63			
Pale Flowing Cabinet	1 43	1 57	1 67	22	13
No. 5 Interior	1 33	1 47			
Lustral Coach	1 23				
Interior Coach	1 17	1 30	1 40	19	11
High Gloss Interior	.97				

MISCELLANEOUS VARNISHES

	Gals.	$\frac{1}{2}$ Gals.	Qtz.	Pt.	$\frac{1}{2}$ Pt.
	per gal.	per gal.	per gal.	cans each	cans each
Durable Wood Finish, Exterior	4 33	4 47	4 57		
Durable Wood Finish, Interior	2 67	2 80	2 90		
Bar-Top Finish	2 20	2 33	2 43	32	18
Durable Household	2 00	2 13	2 23	29	17
Finest White Damar	2 20	2 33	2 43	32	18
No. 1 Damar	1 73	1 87	1 97	26	15
Durable Linoleum Finishing	2 00	2 13	2 23	29	17
Velvet Finish (Flat)	2 33		2 47	33	
Velvet Finish No. 1044	1 67	1 80	1 90	27	
Hard Oil Finish, Pale	1 83	1 97	2 07	27	16
Hard Oil Finish	1 67	1 80	1 90	25	15
Premo Hard Oil	1 33	1 47	1 57	21	13
No. 1 Coach	1 47	1 60	1 70	23	13
Premo Coach	1 33	1 47	1 57	21	13
Extra Furniture	1 27	1 40	1 50	20	12
No. 1 Furniture	1 10	1 23	1 33	18	11
Premo Furniture	1 00	1 13	1 23	17	10

VARNISH TRADE NET PRICES - Continued

FIRST-COATERS AND LIQUID FILLERS

	1/2 Gals.	1 Gal.	1 1/2 Gals.	2 Gals.	5 Gals.	10 Gals.
	per gal.	per gal.	per gal.	per gal.	per gal.	per gal.
Mission-lac	1.50	1.63	1.73	1.83	1.93	2.03
Hard-Drying Coater	1.33	1.47	1.57	1.67	1.77	1.87
Shellac-Coat	1.10	1.23	1.33	1.43	1.53	1.63
Shellacine	1.00	1.07	1.13	1.17	1.23	1.27
Liquid Filler	1.00	1.07	1.13	1.17	1.23	1.27
Wall Size	1.00	1.07	1.13	1.17	1.23	1.27

DRIERS AND JAPANS

	1/2 Gals.	1 Gal.	1 1/2 Gals.	2 Gals.	5 Gals.	10 Gals.
	per gal.	per gal.	per gal.	per gal.	per gal.	per gal.
Gold Size Japan	1.33	1.47	1.57	1.67	1.77	1.87
Imperial Coach Japan	1.83	1.97	2.07	2.17	2.27	2.37
Coach Painters Japan	1.60	1.73	1.83	1.93	2.03	2.13
Drying Japan	1.67	1.80	1.90	2.00	2.10	2.20
White Liquid Drier	1.10	1.23	1.33	1.43	1.53	1.63
Hercules Drier	1.20	1.33	1.43	1.53	1.63	1.73
Dry-o-nite	1.00	1.07	1.13	1.17	1.23	1.27
Japan Drier	1.00	1.07	1.13	1.17	1.23	1.27
Brown Drier	1.00	1.07	1.13	1.17	1.23	1.27

ASPHALTUMS

	1/2 Gals.	1 Gal.	1 1/2 Gals.	2 Gals.	5 Gals.	10 Gals.
	per gal.	per gal.	per gal.	per gal.	per gal.	per gal.
Finest Turpentine Asphaltum	1.33	1.47	1.57	1.67	1.77	1.87
No. 1 Asphaltum	1.00	1.07	1.13	1.17	1.23	1.27
Premo Asphaltum	1.00	1.07	1.13	1.17	1.23	1.27

SHERWIN-WILLIAMS PRODUCTS AND THEIR USES

(Continued)

For Interiors, Walls, Ceilings, Etc.

- S-W Enameloid.* For a high-gloss finish.
- S-W Distemper or Fresco Colors.* Ground in water without size.
- S-W Flat-Tone.* For flat finish on walls and woodwork.
- S-W Flat-Tone Glaze Colors.* For the much-desired glazed effect.
- S-W Deco-Paste.* Sanitary, washable, durable.

For Iron and Grille Work

- S-W Flat Black.* For imitating wrought iron finish.

For Live Stock

- S-W Medicinal Linseed Oil.* A splendid laxative for cattle.
- S-W Linseed Oil Meal.* A valuable concentrated feed for cattle, etc.

For Leather Goods, Carriage and Buggy-Tops, Etc.

- S-W Enamel Leather Dressing.* Renews old leather.
- S-W Auto Leather Dressing.* Restores original appearance.

For Machinery, Engines, Castings, Etc.

- S-W Machine Filler.* For producing a smooth surface on iron and steel.
- S-W Machine Paint.* For finishing machinery.

For Metal Surfaces—Protective and Anti-Rust

- S-W Metolastic Nos. 1, 2, 3, 4, 5 and 6.* A specialty for each particular purpose. Only Nos. 2 and 4 regularly carried in stock.
- S-W Perfect Method Red Lead.* Stays in suspension.
- S-W Roof and Bridge Paint.* An economical, protective paint.
- S-W Galvanized Iron Primer.* Prevents peeling of paint coats.

For Paint and Varnish Remover

- S-W Taxile.* Harmless and reliable. Does not injure wood or hands.

For Plumbing, Pipe Joints and Steam Gaskets

- S-W Graphite Pipe Joint and Gasket Compound.* Makes air, steam and water-tight joints that can be unscrewed without breaking pipe.
- S-W Red Lead.* For plumbing and sundry uses.
- S-W American White.* For plumbing and sundry uses.

For Preserving Trees, Crops, Etc.

- S-W Strictly Pure Paris Green.* Sure death to bugs.
- S-W New Process Arsenate of Lead.* A safe and effective spray.
- S-W Dry-Powdered Arsenate of Lead.* Very effective.
- S-W Lime-Sulfur Solution.* For San José Scale.

For Porch and Lawn Furniture

- S-W Porch and Lawn Furniture Enamel.* Five popular colors that stand exposure

For Radiators, Piping, Stoves, Picture-Frames, Etc.

- S-W Aluminum Paint.* For a silver finish.
- S-W Empress Liquid Gold.* Prepared ready for the brush.
- S-W Lustroline Imperial Gold Enamel.* Bronze and liquid separate.
- S-W Liquid Gold.* For radiators and similar surfaces.

For Schoolboards

- S-W Schoolboard Slating.* For finishing or renewing schoolboards.

For Shingles

- S-W Preservative Shingle Slains.* Made with creosote in 22 popular shades

For Stove-Pipes

- S-W Stove-Pipe and Iron Enamel.* Makes old piping look like new.

For Tinting Purposes

- S-W First Quality Oil Colors.* Finely ground in oil.
- S-W Painters Premium Colors.* Splendid tinting qualities.
- S-W Special Colors.* For decorators' and sign-writers' use.
- S-W Dry Colors.* Fine tone and superior strength.

For Varnishing of All Kinds

- Sherwin-Williams Varnishes.* A special varnish for each particular purpose.

For Wagons and Implements

- S-W Wagon and Implement Paint.* Stands the wear and weather.

For Window and Door-Screens

- S-W Screen Enamel.* Black and Green, the two popular shades.

For Window-Blinds

- S-W French Crown Green.* Strong and very permanent.
- S-W Verdite.* The satisfactory Green.

Prices on Dry Powdered Arsenate of Lead

The Sherwin-Williams Dry Powdered Arsenate of Lead insures maximum effectiveness at minimum expense. This product is greater in bulk than any other Powdered Arsenate of Lead on the market.

Quantity	200 lb. pkg.	100 lb. pkg.	50 lb. pkg.	25 lb. pkg.	10 lb. pkg.	5 lb. pkg.	1 lb. pkg.	½ lb. pkg.
500 lbs. per lb.	16½	17	17½	18	20	22	24	28
500 to 2000 per lb.	16	16½	17	17½	19½	21½	23½	27½
1 to 5 tons per lb.	15½	16	16½	17	19	21	23	27
5 to 15 tons per lb.	15	15½	16	16½	18½	20½	22½	26½
15 tons and over per lb.	14½	15	15½	16	18	20	22	26

Terms: 60 days net, 2% cash discount in 10 days from date of invoices.

F. O. B.

THE SHERWIN-WILLIAMS CO.

MANUFACTURERS OF INSECTICIDES AND FUNGICIDES



E421 B15 G39



0007-SWP-000009614.