

DR. L. V. CRALLEY/MR. T. B. BONNEY - AB 7

~~TBB~~
LVC
CPAA
D

June 27, 1972

Mr. G. M. Joyce, President
Dyna-Therm Corporation
598 West Avenue
Los Angeles, California 90065

Dear Mr. Joyce:

The Federal Register of June 7, 1972, includes new OSHA requirements for precautions when spraying asbestos (Par. 1910.93a). It would appear that employees spraying Flamemastic should wear respirators supplied by compressed air-see, Par. (d) (2) (iii) and also special clothing, see Par. (d) (3).

Certain criteria such as fiber length may reduce these protective requirements, but we do not have such information.

We suggest that your company should obtain, for your customers, an official statement from OSHA concerning the applicability of the June 7, 1972, and other OSHA regulations to the use of your products.

In the meantime, we have no alternative except to continue to consider Flamemastic a highly toxic material when sprayed and to take appropriate precautions.

Very truly yours,

C. L. Pittman
Electrical Engineering Division

CLP/jh

cc: Mr. S. J. Jones/Mr. H. D. Keefer - Pittsburgh
Dr. L. V. Cralley/Mr. T. B. Bonney - Pittsburgh
Mr. R. H. Watson - Pittsburgh



409810 0006