

INTER-OFFICE MEMORANDUM

TO	C. E. Caprye	G. W. James	DATE	May 17, 1973
AT	J. D. Cassidy	J. F. Modaff		
	J. W. Flannigan	M. Slavich		
	D. L. Hardy	P. D. Orleman	FROM	R. A. Madsen <i>pick</i>
COPIES TO	J. W. Blewett	R. P. Russell		
	R. C. Crowle	R. W. Grigg		
	H. C. Dupuis	C. R. Grimme	AT	KB-928
	P. J. Franklin	G. B. Kirk		
		E. H. Schaper		

SUBJECT ASBESTOS CAUTION LABELS

Ref: Occupational, Safety, and Health Act of 1970

CAUTION

CONTAINS ASBESTOS FIBERS

AVOID CREATING DUST

BREATHING ASBESTOS DUST MAY CAUSE SERIOUS BODILY HARM

Above label is in compliance with Federal Regulations relating to Occupational, Safety, and Health Standards 29 CFR 1910.93a.

The above label must appear on all Kaiser Gypsum Company bags, cartons, containers, etc. which contain products formulated with asbestos fiber. The purchasing department is continuing to instruct suppliers to include the caution label when printing reorders for packaging materials in order to eventually eliminate the need to hand affix them at the plants.

In the meantime, if you have existing unlabelled inventory, please advise me immediately of the number of labels needed at your facility to insure prompt compliance with the above referenced federal regulation.

You may prefer to accomplish the labelling with a hand stamp which can be procured locally at any stationery store. If this is your intention, please advise.

Thank you.

RAM:jw

Attachment

KG-0132