Extra light color, extra quick drying valuable in light color rubbings and polishings, fine body and gloss, very reliable in all paints such as white enamels.

N25303

(228)

(229)

(230) Special Baking Black Basis 7.36#

(231)

(232)

(233)

(234)

(235) Turkey Red Oil

(236) Cheap mixing Varnish
Very light in color. Very tough,
quick dryes but does not work free
unless used in blends.

0007-SWP-000120592

(237)

(238)

(239)

(240) Cheap Air Drying Black Japan
Flow out smooth, covers fairly well
works freely, fine gloss, not very
brittle dries in 4 hours.

(241) - Toluol

(242)

(243)

(244)

0007-SWP-000120593

(245)

(246)

(247)

(248) Barb. Wire Dip Black

(249)

(250)

(251) New Golden Oak Stain

(252) Blown Linseed Oil

(253) Spec Black Baking Japan

(254)

next page

0007-SWP-000120594

(255)

(256) Yarn Oil for Finishing Yarn

(257)

(258(

(259)

(260)

(261) Rubbing & Polishing Yarn

(262)

(263)Standard Japan Drier
for U.S. Navy

0007-SWP-000120595

(264)

(265)

(266)

(267)

(268)

(269)

(270) New Ultra Flexible
Elk Insulating Varn.

(271)

(272) Void use (~~99~~) 97

(273)

(274)

(275)

0007-SWP-000120596

(276)

(277)

(278)

(279)

(280)

(281)

(282) Black Baking Japan

(283) Acid Bleached Oil

(284) Air Dry Ins. Black

(285)

(286)

(287) Lac. β Varnish

Void use (288)

0007-SWP-000120597

(288) Void

(289) Substitute for Wear-Oil

(290) Ebonol A & B

(291) Energine

(292)

(293) Pine Oil

(294)

(295)

(296)

(297)

(298)

(299)

0007-SWP-000120598

(300)

(301)

(302)

(303)

(304)

(305)

(306)

(307)

(308) Oil of Citronella
wt. is from 7.5 to 7.7# gl.

(309) Liquid Querictron ~~in~~ extract

(310)

(311) Bleemless Spindle Oil

0007-SWP-000120599

(312) 00000 Litho Varn Transparent.

(313) 0000 Litho Varn Transparent

(314) 000 Litho Varn. Transparent

(315) 00 Litho Varn. Transparent

(316) 0 Litho Varn Transparent.

(317) #1 Litho Varn Transparent.

(318) #2 Litho Varn. Trans.

(319) #3 Litho Varn. Trans.

(320) #4 Litho Varn Trans.

(321) #5 Litho Varn Trans.

(322)

(323)

(324

0007-SWP-000120600

(325)

(326)

(327)

(328) Pure White shellac "3"

(329) Pure Orange shellac "A"

(330) 95% Denatured Alcohol

(331)

(332) #63 Japan
1 part to 19 parts oil dries to the touch in 4-5 hrs. and hard in 24 hrs.

(333)

(334) New Process Turpentine 7.15#

(335) Spirit Lacquer Clear

0007-SWP-000120601

(336)

(337)

(338)

(339)

(340) Corset Steel Black Japan Enc.

(341) Black Baking Japan

(342)

(343)

(344)

(345)

(346)

(347)

0007-SWP-000120602

(348) Petroleum Distilate
Incomposition Lanel use
"Mineral Spirits" Flash 105

(349)

(350)

(351)

(352)

(353)

(354)

(355)

(356)

(357)

(358)

(359) Bow Socket Blk Bak. Japan

0007-SWP-000120603

(360)

(361)

(362) Std. Paint & Varn Remover
US Gov. NV6

(363) Carbolic Acid

(364) Salvole

(365) No. 1 White Shellac "C"

(366) Orange Shellac 4# for Trade
Sales

(367)

(368)

(369)

(370)

0007-SWP-000120604

(371)

(372)

(373) Liq Oil Proof Imp Comp'd 33

(374) Special Grinding Japan

(375) Special Prepared (140)
Void see (681)

(376)

(377)

(378)

(379) Impregnating Compound Thinner

(380)

(381) Special Cable Varn

(382) Embossing Varnish

0007-SWP-000120605

(383)

(384)

(385) Deblocmed Neutral Oil

(386)

(387)

(388) Spec. Insulating Varn.

(389) Spec. Comp # 4

(390) Spec. Core Plate Varn.

(391)

(392) Turpentine Japan

(393) Clear Spirit Lacquer

(394) No 1 White Shellac "D"

0007-SWP-000120606

(395) Pure White Shellac "B"

(396) Pure Orange Shellac 4#
for Consumers

(397) Paraffine Oil Void use (311)

(398)

(399)

(400) Special Light 1st Coater
VOID

(401)

(402) Pure Orange Shellac "C"

(403) Pure White Shellac "C"

(404) Spec. Pute White Shellac

(405) Std Liquid metal Polish
U S Gov't.

0007-SWP-000120607

(406)

(407) Size for Graining Preparation

(408)

(409)

(410)

(411)

(412) Reducer for Impregnating Compound Westinghouse Elec & Mfg Co.

(413) Carbolic-Oil from the Barrett Mfg Co
Order under name of Spec. Wood Preservative.

(414) Void use (619)

(415)

(416)

(417)

(418) Soya Bean Oil (Raw)

(419)

(420)

(421)

(422) Auto Leather Dressing (for Detroit)

(423) Blown Soya Bean Oil
Blown to same body as (213)

(424)

(425) Ordinary Table Vinegar

(426) (20) Spec. used at Newark
Spec. Solvent Naptha

0007-SWP-000120609

(427) Substitute for Stand Oil

(428) White Drier Void use (440)

(429)

(430) Heavy bodied "M J Special Fine for Metal Paints

(431) Heavy Body Coach Varnish Void use (139)

(432)

(433) Heavy Coach Varnish

(434) Pure Glycerine

(435) Spirit Lac Clear CV 65

(436)

(437) Flat Tone Grinding Liquid

(438) #2 Pale Paraffine Oil Displaces (27) & (233)

0007-SWP-000120610

(439)

(440) Special White Drier NV 18

(441)

(442)

(443) Ammonia

(444) #1 White Shellac "B" 3½ lbs.

(445) No 1 Orange Shellac B 3½#

(446) Orange Shellac 4½# for Consumers

(447) #1 White shellac "E" 3½#

(448) No. 1 Orange shellac "E" 3#

(449) No. 1 Orange Shellac "F" 3½#

(450) No. 1 White shellac "F" 3½#

0007-SWP-000120611

(451) #1 White Shellac "G" 6#

(452)

(453) Special Cloth Varnish
Void use (481)

(454)

(455)

(456(Black Shellac

(457) Brewers Shellac #4 MV 472

(458)

(459)

(460)

(461)

(462)

0007-SWP-000120612

(463) 105 deg. C Mrya Point Dup
Compound Moloney Elec. Co.

(464)

(465)

(466)

(467) Pure Orange Shellac 3#
(For Trade Sales)

(468) Pure White Shellac 5#
For Consumers.

(469) Carbolinol A
Replace (413) Order under
name of Wood Preservative
Barrett Mfg Co

(470) Arsenic Acid

(471)

(472)

0007-SWP-000120613

(473) Oregon Balsam

(474) Spec. Benzineless Cloth Varn

(475) Rubber Shoe Varnish

(476) Flexible A.D. Black Ins
Varn V 938

(477)

(478)

(479) Rubber Solution

(480) Heavy Bodied Rubbing &
Polishing Varnish

(481) Heavy Body Mixing Varn

(482)

(483) Ajax Finishing Varn
Clear C Void apply 01096

0007-SWP-000120614

(484) Cattle Dip D 985

(485) Spin Heavy Bodied Stand Oil

(486)

(487) Carriage Top Dressing Void

(488) Medium Rubbing Varnish

(489)

(490)

(491)

(492)

(493) Grinding Oil

(494) Medium Rubbing Varnish

0007-SWP-000120615

(495) Bottom Pt Finishing Coat
Formerly (124)

(496) Grinding Oil

(497)

(498) Special White Maple Polishing

(499) Spec. Prepared (140)

(500) #00000 Litho Varnish
Displacing (223) (312)

(501) #0000 Litho Varnish
Displacing (214) (313)

(502) #000 Litho Varnish
Displacing (215) (314)

(503) #00 Litho Varnish
Displacing (216) & (315)

(504) #0 Litho Varnish
Displacing (217) (316)

0007-SWP-000120616

(505) #1 Litho Varnish
Displacing (218) (317)

(506) #2 Lithograph Varnish
Displacing (219) (318)

(507) #3 Litho Varnish
Displacing (220) (319)

(508) #4 Litho Varnish
Displacing (221) (320)

(509) #5 Litho Varnish
Displacing (222) (321)

(510) #6 Litho Varnish

(511) #7 Litho Varnish

(512) #8 Litho Varnish

(513)

(514)

(515)

0007-SWP-000120617

(516)

(517)

(518)

(519)

(520)

(521)

(522)

(523)

(524)

(525) Plat Oil 0½

(526) Plat Oil #1

[redacted]x

0007-SWP-000120618

(527) Plat Oil #2

(528) Plat Oil #2½

(529) Plat Oil #3

(530) Plat Oil #4

(531) Plat Oil #5

(532)

(533)

(534)

(535)

(536)

(537)

(538)

(539)

0007-SWP-000120619

(540)

(541)

(542)

(543) Spec. 1st Coater

(544) Fender Finishing Japan

(545) Special Varnish Oil

(546) Oil for Black Japan

(547) Black Japan

(548) Linseed Oil Fatty Acids

(549) Medicinal Linseed Oil

(550) Spec. Japan Dryer

(551) Refined Water Gas Tar CP 22

0007-SWP-000120620

(552) Product B Oil CP 16

(553) Black Baking Japan

(554) Underwriters Black Acid Resisting Ins. Pt

(555) Soft Pitch Varnish

(556) S

(557)

(558) Special Interior Fin. Varnish

(559)

(560) C.P. Toluol

(561)

(562) 42 deg. Nitric Acid

(563) 48 deg. Nitric Acid

0007-SWP-000120621

(564) Spec. Rubbing Varn.

(565) Blown Fish Oil

(566) Spec Linoleum Cement

(567) Spec Waterproof Shellac

(568(Spec. White Shellac

(569) Spec. Zanzibar Spirit Varn.

(570) File Paper Varnish

(571)

(572) Special Belt Compaoun #30

(573) Spec. Belt Compound #25

(574) Kellog's Raw Oil

0007-SWP-000120622

(575) 20%-30% Fuming Sulphuric
Acid Gen. Chem Co.

(576) Shell Alcquer

(577) Sising Varnish

(578) Spring Japan

(579(30% Hydrofluoric Acid

(580) Pure pond Dry White Shellac
4#

(581) Pure Bone Dry White Shellac
5#

(582) Chlorobenzol

(583) Dimethylaniline

(584) Xylol

(585) Denatured Alcohol Form #10

0007-SWP-000120623

(586) 20% Fuming Sulphuric Acid

(587) Fuel Oil

(588) Spec Blown Oil

(589) Concrete & Cement Hardner

(590) W. A. Pure White Shellac

(591) spec Orange Shellac

(592) Gloss Oil

(593) Red Wire Enamel

(594) Flatcone Mixing Size

(595) Spec Blk Imp. Comp'd.

(596) Spec Black Japan

(597) Special Drier

(598) Special Rubbing

0007-SWP-000120624

(599) Fatty Acids for Auto Soap

(600) Spec Acid Resisting Compound

(601) Substitute for Armalac

(602) White Water Solvent Naptha
Void see (209)

(603) Sulphuric Acid 60°

(604) Oil of Sassafras

(605) Crude Glycerine

(606) Saponifier

(607)

(608) Baking Japan Oil

(609)

(610)

(611) Black Rubbing Varnish

0007-SWP-000120625

(612)

(613)

(614)

(615) Spec Gear Mixing Varnish

(616) Spec Black Cloth Varnish

(617) Oil for Spar Varnish

(618) Wood Handle B B Japan

(619)

(620) Bottom Varnish

(621) Dry-O-Nite (new)

(622) Substitute for Minerolac #2

(623) Substitute for Minerolac #1

0007-SWP-000120626

(624) Cylinder Oil

(625) Spec. Black Baking Japan

(626) Acid Proof Heavy Body Japan

(627) Black Finishing A.D1

(628) Spec. Pouring & Insulating Compound

(629) Spec Prepared Oil

(630) Aniline Oil
Aniline Chem & Col. Wks

(631) Spec Quick Baking Cloth Varn.

(632) Dull Finish Blk Varnish

(633) Pure Orange Shellac F 5#

(634) 5# Bone Dry White Shellac

0007-SWP-000120627

(635) Spec Dryer

(636) Spec Heavy Oil for Bras-Brite

(637) Ajax Insulating Blk Fin Varn

(638)

(639) Shingle Stain Liquid

(640) Non-Oil Proof Blk Imp Comp.

(641) Coal Oil for Pac. Coast
Shingle Stain

(642) Crude Creosote Oil

(643) Linoleum Cement

(644) Black Baking Japan

(645) Spar Varnish V 1189

(646) Rosin Oil

0007-SWP-000120628

(647) Spec Black Baking Japan

(648) Petroloid Black

(649) Petroloid Brown

(650) Spec Shellac, Clear Spirit Varnish

(651) 4# Bone Dry Shellac

(652)

(653) Scotch Creosote Oil

(654) Label Pasting Varnish

(655) Japan Drier - Harriman Lines

(656) Spec Black Varnish C V 195
Amer. Wire Fabrics Co.

(657) Deblocmed Carbon Oil
Sun Co.

0007-SWP-000120629

(658) Stove Japan

(659)

(660) Black Bak Spring Japan

(661) Wall Paper Varnish

(662) Spec A. D. Japan #15

(663) Black Wire Enamel

(664)

(665) No. 50 Coach Japan Drier (653)

(666) Carbolicol

(667) Heavy Bodied Blown Oil

(668) Agricultural Varnish

(669) Spec. Black Baking Japan

0007-SWP-000120630

(670) Grinding Stand Oil
Discontinued at Cleve. use (671)

(671) Grinding Stand Oil

(672) Special Paper Varnish

(673) Gold Lacquer - Void use (155)

(674) Spec Underwriter's Black

(675)

(676) Spec Mixing Varnish

(677) Spec Mixing Varnish
Void use (45)

(678) Velvet Finish Varnish
01044 - 01210 - 01314

(679)

(680) Special Drier

0007-SWP-000120631

(681) Special Prepared China Wood Oil

(682) Special Shellac

(683) Special Oil

(684) Stove Japan

(685) Summer Yellow Cotton Seed Oil

(686) Special Shell Lacquer

(687) Special Drier Void use (107)

(688) Spec Impregnating Compound

(689) Spec Paper Varnish

(690) 98% Sulphuric Acid
Grasselli Chem Co.

(691) Nitrating Acid

0007-SWP-000120632

(692) C. P. Benzol
Barrel Mfg. Co

(693) 99% Acetic Acid

(694) Spec. Black Body Primer
Fisher Closed Body Co

(695) Spring Japan
Am. Steel & Wire Co

(696) A. D. Lacquer

(697) Reclaimed New C.P. Imp Comp

(698) Reclaimed 0814
Cable Nelson Piano Co

(699) Special Clear Varnish

(700) Varnish Light
Old Detroit (1) light

0007-SWP-000120633

(701) Varnish Bk

(702) C. B. Varnish

(703) Putty Oil

(704) Linseleme

(705)

(706) A. D. Asphaltum
Old Det (47)

(707) Coach Oil
Old Det. (46)

(708) #54 Boiled Oil
Old Det. (54)

(709)

(710)

0007-SWP-000120634

(711) Carriage Varnish
Old Det. (69)

(712) Flexible Oil
Old Det. (83)

(713)

(714) Cottonseed Oil
Old Det (87)

(715)

(716) Prepared Oil Heavy
Old Detroit (165)

(717) #3 Core Compound
Old Detroit (339)

(718) #4 Core Compound
Old Detroit (340)

0007-SWP-000120635

(710) -

(711) - Carriage Varn. Old Det. (69)

(712) - Flexible Oil
Old Det. (83)

(713) -

(714) - Cottonseed Oil
Old Det. (87)

(715) -

(716) - Prepared Oil (Heavy)
Old Detroit (165)

(717) - #2 Core Compound
Old Det. (339)

(718) - #4 Core Comp. Old Det.
(340)

(719) - D C Detrolac Old Det.
(344)

(720) -

(721) - D C White Detrolac
Old Detroit (347)

0007-SWP-000120636

(722) -

(723) - R R Roof Paint Old Det. (360)

(724) - Det. Hydraulic Water Proof Old Det. (367)

(725) - D C Extra Detrolac Old Det. (373)

(726) - Semi Liquid Abluent Old Det. (378)

(727) - Liquid Abluent Old Det. No. (379)

(728) - Carriage Top Dressing Old Det. (380)

(729) - #44 Oil Old Det. (381)

(730) - #58 Oil Old Det. (382)

(731) - Dark Oil Old Det. (383)

(732) - Detrolac Oil Old Det. (384)

(733) - Boiled China Wood Oil Old Det. (387)

0007-SWP-000120637

(734) - Amylacetate
Old Det. (389)

(735) - Crude Oil
Old Det. (396)

(736) - Butter of Antimony
Old Det. (397)

(737) - Dryer
Old Det. (418)

(738) - Refined Tar
Old Det. (434)

(739) - Sulphuric Ether
Old Det. (436)

(740) - No. 1 Core Oil
Old Det. (438)

(741) - Tarite Semi Paste
Old Det. (445)

(742) - Varnish
Old Det. (446)

(743) - Oil
Old Det. (449)

(744) -

(745) - Black Baking Japan
Old Det. (486)

0007-SWP-000120638

(746) - Black Baking Japan
Old Det. (456)

(747) - Straw Colored Benzole
Old Det. (99)

(748) - Orange Shellac
Old Det. (376)

(749) - No. 1 White Shellac
Old Det. (377)

(750) - Pure White Shellac
Old Det. (453)

(751) - Agricultural Mixing Varn.
Old Det. (459)

(752) - Floor Paint Liquid
Old Det. (90)

(753) - Varnish
Old Det. (114)

(754) - Varnish
Old Det. (196)

(755) - Reducer Base

(756) - S C V
Old Det. (324)

(757) - Varnish

0007-SWP-000120639

(758) - Spec Orange Shellac

(759) - Core Compound "A"

(760) - Core Compound "B"

(761) - Core Compound "C"

(762) - Core Compound "D"

(763) - Water White Rosin Varn.

(764) - Completely Denatured Alcohol 180 Proof

(765) - Kellogg's Diamond Black Japan Oil

(766) - [illegible]

(767) - Black Flexible Baking

(768) - Spec Varnish

(769) - 78% or 45° Beaume Nitric Acid

(770) - Blending Varnish

(871) - Spec XX Drier

0007-SWP-000120640

(772) Special 25249

(773) Special 25205 Thinner

(774) Spring Japan

(775)

(776) Tempering Oil

(777) Resinate for Kiltic

(778) 26% Aqua Ammonia

(779) 60% Sulphuric Acid

(780) Imitation White Shellac

(781) Imitation Orange Shellac

(782) Chrome Liquor

(783) Cresylic Acid 97 - 99%

(784) Black Handle Baking Japan
similar to (177)

(785) Bleached Varnish Oil V-1440

(786) Special Clear Quick Bkg Ins Varn

(787) Insulating Varn. Clear QuickBkg.

(788) Xylidine.

0007-SWP-000120641

(789)

(790) Paint Dryer

(791) Special Dryer

(2792)2nd grade Linseed Fatty Acids

(793)

(794) Gloss Coach Varnish

(795)

(796) - Black Baking Japan Void use (282)

(797) Special Quick Drying Aeroplane Spar (Rexpar)

(798) Non Breaking L O

(799) Body Finishing Varnish

(800) 22° Hydrochloric Acid

)801) Implement Varnish

(802) Core Oil

(803) Body Slush

(804) Special White Shellac

(805) Heavy Shellac

(806) Special Pure Orange Shellac

(825) Fish Oil
(807) Winter Black Oil

(808)

(809)

(810)

(811)

(812) Special Gloss Oil

(813) Special Rubbing Varnish

(814) Hard Dry Durable Finish Body Var

(815) Heavy Printers Varnish

(816) Special Oil Proof Impreg. Comp

(817) Asphaltum Paint

(818) Redistilled Acetic Acid 28%

(819) Redistilled Acetic Acid 56%

(820) Redistilled Acetic Acid 80%

(821) Black Plastic Varnish #1

(822) Smoke Stack Black

(823) Fin. Decorating Varnish

(824) Barrett's Clear Shingle Stain Oil

0007-SWP-000120643

(825) Fish Oil

(826) Acid Refined Oil

(827) Colophyn Shellac

(828) Fatty Acid made from (43) sludge

(829* Grinding Stand Oil

(830) Quick Sandigg Marvelac White

(831) Quick Sanding Marvelac Orange

(832) Pine Tar Oil

(833) Special Buck #2
Alligator Oil Clothing Co

(834) Caesine solution for Decopaste

(835) Oil Lime sulfur for DecoPaste

(836) Linseed Oil Soap

(837) Special Belt Varnish

(838) Thinning Oil

(839) Crude Propionic Acetic Butyric Acid.

(840) 50% Bichromate Liquor

(841) Heavy Crude Coal Tar Naptha.

0007-SWP-000120644

(842) - Oil TankSettlings

(843) Drier Tank Settlings

(844) Dark Gear Varnish

(845) Interior Shell Lacquer

(846) Jet Plastic

(847) Mixed Toluidine

(848) Black Baking Japan

(849) Special Heavy Flexible Varnish
Alligator Clothing Co

(850) Paint Drier - void

(851) Special Mixing Varnish

(852) Black Insulating Varnish,Cloth

(853) Gold Lacquer

(854) Special Naptha 72°

(856) Perfect Method Paint Oil #2

(856) SpecialDark Damar Varnish

(857) Velvet Finish Special
Void apply 01044

0007-SWP-000120645

(858) Refined Wood Oil

(859) Special White Baking Varnish

(860) Grinding Varnish LO

(861) Grinding Varnish WO

(862) Federal Gas Oil Varnish

(863) Special ¼Gloss Coach Varnish

(864) Formaldehyde 40%

(865) Rubber Finish Liquid

(866) Prepared Wood Oil

(867) Special Gloss Oil

(868) Blown Soya Bean Oil ½Use (72)

(869) Wall Paper Varnish

(870* Perilla Oil - void
agg assigned to (3)

(871) Bodied Perilla Oil

(872) Concentrated Drier

(873) Core Plate Varnish

(874) Special Black Plastic

0007-SWP-000120646

(876) pale Elastic Coach Varnish

(875) Black Plastic Varnish

(877) Special Prepared Wood Oil

(878) Special Furniture Coach

(879) Wood Oil Gum.

(880* Chloride of Zinc 50%

(881) Reduced Stand Oil

(882) Soap Oil Comp 491

(883) Soap Oil Comp 496

(884) Cocoanut Oil Fatty Acids

(885) Black Baking Japan

(886) Blown Linseed Oil

(887) Special Wall Paper Varnish

(888) Liquid Drier for White Enamelac

(889) Pale Cresylic Acid 95 to 97%

(890) Special White Grinding Varn.

(89a) Gold Processing Lacquer.

0007-SWP-000120647

(892) Sun Flower Seed Oil

(893) Bi Sulphide of Carbon

(894) Extra Clear Linseed Varnish

(895) Nitro Benzol

(896) Special Lithographing &
Embossing Varnish

(897) Binder Varnish

(898) Blown Linseed Oil

(899) #1 Denatured Alcohol
188 proof

0007-SWP-00012064