



"Roger J. Zipfel" <ZIPFEL@WWPS-A1.EMAIL.DUPONT.COM> on 09/14/99
07:06:37 PM

To: Roger J Zipfel/AE/DuPont
cc:
Subject: (C-8 EMPLOYEE EXPOSURE/27-Jun-1997)The C-8 Charts You Wanted

Date: Fri, 27 Jun 1997 15:28:00 EDT
From: "ANTHONY J. [TONY] PLAYTIS" <PLAYTIS@wwps-a1.email.dupont.com>
Subject: The C-8 Charts You Wanted
To: "Roger J. Zipfel" <ZIPFEL@wwps-a1.email.dupont.com>
MIME-version: 1.0
Content-type: MULTIPART/MIXED; BOUNDARY="Boundary_(ID_mBEfpDzws3qCzZfcfq/AVg)"
Delivery-date: Fri, 27 Jun 1997 15:33:00 EDT
Posting-date: Fri, 27 Jun 1997 15:33:00 EDT
Importance: normal
Al-type: MAIL

Date: Thu, 4 Jan 1996 19:04:00 EDT
Subject: C-8 1996-1
MIME-version: 1.0
Content-type: text/plain
Importance: normal
Al-type: DOCUMENT

WASHINGTON WORKS

C-8 INDUSTRIAL HYGIENE

o ENGINEERING CONTROLS

RJZ014926

EID081983

- o WORK RULES, PROTECTIVE CLOTHING,
RESPIRATORY PROTECTION, ETC.
- o AIR MONITORING
- o BLOOD MONITORING

Date: Wed, 28 Sep 1994 15:02:00 EDT
 Subject: C-8 #1
 MIME-version: 1.0
 Content-type: text/plain
 Importance: normal
 Al-type: DOCUMENT

WASHINGTON WORKS
AIR SAMPLING RESULTS

PERSONAL SAMPLES

	1993	1994	1995	1996	
0% - <10% AEL		34	40	18	50
10% - <50% AEL		8	14	14	19
50% - <100% AEL		0	3	1	3
100% AEL	1	0	0	0	
TOTAL	43	57	33	72	

AREA SAMPLES

	1993	1994	1995	1996
	50	43	25	32

RJZ014927

EID081984

- o PERS (DOHMS) system used to determine where personal samples are needed.
- o S12T used to determine sampling frequencies, usually 90, 180, or 360 days.
- o Area samples have support role, identifying locations where C-8 levels are high.

Date: Mon, 12 Jun 1995 09:23:00 EDT
 Subject: Operator Summary Chart
 MIME-version: 1.0
 Content-type: text/plain
 Importance: normal
 Al-type: DOCUMENT

TABLE 1
 RESULTS SUMMARY - OPERATORS

JOB	DESCRIPTION	1995 AVERAGE (n)	1989 AVERAGE (n)
08PE	autoclave	2.5 (6)	4.7 (7)
08PF	polykettle	2.9 (7)	4.0 (4)
08PH	dispersion	2.2 (2)	3.2 (3)
08PI	FP finishing	2.2 (5)	2.0 (6)
08PJ	FP packout	0.6 (5)	
08PM	C-8 dryer recovery	1.7 (2)	
18PA	FEP polykettle	2.3 (4)	
18PB	FEP extruder/oven	1.6 (5)	0.5 (3)
18PC	FEP wet finishing	3.3 (2)	
18PD	FEP packout	0.1 (3)	
18PJ	PFA/FEP bead	0.7 (2)	
18PK	FEP safety/disp	2.1 (2)	

RESULTS SUMMARY - MECHANICS

RJZ014928

EID081985

58MC FP/disp/gran/TA 1.4 (1)
58MD general shift 1.1 (8)
58MG process E&I 0.8 (7)
68MA general shift 1.1 (5)
68MB FEP E&I 0.9 (7)

Date: Mon, 3 Mar 1997 12:25:00 EDT
Subject: 3/97 Chart
MIME-version: 1.0
Content-type: text/plain
Importance: normal
AI-type: DOCUMENT

POST BLOOD TESTING COMMUNICATIONS

5/7/96 Summary Of 1995 C-8 Blood Testing - A. J. Playtis
8/1/96 Site Employee Communication - A. J. Playtis
8/5/96 C-8 Study - Y. L. Power
8/8/96 C-8 Visit - F. P. Mulherin, J. M. Migliore
12/18/96 C-8 Industrial Hygiene Follow-Up - A. J. Playtis
3/1/97 Occupational Health Review, Organofluorine Compounds
- B. Ramirez, R. W. Rickard

RJZ014929

EID081986