

Castleman File: US Gypsum

w/c = with cover letter or memo If DATE = 0, undated

CD-ROM Document #:USG 105 Month/Year 1969

- ☐ published article from trade journal
- ☐ published advertisement from trade journal
- ☐ government inspection results
- ☐ unpublished or internal report
- ☐ unpublished presentation from conference
- ☐ newspaper article
- ☒ letter ☐ memorandum
- ☐ industry warning labels
- ☐ industry sales literature
- ☐ industry recommended practices
- ☐ meeting agenda ☐ minutes ☐ attendee list
- ☐ legal filing of defense
- ☐ legal filing of plaintiff
- ☐ BC notes

USG-90-01



cc: #186 Chicago - Mr. C. P. Lipp
#131-4 Chicago - Mr. E. E. Deakin
#170-2 Chicago - Mr. Y. G. Kinsman
#151 Research - Mr. J. W. Harrison
#251 S. Plainfield - Mr. C. E. Setterberg
#170-I Chicago - Mr. E. C. Barker

February 23, 1969

Mr. Richard Kempthorne
Sprayon Research Corporation
1101 E. E. 110th Street
Miami, Florida 33161

Subject: Asbestos Labeling

Dear Dick:

Upon the advice of our Insurance and Legal Departments, we are making arrangements to make the following changes the next time Sprayon bags are printed. These changes would be in only the Sprayon products where asbestos is used. The printing will include a reference to a new caution label pertaining to asbestos.

OLD

CAUTION: This product contains asbestos

NEW

"CAUTION"

"One of the ingredients of the material in this bag is asbestos and persons exposed to dust that contains asbestos should take adequate precautions as inhalation of asbestos fibres may be harmful."

We ask for your formal approval of this procedural change.

FILE COPY

Yours very truly,

UNITED STATES GIPSON COMPANY

D. M. Merson, Sales Manager
Industrial Wool Sales

D-211b