





**PORTABLE®**  
**SINGER SCREEN**



**GLIDE WALL**

**ROLLER CURTAIN PARTITIONS**

**C.H.P.\***

**CABLE and HOSE PROTECTOR**

**INDUSTRIAL CURTAINS and DRAPES**

**ASBESTOS BLANKETS**

**SALVAGE COVERS**

**CATALOG NO. 201A**

**INDEX**

|                                            |          |
|--------------------------------------------|----------|
| Asbestos Blankets .....                    | 11       |
| Asbestos Cloth and Tape .....              | 11       |
| Cable and Hose Protectors (C.H.P.) .....   | 12       |
| Curtains and Drapes .....                  | 11       |
| Fluorescent Screens .....                  | 16       |
| 4-sided Screen .....                       | 5        |
| General Description .....                  | 2        |
| Glide Wall Roller Partition Curtains ..... | 7-8-9-10 |
| Gloves, aluminized .....                   | 13       |
| Gloves, welders .....                      | 13       |
| Man-hole Guards .....                      | 16       |
| Partitions (Glide Wall) .....              | 7        |
| Safety Clothing .....                      | 15       |
| Safety Shield .....                        | 6        |
| Single Screen .....                        | 4        |
| Salvage Covers .....                       | 14       |
| Triple Screen .....                        | 3        |
| Viewing Window .....                       | 4        |
| Wool Blankets .....                        | 11       |

**PLAINTIFF'S EXHIBIT**

**USX-20**

**SINGER**  
SAFETY PRODUCTS, INC.®

445 N. Lake Shore Drive, CHICAGO, ILL., 60611

FORMERLY SINGER GLOVE MFG. CO.


**NEW**  
from  
**SINGER**

**SINGER HOT / COLD**

# *Insulating* **BLANKETS**

← **3 LAYERS** →

**FIBER GLASS  
CONSTRUCTION**



## UNLIMITED USES:

Offered for the **FIRST TIME** ... insulating blankets for innumerable purposes ... as **SQUELCH BLANKETS** ... for **HEAT TREATING** where gradual cooling is indicated ... to prevent freezing of **CONCRETE** poured in winter ... for protection of **FROZEN FOODS** when unloading trucks.

**FIBER GLASS** with its extremely low "K" FACTOR is light and flexible ... chemically stable ... impervious to mildew and corrosion. Available in either 1" or 2" thickness, "sandwiched" between outer coverings. Available with Underwriters Grade **ASBESTOS**, neoprene-coated **NYLON** or flame-resistant **DUCK**.

## PRICES

PRICES: (F.O.B. Chicago)


|                                                            | Sq.Ft. |
|------------------------------------------------------------|--------|
| No. 12-58000.....Asbestos with 1" fiber glass.....         | \$2.00 |
| 12-59000.....Asbestos with 2" fiber glass.....             | 2.25   |
| 12-48000.....Neoprene-coated nylon with 1" fiber glass.... | 2.00   |
| 12-49000.....Neoprene-coated nylon with 2" fiber glass.... | 2.25   |
| 12-18000.....Duck with 1" fiber glass .....                | .75    |
| 12-19000.....Duck with 2" fiber glass .....                | .90    |

Can be furnished with grommets for lacing or hanging at no extra cost. Made to order-any size.  
Also available with white vinyl-coated nylon. Write for prices.



Formerly Singer Glove Mfg. Co.  
445 N. LAKE SHORE DRIVE  
CHICAGO, ILL. 60611

© MAY 1, 1964



Terms: 2% 10 days, net 30 days

Shipments of 200 pounds or more, freight allowed up to \$5.00 per cwt.

Shipments less than 200 pounds, f.o.b. shipping point.

Prices subject to change without notice.

## *...a complete line of mobile protective screens*


Thousands of PORTABLE SINGER SCREENS are now in use . . . their worth has been proven in providing safety enclosures for welding . . . grinding . . . machinery . . . heat confinement . . . fire-hazard barriers in auto repair shops . . . man-hole guards. Many of our inquiries come as the result of underwriter's requirements.

Singer Screens are sturdily constructed of heavy tubular steel with a durable rust-proof black oxide finish. Withstand rough usage—will give years and years of service. There are no time consuming threads—the slip-joint construction makes assembly a quick job.

Easily moved from job to job. Amazingly light in weight . . . for example the 4 ft. triple screen weighs only 32 lbs.

### **Choice of 5 curtain materials:**

1. 12 oz. olive drab fire-resistant DUCK. Permanent fire-resistant, water and mildew resistant finish.
2. "NEO-WELD"—yellow neoprene coated FIBER GLASS
3. JOHNS-MANVILLE ALUMINIZED ASBESTOS—pure aluminum foil permanently laminated to Underwriters Grade asbestos cloth. This curtain is the last word in protection against RADIANT HEAT and flame because it protects by REFLECTION. Will withstand temperatures up to 1400°F.
4. FLUORESCENT STRIPED vinyl-coated fiberglass. The outside of the material flashes a reflecting warning . . . the inside is black for welding. Flame-proof, fire-resistant, spark proof. Can't mildew.
5. UNDERWRITERS GRADE ASBESTOS.



Ingenious hinges at top and bottom permit easy folding for removal or compact storage. Standard legs raise frame 3" off ground for circulation. Platform legs and casters, optional.



### *Do you have? —*

#### **CATALOG No. 301**

Complete line of welder's gloves, safety clothing, special gloves for heat operations.









#### **CATALOG No. 401**

Complete line of cotton work gloves, general purpose all-leather gloves, leather palm and coated gloves.



# The TRIPLE

## PORTABLE<sup>®</sup> SINGER SCREEN

This is the screen that has won the approval of many industries. Its light weight, mobility and ease of assembly are truly amazing. Slip-joint construction — no threads.




**FOLDS COMPACTLY**  
—for storage or removal from job to job



Comes with standard upright legs which raise screen 3" off floor.

By simply attaching platform legs (optional) to standard upright legs the screen can be placed in a straight line to form a wall curtain.



### UNLIMITED USES:

- ☆ Welding Curtain
- ☆ Machine Curtain
- ☆ Grinding Shield
- ☆ Dividing Partition
- ☆ Enclosure
- ☆ Heat Barrier
- ☆ Fire Hazard Protection

### Choice of 5 curtain materials:

| SCREEN SIZE                           | WITH FIRE-RESISTANT 12 OZ. DUCK CURTAIN | NEO-WELD YELLOW NEOPRENE-COATED FIBERGLASS CURTAIN | WITH UNDERWRITERS GRADE ASBESTOS CURTAIN | WITH JOHNS-MANVILLE ALUMINIZED ASBESTOS CURTAIN | FLUORESCENT STRIPED VINYL-COATED FIBERGLASS CURTAIN | APPROXIMATE SHIPPING WEIGHT |
|---------------------------------------|-----------------------------------------|----------------------------------------------------|------------------------------------------|-------------------------------------------------|-----------------------------------------------------|-----------------------------|
| 4 ft. high; 4 ft. center; 2 ft. wings | \$29.50<br>No. 12-13244                 | \$39.25<br>No. 12-23244                            | \$45.00<br>No. 12-53244                  | \$54.00<br>No. 12-73244                         | \$41.00<br>No. 12-83244                             | 27 lbs.                     |
| 4 ft. high; 4 ft. center; 4 ft. wings | \$33.50<br>No. 12-13444                 | \$49.75<br>No. 12-23444                            | \$57.50<br>No. 12-53444                  | \$72.00<br>No. 12-73444                         | \$52.50 *                                           | 32 lbs.                     |
| 5 ft. high; 4 ft. center; 3 ft. wings | \$35.50<br>No. 12-13345                 | \$51.00<br>No. 12-23345                            | \$59.50<br>No. 12-53345                  | \$73.50<br>No. 12-73345                         | \$55.00<br>No. 12-83345                             | 33 lbs.                     |
| 5 ft. high; 6 ft. center; 3 ft. wings | \$38.50<br>No. 12-13665                 | \$58.50<br>No. 12-23665                            | \$67.25<br>No. 12-53665                  | \$85.00<br>No. 12-73665                         | \$64.00<br>No. 12-83665                             | 35 lbs.                     |
| 5 ft. high; 5 ft. center; 5 ft. wings | \$43.00<br>No. 12-13555                 | \$66.00<br>No. 12-23555                            | \$79.00<br>No. 12-53555                  | \$101.00<br>No. 12-73555                        | \$70.00<br>No. 12-83555                             | 40 lbs.                     |
| 6 ft. high; 4 ft. center; 4 ft. wings | \$40.00<br>No. 12-13446                 | \$63.50<br>No. 12-23446                            | \$77.00<br>No. 12-53446                  | \$97.00<br>No. 12-73446                         | \$68.75<br>No. 12-83446                             | 39 lbs.                     |
| 6 ft. high; 6 ft. center; 6 ft. wings | \$54.00<br>No. 12-13666                 | \$90.00<br>No. 12-23666                            | \$108.00<br>No. 12-53666                 | \$140.00<br>No. 12-73666                        | \$96.50<br>No. 12-83666                             | 48 lbs.                     |

**PLATFORM LEGS** (optional)  
No. 12-00022...22" long attach to upright legs. Set of 4.....\$5.00

**CASTERS**—heavy-duty ball bearing casters with 2" rubber wheels.

4 casters required for use **WITHOUT** platform legs:  
No. 12-00034 with inserts for upright legs. **PER CASTER**.....\$1.50

8 casters required for use **WITH** platform legs:  
No. 12-00031 with threaded stems. **PER CASTER**.....\$1.50

\* Man-hole guard size (with fluorescent curtains)

**IMPORTANT:** Be sure to specify curtain material wanted. See page 2 for detailed descriptions. Curtains are securely hemmed. Heavy duty grommets, rust-proof hooks included without extra charge. Special sizes available—send specifications for quotation.

# Versatile SINGLE Screen



This handy SINGLE screen is made the same as the triple screen but comes in a single unit with platform legs as standard equipment. Very light in weight—the 4'x6' size weighs only 17 lbs.



## Choice of 5 curtain materials:

| SCREEN SIZE           | WITH FIRE-RESISTANT 12 OZ. DUCK CURTAIN | NEO-WELD YELLOW NEOPRENE-COATED FIBERGLASS CURTAIN | WITH UNDERWRITERS GRADE ASBESTOS CURTAIN | WITH JOHNS-MANVILLE ALUMINIZED ASBESTOS CURTAIN | FLUORESCENT STRIPED VINYL-COATED FIBERGLASS CURTAIN | APPROXIMATE SHIPPING WEIGHT |
|-----------------------|-----------------------------------------|----------------------------------------------------|------------------------------------------|-------------------------------------------------|-----------------------------------------------------|-----------------------------|
| 4 ft. high—5 ft. long | \$19.30<br>No. 12-11054                 | \$25.30<br>No. 12-21054                            | \$28.90<br>No. 12-51054                  | \$34.30<br>No. 12-71054                         | \$26.50<br>No. 12-81054                             | 15 lbs.                     |
| 4 ft. high—6 ft. long | \$20.75<br>No. 12-11064                 | \$27.95<br>No. 12-21064                            | \$32.50<br>No. 12-51064                  | \$38.75<br>No. 12-71064                         | \$29.50<br>No. 12-81064                             | 17 lbs.                     |
| 5 ft. high—6 ft. long | \$22.95<br>No. 12-11065                 | \$31.95<br>No. 12-21065                            | \$37.35<br>No. 12-51065                  | \$45.45<br>No. 12-71065                         | \$33.75<br>No. 12-81065                             | 18 lbs.                     |
| 5 ft. high—8 ft. long | \$27.10<br>No. 12-11085                 | \$39.10<br>No. 12-21085                            | \$46.30<br>No. 12-51085                  | \$57.10<br>No. 12-71085                         | \$41.50<br>No. 12-81085                             | 22 lbs.                     |
| 6 ft. high—6 ft. long | \$25.15<br>No. 12-11066                 | \$35.95<br>No. 12-21066                            | \$42.45<br>No. 12-51066                  | \$52.15<br>No. 12-71066                         | \$38.10<br>No. 12-81066                             | 20 lbs.                     |
| 6 ft. high—8 ft. long | \$30.00<br>No. 12-11086                 | \$43.92<br>No. 12-21086                            | \$52.56<br>No. 12-51086                  | \$65.52<br>No. 12-71086                         | \$46.80<br>No. 12-81086                             | 23 lbs.                     |

**IMPORTANT:** When ordering, be sure to specify type of curtain material wanted. See page 2 for detailed description. Curtains come securely hemmed with heavy metal grommets and rust proof metal hooks.

**THE SINGLE SCREEN** comes with 2 platform legs as standard equipment.

**CASTERS:** Heavy-duty ball-bearing casters with 2" rubber wheels available if wanted. 4 casters required. No. 12-00031 (with threaded stems). **PER CASTER**.....\$1.50




**IMPORTANT:** Be sure to specify curtain material wanted. See page 2 for detailed descriptions. Curtains are securely hemmed. Heavy duty grommets, rust-proof hooks included without extra charge. Special sizes available—send specifications for quotation.

**UNLIMITED  
USES:**


- ☆ Welding Curtain
- ☆ Machine Curtain
- ☆ Grinding Shield
- ☆ Dividing Partition
- ☆ Enclosure
- ☆ Heat Barrier
- ☆ Fire Hazard Protection

Plate slides in or out easily



Sturdy leather pocket

Window size  
4 1/2" x 5 1/4"



## VIEWING WINDOW

Filter glass protection for outside viewing

No. 12-00067 Pocket ..... \$3.60  
No. 12-00056 Filter Plate..... 2.40  
\$6.00



Available for Single, Triple and 4-sided portable screens. Recommended for screens 6' to 8' high. Made to order—allow 10 days for delivery.

The glass welding plate—filter shade #10—is encased in a leather reinforced pocket and is easily removed. Invaluable when the welding operation has to be viewed without disturbing the welder . . . for training purposes . . . for checking progress of work . . . or showing visitors.



For complete protection  
on all 4 sides

# PORTABLE<sup>®</sup> SINGER SCREEN

...the **4** SOME



Affords complete enclosure  
for that "top-secret" project.



Here is the portable screen the welding industry has long awaited. Permitting complete enclosure of the job, it is extremely light in weight for maximum mobility and ease of handling. Constructed of 1" tubular steel with a durable rust-proof black oxide finish. Curtain is held securely in place by sturdy lacing through heavy metal grommets.

Although primarily designed for welding, it has proven invaluable as an enclosure for grinding machines or anywhere a complete enclosure is imperative for safety.

## Choice of 5 curtain materials:

| SCREEN SIZE                                             | WITH FIRE-<br>RESISTANT<br>12 OZ.<br>DUCK<br>CURTAIN | NEO-WELD<br>YELLOW<br>NEOPRENE-<br>COATED<br>FIBERGLASS<br>CURTAIN | WITH<br>UNDERWRITERS<br>GRADE<br>ASBESTOS<br>CURTAIN | WITH<br>JOHNS-MANVILLE<br>ALUMINIZED<br>ASBESTOS<br>CURTAIN | FLUORESCENT<br>STRIPED<br>VINYL-COATED<br>FIBERGLASS<br>CURTAIN | APPROXIMATE<br>SHIPPING<br>WEIGHT |
|---------------------------------------------------------|------------------------------------------------------|--------------------------------------------------------------------|------------------------------------------------------|-------------------------------------------------------------|-----------------------------------------------------------------|-----------------------------------|
| 6 ft. high: 2 panels 6 ft. wide,<br>2 panels 8 ft. wide | \$105.00<br>No. 12-14866                             | \$156.00<br>No. 12-24866                                           | \$186.00<br>No. 12-54866                             | \$234.00<br>No. 12-74866                                    | \$167.00<br>No. 12-84866                                        | 85 lbs.                           |
| 7 ft. high: 2 panels 6 ft. wide,<br>2 panels 8 ft. wide | \$120.00<br>No. 12-14867                             | \$180.00<br>No. 12-24867                                           | \$216.00<br>No. 12-54867                             | \$268.00<br>No. 12-74867                                    | \$195.00<br>No. 12-84867                                        | 90 lbs.                           |
| 8 ft. high: 4 panels each<br>8 ft. wide                 | \$150.00<br>No. 12-14888                             | \$230.00<br>No. 12-24888                                           | \$276.00<br>No. 12-54888                             | \$344.00<br>No. 12-74888                                    | \$245.00<br>No. 12-84888                                        | 100 lbs.                          |

The 4-sided screen comes with 5 removable platform legs included at no extra charge. Heavy-duty ball-bearing casters with 2" rubber wheels available if wanted:


### CASTERS:

5 casters required for use WITHOUT platform legs:  
No. 12-00034 with inserts for upright legs. PER CASTER.....\$1.50

10 casters required for use WITH platform legs:  
No. 12-00031 with threaded stems. PER CASTER.....\$1.50

**IMPORTANT:** When ordering, be sure to specify type of curtain material wanted. See page 2 for detailed description. Curtains come securely hemmed, complete with heavy metal grommets and lacing cord.

Special sizes available—send specifications for quotation.



# Singer Safety Shield


for in-the-plant and on-the-job protection  
LIGHT WEIGHT • RUST PROOF • FIRE RESISTANT

## SCIENTIFICALLY DESIGNED


—to give the utmost in safety and protection. The frame is simplicity itself—only 10 metal parts. Heavy fire-resistant duck curtain.

The new SINGER Safety Shield is the latest development for In-the-Plant and On-the-Job Protection. It combines all the most wanted Safety Features — Light Weight, Compactness and Quick, Easy Assembly.

Ideal for welding, grinding, machining or can be used as a dividing protector.



← Optional. Enables screen to be placed in a straight line.




### FOUR STANDARD SIZES

| STOCK NO. | HEIGHT | OVERALL LENGTH | CENTER SECTION | WINGS | WEIGHT | PRICE   |
|-----------|--------|----------------|----------------|-------|--------|---------|
| 11-13122  | 18"    | 42"            | 18"            | 12"   | 8 lb.  | \$16.50 |
| 11-13123  | 36"    | 48"            | 24"            | 12"   | 12 lb. | 21.00   |
| 11-13223  | 36"    | 60"            | 24"            | 18"   | 14 lb. | 25.50   |
| 11-13233  | 36"    | 72"            | 36"            | 18"   | 15 lb. | 29.00   |


No. 11-00012.....12" PLATFORM LEGS Set of 4.....\$3.00

## Assembled and Taken Apart in 2 Easy Steps

### TO ASSEMBLE



### TO TAKE APART



**No Hooks — No Screws — No Bolts — No Wires. No Tools required to take apart or assemble. Saves Time and Labor.**

### CURTAIN:

Made of heavy 14.72 Olive Drab Duck, treated with U. L. approved Hooper Fire Chief Flame Resistant finish. Guaranteed water and mildew resistant. The curtain folds over the steel frame and is fastened with heavy duty rust proof Snap Fasteners.

### FRAME:

Constructed of sturdy Tubular Steel Uprights and Steel Connecting Rods in black oxide finish. The rods are quickly and easily inserted into the open ends at the top and bottom of the uprights, forming a strong, solid frame.



**SINGER®**  
→


***GLIDE WALL*** →

## ***ROLLER CURTAIN PARTITIONS***



THE SINGER GLIDEWALL is a totally new idea in partitioning -- offering a simple method of dividing or closing off areas ... quickly and economically. Installations can be permanent but are easily moved--or can be free standing for portable mobility.





- \* VERSATILE AND FUNCTIONAL -- enclose any size space -- any length of width--any height.
- \* FOR WALL-TO-WALL INSTALLATIONS use track connector with wall plate.
- \* FOR CEILING INSTALLATIONS use track connector with holes for screws or bolts.
- \* ONE TRACK CONNECTOR and support required every 10 feet to insure rigidity.
- \* ONE ROLLER required for each grommet. Figure one grommet for each foot of width plus one extra...for example, a curtain 10 feet wide comes with 11 grommets, requires 11 rollers.
- \* FOR FREE-STANDING INSTALLATION use circular base with upright column. Track connector slips easily into swaged column. Assembles quickly without tools. Circular base has holes for screws or bolts when attachment to floor is required. Upright columns available for overall heights of 6, 7 or 8 feet.
- \* COMBINE floor supports with wall, ceiling or I-beam units as required.
- \* HEAVY-DUTY LONG-LIFE CONSTRUCTION -- will support curtains weighing hundreds of pounds. All metal parts are heavy gauge steel -- zinc plated to prevent rusting.
- \* CHOICE OF 7 CURTAIN MATERIALS






SINGER  
**GLIDE WALL**  
Roller curtain partitions





SINGER  
**GLIDE WALL**  
Roller curtain partitions


**BASE ASSEMBLY**



Fabricated, reinforced 16" diameter, 16 gauge circular base. Welded 18 gauge 1 1/2" diameter swaged tube stub. 3 screw holes. Zinc plated steel.

No. 14-00010 ..... each \$15.00

**COLUMN TUBING**



18 gauge zinc plated steel, 1 1/2" diameter  
To figure overall height from floor, including base, order as follows:

For 6 ft. height:

No. 14-00165 .. 65" long ...each \$2.80

For 7 ft. height:

No. 14-00177 .. 77" long ...each \$3.50

For 8 ft. height:

No. 14-00189 .. 89" long ...each \$4.00

**TRACK**




Heavy 16 gauge cold rolled, high tensile steel. Hot-dipped galvanized.

|                     |                      |
|---------------------|----------------------|
| No. 14-00605- 5 ft. | No. 14-00613- 13 ft. |
| 14-00606- 6 ft.     | 14-00614- 14 ft.     |
| 14-00607- 7 ft.     | 14-00615- 15 ft.     |
| 14-00608- 8 ft.     | 14-00616- 16 ft.     |
| 14-00609- 9 ft.     | 14-00617- 17 ft.     |
| 14-00610- 10 ft.    | 14-00618- 18 ft.     |
| 14-00611- 11 ft.    | 14-00619- 19 ft.     |
| 14-00612- 12 ft.    | 14-00620- 20 ft.     |

5 to 99 feet ..... per ft. \$1.00  
100 to 199 feet..... per ft. .95  
200 feet or more ..... per ft. .90

**2-WHEEL ROLLERS**




No. 14-00801 Nylon rollers, 1/2" steel hook  
No. 14-00802 Nylon rollers, 1" steel hook

1 to 49..... each \$1.00  
50 to 99..... each .95  
100 or more .... each .90

No. 14-00821. .Ball-bearing steel rollers, 1/2" hook  
No. 14-00822. .Ball-bearing steel rollers, 1" hook

1 to 49 ..... each \$1.80  
50 to 99 ..... each 1.75  
100 or more ..... each 1.70

**4-WHEEL TROLLEY ROLLERS**




No. 14-00811 ... Cadmium plated steel with nylon rollers.

1 to 24.....ea. \$6.00  
25 to 49.....ea. 5.90  
50 to 99.....ea. 5.80  
100 or more.....ea. 5.70

No. 14-00831 .... Cadmium plated steel with ball-bearing steel rollers

1 to 24. .... each \$7.50  
25 to 49. .... each 7.40  
50 to 99. .... each 7.30  
100 or more ..... each 7.20


**TRACK CONNECTOR WITH TUBE**



Tube swaged to slip into top of upright column.

No. 14-00011 ..... each \$5.50


**END STOP ANGLE**



Holds track in place on open-end connectors. Bolt and nut included.

No. 14-00012 ..... each \$ .36


**CORNER TRACK CONNECTOR WITH TUBE**



Tube swaged to slip into upright column.

No. 14-00013 ..... each \$12.25


**T-TRACK CONNECTOR**



Tube swaged to slip into upright column.


No. 14-00014 ... each \$15.00

**WALL MOUNTING TRACK CONNECTOR**



Vertical plate with 2 holes.  
No. 14-00015.. each \$4.50


**CEILING TRACK CONNECTOR**



Flat plate, 2 holes.

No. 14-00016 ..... each \$3.00


**TRACK CONNECTOR FOR I-BEAM CEILING**



Vertical plate, 2 holes.

No. 14-00017...each \$3.25


**T-TRACK CONNECTOR FOR I-BEAM CEILING**



Vertical plate, 2 holes.

No. 14-00018. .... each \$12.50


**CEILING T-TRACK CONNECTOR**



2 holes.

No. 14-00020 ... each \$10.80


**CEILING CORNER TRACK CONNECTOR**



2 holes.

No. 14-00019 ... each \$8.75

**CORNER TRACK CONNECTOR FOR I-BEAM CEILING**



Vertical plate, 2 holes.

No. 14-00021. ... each \$10.00

**GLIDE WALL**  
**ROLLER CURTAIN**  
**PARTITIONS**

**CURTAIN MATERIALS**

**IMPORTANT**—be sure to order ROLLERS. For example: Curtain 10 ft. wide comes with 11 grommets — order 11 rollers.

SC-1 12 oz. Olive drab DUCK.

Permanent flame-resistant finish, resists water, mildew. ....24 Sq. Ft.

SC-2 NEO-WELD yellow neoprene-coated fiberglass. Fire and acid resistant.54 Sq. Ft.

SC-4 16 oz. black NEOPRENE COATED NYLON .....60 Sq. Ft.

SC-5 ASBESTOS CLO TH Underwriters' grade .....72 Sq. Ft.

SC-7 ALUMINIZED ASBESTOS — Underwriters' grade .....99 Sq. Ft.

SC-8 FLUORESCENT STRIPED Vinyl-coated fiber glass. ....60 Sq. Ft.

LYNRUS SAFETY COTTON FABRIC — permanent finish provides durable flame resistance that will last for life of fabric, whether it is laundered, sterilized or dry cleaned. Will not support flame. Ideal for hospitals and restaurants.

No. SC-9 Green .....42 Sq. Ft.

No. SC-10 Bleached White. ....42 Sq. Ft.

SNAP FASTENERS for joining sections of curtains together ..... each \$ .15


**IMPORTANT:** add 20% to width of curtains to allow for proper draping. Securely hemmed on all 4 sides. Heavy metal grommets placed 12" apart at top.

Optional: Chain for weighting hem at bottom of curtain .....Per Ft. \$ .45

**Singer offers service, quality, prices!**

## CURTAINS DRAPES


MADE TO EXACT SIZE YOU REQUIRE



These are quality curtains and drapes securely hemmed on all 4 sides, heavy metal grommets placed 12" apart on one side unless otherwise specified. Made to the exact size you require.

### Available in 7 materials:

|      |                                                                                        |             |
|------|----------------------------------------------------------------------------------------|-------------|
| SC-1 | 12 oz. Olive drab DUCK. Permanent flame-resistant finish also resists water and mildew | .24 Sq. Ft. |
| SC-2 | NEO-WELD yellow neoprene-coated fiberglass. Fire and acid resistant.                   | .54 Sq. Ft. |
| SC-3 | Vinyl coated FIBER GLASS<br>In green color                                             | .48 Sq. Ft. |
| SC-5 | ASBESTOS CLOTH<br>Underwriters' grade                                                  | .72 Sq. Ft. |
| SC-6 | WIRE-INSERTED ASBESTOS—<br>Underwriters' grade                                         | .90 Sq. Ft. |
| SC-7 | ALUMINIZED ASBESTOS—<br>Underwriters' grade                                            | .99 Sq. Ft. |
| SC-8 | FLUORESCENT STRIPED<br>vinyl-coated fiber glass                                        | .60 Sq. Ft. |




### HEAVY WOOLEN BLANKETS

An indispensable first-aid necessity. A full 4 pound blanket securely hemmed.

12-00160 ... Size 66"x84" .....each \$9.00

## ASBESTOS BLANKETS and CURTAINS



IN STOCK!

A safety "must" in every plant. Carefully made of Underwriters Grade asbestos cloth with all seams DOUBLE sewn and edges securely hemmed.

Size 66"x80" .....each \$28.50

No. 12-50060 ... without grommets


No. 12-50061 ... with metal grommets (no extra charge)

(Special sizes made to order—72¢ per sq. ft.)

### ASBESTOS CLOTH

#### Underwriters Grade

Basket weave, 1/16" thick  
Approximately 50 yards  
to the roll



IN FULL 50 YD. ROLLS:

Shipping Weight


|           |                    |              |            |
|-----------|--------------------|--------------|------------|
| SC-5..... | 36 inch width..... | 120 lbs..... | \$4.50 yd. |
| SC-5..... | 40 inch width..... | 140 lbs..... | \$5.00 yd. |

LESS THAN ROLL:

|           |                    |            |
|-----------|--------------------|------------|
| SC-5..... | 36 inch width..... | \$5.25 yd. |
| SC-5..... | 40 inch width..... | 5.75 yd.   |

### ASBESTOS TAPE

Underwriter's Grade closely woven  
asbestos tape with selvage.  
100 ft. rolls only.



| Stock No.    | WIDTH  | SHIPPING WEIGHT | PER 100 FT. ROLL |
|--------------|--------|-----------------|------------------|
| No. 13-50001 | 1 1/2" | 4 1/4 lbs.      | \$ 8.60          |
| No. 13-50002 | 2"     | 5 3/4 lbs.      | 12.50            |
| No. 13-50003 | 3"     | 8 lbs.          | 18.00            |
| No. 13-50006 | 6"     | 17 lbs.         | 42.50            |

NEED 'EM IN A HURRY?

just mark your order

**RUSH!**

for **MIG** and **TIG** you need:

**THE SINGER**

**C.\*H.\*P.\***

**C.\***ABLE and **H.\***OSE **P.\***ROTECTOR

## Pays for itself! Eliminates costly replacements

Here is just what every Mig and Tig welding operation has always needed — practical protection for the cable and those vulnerable plastic tubes. The SINGER C.H.P. (cable and hose protector) is sturdy and durable — with a heavy neoprene coating. Note the distinctive orange color. A heavy duty trouble-free zipper runs its full length — zip, it's on — zip, it's off!

The C.H.P. protects cable and hoses when not in use as well as on the job. Protects from wear and damage caused by falling objects, trucks, kicks, pinching, spatter and cuts, as well as normal deterioration, abrasive wear-and-tear. Increases life of cable and hoses, many, many times.

### In standard lengths

#### 3 3/4" circumference


|                   |                                          |         |
|-------------------|------------------------------------------|---------|
| No. 10-08375..... | 8 ft. long (for 10 ft. cables).....      | \$10.80 |
| No. 10-10375..... | 10 ft. long (for 12 1/2 ft. cables)..... | 13.50   |
| No. 10-12375..... | 12 ft. long (for 15 ft. cables).....     | 15.00   |
| No. 10-15375..... | 15 ft. long (for 18 ft. cables).....     | 17.50   |
| No. 10-22375..... | 22 ft. long (for 25 ft. cables).....     | 22.50   |

#### 4 3/4" circumference


|                   |                                      |         |
|-------------------|--------------------------------------|---------|
| No. 10-08475..... | 8 ft. long (for 10 ft. cables).....  | \$12.00 |
| No. 10-09475..... | 9 ft. long (for 11 ft. cables).....  | 13.50   |
| No. 10-15475..... | 15 ft. long (for 18 ft. cables)..... | 19.00   |
| No. 10-22475..... | 22 ft. long (for 25 ft. cables)..... | 25.00   |



Neoprene-coated  
**ZIPPERED  
SLEEVE**  
protects cable  
and hoses



**NEW**  
from  
**SINGER**




# HIGH GLOSS *Aluminized* asbestos **GLOVES**

—with **BLACK DEERSKIN** front

These new Singer Gloves combine the unsurpassed insulating protection of asbestos with an aluminum face which reflects over 90% of sustained, radiant heat—resists sparks and fire. Front carefully made of dull black deerskin—long accepted as best because it resists shrinkage and hardening longer than most other leathers. Retains its supple, soft, comfortable feel.

Seamless one-piece back with wing thumb. Welted seams at all points of greatest wear. Fully wool fleece lined for added heat insulation . . . cuff lined with duck, treated for flame resistance.

For  
semi-automatic welding  
or sustained  
radiant heat operations



No. 5-48460  
13½" GAUNTLETS  
Pair.....\$5.20



No. 5-48461  
13½" MITTENS  
Pair.....\$5.20

## FIRE FIGHTER ALUMINIZED GLOVES

Reinforced  
thumb crotch.



This is the glove used in fighting fires by U.S. Air Forces and many fire departments. Aluminized asbestos back with front of selected split-cowhide, treated for heat-resistance. Fully wool fleece lined . . . cuff lined with flame-resistant duck.


No. 5-48450 .....14" long.....pair \$8.00

**QUANTITY DISCOUNT**  
1 to 11 Units—NET  
12 to 71 Units—5% Discount  
72 Units — — —10% Discount

# SALVAGE COVERS

- . . . ENGINEERED FOR  
MAXIMUM PROTECTION
- . . . QUALITY-CONSTRUCTED  
FOR LONG, TOUGH SERVICE

Designed for quick, easy handling and better protection from water damage . . . SINGER SALVAGE COVERS meet with the approval of salvage corps men at the scene of action.



TREATED to make material highly  
FLAME RESISTANT and water-repellant,  
as well as mildew resistant  
to lengthen life of cover.

All Singer covers come with heavy-duty grommets placed —  
securely clinched — can't rust because they're SOLID BRASS.  
All hems are TRIPLE THICKNESS — DOUBLE STITCHED for greater strength.

## 12 oz. FLAME RESISTANT O. D. duck

| Stock No.        | Size              | Price   |
|------------------|-------------------|---------|
| 12-10212 . . . . | 12' x 12' . . . . | \$30.24 |
| 12-10214 . . . . | 12' x 14' . . . . | 35.28   |
| 12-10216 . . . . | 12' x 16' . . . . | 40.32   |
| 12-10218 . . . . | 12' x 18' . . . . | 45.36   |
| 12-10414 . . . . | 14' x 14' . . . . | 41.16   |
| 12-10416 . . . . | 14' x 16' . . . . | 47.04   |
| 12-10418 . . . . | 14' x 18' . . . . | 52.92   |

Any size cover . . . made to order  
. . . 21c SQ. FT. (cut size)


Sizes shown are cut sizes — finished covers are 4" to 6" smaller. Weights of materials are before treatment.

## BLACK BEAUTY -- for inert gas arc welding


Although harmful ultra violet rays are a safety problem in all types of arc welding, it is even a greater threat in the inert gas arc welding method. To meet this exposure problem Singer introduces this new line of safety clothing and gloves aptly called the Black Beauty Line. The protective color is a beautiful dull black, which

safety experts agree is the best protection against ultra-violet rays. The leather employed is a specially tanned split cowhide, extremely soft and pliable and about one-half the usual weight. This lack of bulk brings maximum comfort to the worker.


PACKED IN POLYETHYLENE BAGS



Bib Apron



Split-leg Apron



Full Jacket



Cape Sleeves



Cape Sleeves with Detachable Bib

### "BLACK BEAUTY" FULL JACKET

A good roomy leather jacket for rough service. Designed like a regular coat. Protects from hot metal sparks and molten metal. Large reinforced patch pocket. Snap fasteners down front. In small, medium, large and extra-large sizes.

26 inch jackets:

|                                 |             |         |
|---------------------------------|-------------|---------|
| No. 8-22601 (old No. 1905-26)   | small       | \$16.20 |
| No. 8-22602 (old No. 1905-26)   | medium      | 16.20   |
| No. 8-22603 (old No. 1905-26)   | large       | 16.20   |
| No. 8-22604 (old No. 1905-26XL) | extra large | 16.20   |

30 inch jackets:

|                                  |             |         |
|----------------------------------|-------------|---------|
| No. 8-22701 (old No. 1905-30)    | small       | \$17.00 |
| No. 8-22702 (old No. 1905-30)    | medium      | 17.00   |
| No. 8-22703 (old No. 1905-30)    | large       | 17.00   |
| No. 8-22704 (old No. 1905-30 XL) | extra large | 17.00   |

### "BLACK BEAUTY" WELDER'S SLEEVES

The 14" and 18" lengths have adjustable leather strap at top and snap fastener at wrist. 23" length has adjustable leather neck strap with snap fastener at wrist.

|                              |                 |      |
|------------------------------|-----------------|------|
| No. 8-22514 (old No. 210-14) | 14" length pair | 3.25 |
| No. 8-22518 (old No. 210-18) | 18" length pair | 3.85 |
| No. 8-22523 (old No. 210-23) | 23" length pair | 5.50 |

### "BLACK BEAUTY" CAPE SLEEVES

Gives complete protection to neck, arms and chest. In small, medium, large and extra-large sizes. (Please specify)

|                             |                  |         |
|-----------------------------|------------------|---------|
| No. 8-22301 (old No. 215-B) | small each       | \$ 8.75 |
| No. 8-22302 (old No. 215-B) | medium each      | 8.75    |
| No. 8-22303 (old No. 215-B) | large each       | 8.75    |
| No. 8-22304 (old No. 215-B) | extra large each | 8.75    |

### "BLACK BEAUTY" DETACHABLE BIBS (to fit above sleeves)

|                             |          |         |
|-----------------------------|----------|---------|
| No. 8-22400 (old No. 217-B) | 20" each | \$ 2.25 |
|-----------------------------|----------|---------|


**"BLACK BEAUTY" LEATHER BIB APRONS**  
Made in one piece with adjustable web straps for waist and neck. Tough and sturdy -- will protect and give wonderful service.

|                              |              |         |
|------------------------------|--------------|---------|
| No. 8-22130 (old No. 200-30) | 24"x30" each | \$ 5.00 |
| No. 8-22136 (old No. 200-36) | 24"x36" each | 5.75    |
| No. 8-22142 (old No. 200-42) | 24"x42" each | 6.50    |
| No. 8-22148 (old No. 200-48) | 24"x48" each | 7.40    |

### "BLACK BEAUTY" SPLIT-LEG APRONS

Adjustable leg, neck and waist straps.

|                              |              |         |
|------------------------------|--------------|---------|
| No. 8-22236 (old No. 201-36) | 24"x36" each | \$ 6.75 |
| No. 8-22242 (old No. 201-42) | 24"x42" each | 7.50    |
| No. 8-22248 (old No. 201-48) | 24"x48" each | 8.25    |



23" Sleeve

14" and 18" Sleeves

**QUANTITY DISCOUNTS**  
1 to 5 Units--NET  
6 to 11 Units--5% Discount  
12 or More -- 10% Discount

## BLACK BEAUTY Welder's Gloves and Mittens



THIS BLACK BEAUTY WELDER'S GLOVE is made of cowhide tanned by a special method to give unusual resistance to shrinkage. Soft, dull black. Very comfortable on the hand because it is light in weight and very soft and supple. Fully lined, with wing thumb and one-piece back. Leather welted seams at points of greatest wear.

|                            |      |         |
|----------------------------|------|---------|
| No. 4-21134 (old No. 1930) | pair | \$ 3.15 |
|----------------------------|------|---------|

**BLACK BEAUTY ONE-FINGER WING THUMB MITTEN.** One piece back, fully lined, seams leather welted at points of greatest wear. Same quality as above.

|                            |      |         |
|----------------------------|------|---------|
| No. 4-21368 (old No. 1939) | pair | \$ 3.05 |
|----------------------------|------|---------|



**QUANTITY DISCOUNT**  
1 to 11 Units--NET  
12 to 71 Units--5% Discount  
72 Units -- 10% Discount



...with **WELDING CURTAINS** of  
**VINYL-COATED FIBER GLASS**

## ➡ **FLUORESCENT** striped on outside

—A BRILLIANT, REFLECTING ATTENTION-COMPELLING WARNING THAT IS IMPOSSIBLE TO IGNORE. Attracts the eye 3 to 4 times faster than ordinary color.


## ➡ **BLACK** on inside for welding

### **FIRST TIME EVER OFFERED!**


THIS NEW IDEA in screen curtain meets a definite need. The vinyl-coated fiber glass is one of the best materials available for welding operations. It is flame-proof, fire-resistant, spark-proof, mildew-proof. As an enclosure for caustics and acids it is equally suitable as the material is not affected by splashing.

AVAILABLE to fit all models of Singer Portable Screens . . . or as a replacement for the screens you are now using.


*This sheet printed with fluorescent ink—  
color on actual material is even brighter.*



4-SIDED  
SCREEN




TRIPLE SCREEN -




SINGLE  
SCREEN

### **Curtains and drapes**



Securely hemmed on all 4 sides with heavy metal grommets placed 12" apart on one side (unless otherwise ordered). Made to exact size you order.

### **MAN HOLE GUARDS**



The vinyl-coated fiber glass withstands the elements. The fluorescent striping shouts "DANGER."

FOR PRICES SEE  
PAGES 3-4-5-11

UNITED STATES

1944

1944

1944

1944

8