

MD-3-A

PACKAGE TICKET

(DRY AND PASTE ONLY)

CODE BT 284 LOT 1-1239

NET WT/PKG	NO. PKG	PACK. WGT	LOCATION	PQ
	<u>12</u>	<u>2225</u>	<u>10-18</u>	

STUMP

TOTAL NET WT. 2225 PKG. N-CODE _____

PROD. SPVR. _____ DATE _____ WHSE. OPER. _____

OK 5/11/71 212

O.T

204.+

203.+

198.+

194.+

190.+

188.+

211.+

203.+

185.+

193.+

184.+

72.+

2225.T

39 CG 20 CODE B1-284-D PKG.
 → MAY - 0-81-**E1539**
 EST. WGT. **2126** LBS.
 NOTE: MAKING — FILL IN EST WGT FROM BATC. CARD

PROCESSING INSTRUCTIONS: BATCH UN

PROCESSES	APPROVED
BT-284-D (P)	AJC 05 107, DCG 07 127
TYPED BY	
emw070279	
MAKING NOTES	

REMARKS

AME MONASTRAL® BLUE B

NON-BLEEDING

INSTRUCTIONS

-PRESSING-

RECORD

AT						PRESSLOAD	1ST	2ND	3RD	4TH	5
DATE						STARTED	3:50 PM				
TIME						CAKES USED	62				
RELEASED BY						HRS TO FILL					
RESS	9 + 10	17 + 18									
O. OF CAKES	2 x 119 + 43	3 x 84 + 28									
RESS	with	AGITATION									
ASH TO		OILMS									
EST AFTER		HOURS									
OAD	on 8 cars					CAKE CONDITION	9				
						NO. CARS LOADED					
						EXPLAIN LOSSES					

AMPLES			
ELIVER TO		SAMPLED BY	RELEASED BY <i>BH</i>

-DRYING-

Dry 18 hrs at 220°F

LUMP: - OK - WET - SALTS - CONTAMINA

ADDITIONAL DRYING HOURS REQUIRED

AMPLES			
ELIVER TO		NO. CARS PULLED	NO DRUMS <i>14</i>
		SAMPLED BY	LUMP WGT. <i>2216</i>
			RELEASED BY <i>BH</i>

-GRINDING-

LI 7 or 8 LSP	3/32" RP SCREEN 1785 RPM	SCREEN	RPM
MAX. TEMP.	200 °F	MAX. TEMP.	°F
		EXPLAIN LOSSES	
AMPLE	WITHOUT MIXING	DATE MIXED	
AMPLES	1 Env & 1 Pt Can		
ELIVER TO	CTL	SAMPLED BY <i>227</i>	RELEASED BY

1539
124
51

2.25 +
0.14 ✓
2.16 +
0.14 ✓
1.91 +
0.14 ✓
2.11 +
0.14 ✓
1.98 +
0.14 ✓
2.03 +
0.14 ✓
1.95 +
0.14 ✓
0.86 +
0.14 ✓
14.13 *

14.13 +
2.14 +
0.14 ✓
1.90 +
0.14 ✓
0.85 +
0.14 ✓
18.60 *

18.60 +
2.08 ✓
0.14 ✓
0.46 +
0.14 ✓
20.86 *

20.86 +
1.44 +
0.14 ✓
22.16 *