

SUGGESTED VENDOR LISTSTANDARD SPECIFICATION No. ACS-400-73PIPING AND EQUIPMENT INSULATION

<u>Type</u>	<u>Material</u>	<u>F.A. Covering or Jacket</u>	<u>Max. Appl. Temp. (°F)</u>	<u>Brand Name</u>	<u>Manufacturer</u>
A	Silicates	Canvas or Glass Cloth	1600°	Carey-Temp	Philip Carey
			1600°	SupereX-M	Johns-Manville
			1800°	Kaylo 20	Owens-Corning
B	Silicates	Canvas or Glass Cloth	1600°	Carey-Temp	Philip Carey
			1200°	Thermobestos	Johns-Manville
			1200°	Kaylo	Owens-Corning
C	Silicates	Metal Jackets (Aluminum, Galvanized, or Stainless Steel)	1600°	Carey-Temp (Metal Jacketed)	Philip Carey
			1200°	Thermobestos Metal-On	Johns-Manville
			1200°	Kaylo Klad	Owens-Corning

Feb. 2, 1970

Page 1 of 6

ACS-400-73

PIPING AND EQUIPMENT INSULATION

<u>Type</u>	<u>Material</u>	<u>F.A. Covering or Jacket</u>	<u>Max. Appl. Temp. (°F)</u>	<u>Brand Name</u>	<u>Manufacturer</u>
D-Pipe	Mineral Wool or Fiber Glass Blankets	Metal Fabric	1000°	Fiberglass Blankets	Owens-Corning
			1200°	Mineral Wool Blankets	Philip Carey
			1200°	Tab-Lok (Mineral Wool)	Eagle-Picher
D-Equipment	Mineral Wool or Fiber Glass Blankets	Galvanized Hex Wire, 1/2" Expanded Mesh or 3/8" Rib-Lath	1200°	Rock Wool Blanket	Philip Carey
			1000°	Blanket Banroc	Johns-Manville
			1000°	Metal Mesh Blanket	Owens-Corning
E-Equipment	Mineral Wool Blocks	None	1900°	Mineral Wool Block	Philip Carey
			1800°	H. T. Banroc Block	Johns-Manville
			1900°	PV Supertemp	Eagle-Picher

PIPING AND EQUIPMENT INSULATION

<u>Type</u>	<u>Material</u>	<u>F.A. Covering or Jacket</u>	<u>Max. Appl. Temp. (°F)</u>	<u>Brand Name</u>	<u>Manufacturer</u>
F	Silicates or 85% Magnesia	Canvas or Glass Cloth	1600°	Carey-Temp	Philip Carey
			600°	85% Mag.	Johns-Manville
			1200°	Kaylo	Owens-Corning
G-Piping	Molded Fiberglass or Rock Wool	Canvas or Glass Cloth	350°	Thermoglas	Philip Carey
			400°	Standard Weight	Owens-Corning
			450°	Heavy Density	Owens-Corning
			500°	Micro-Lok	Johns-Manville
G-Equipment	Molded Fiberglass or Rock Wool (Semi-Rigid)	None	450°	Spintex 416	Johns-Manville
			450°	PF-615	Owens-Corning
			450°	PF-617	Owens-Corning
			250°	Thermoglas Board	Philip Carey
H-Piping	Asbestos Sheets	Cotton Cloth 10.2 yds./lb.	300°	"Aircell"	Philip Carey

Feb. 2, 1970

PIPING AND EQUIPMENT INSULATION

<u>Type</u>	<u>Material</u>	<u>F.A. Covering or Jacket</u>	<u>Max. Appl. Temp. (°F)</u>	<u>Brand Name</u>	<u>Manufacturer</u>
Item 5.17	Anti-Sweat Piping	Integral Asphalt Saturated Asbestos, or Aluminum covered Kraft	+50° (Cold Water)	Micro-Lok	Johns-Manville
			-120° (Refrigerant)	Superglas (Low Temp.)	Eagle-Picher
			+35° (Chilled Water)	Superglas (White Dual)	Eagle-Picher
			-120 to +450° (Cold Water)	Heavy Density (FRJ)	Owens-Corning
			-120°	Thermoglas (FRVB)	Philip Carey
Item 7.4	Glass Cloth	_____	_____	Mast-A-Fab	Benjamin Foster
		_____	_____	Glass Cloth	Owens-Corning
Item 7.5	Glass Tape	_____	_____	Sealfas Lagging Tape	Benjamin Foster

PIPING AND EQUIPMENT INSULATION

<u>Type</u>	<u>Form</u>	<u>Usage</u>	<u>Material</u>	<u>F.A. Covering or Jacket</u>	<u>Max. Appl. Temp. (°F)</u>	<u>Brand Name</u>	<u>Manufacturer</u>
Item 7.7	—	—	Lagging Adhesive	—	200°	81-42	Benjamin Foster
					180°	140	Insul-Coustic
Item 7.8	—	—	Insulating Cement	—	1800°	"450"	Johns-Manville
					1000°	"One Coat"	Eagle-Picher
					1000°	"MW-One"	Philip Carey
					1000°	"OC-110"	Owens-Corning
Item 7.9.1 Mastics (Bitumen)	Breathing Type	Trowel	Water Emulsion Blend	—	250°	"Insul Kote ET"	Johns-Manville
					200°	"H. I. Mastic"	Benjamin Foster
					200°	"Thermotex B"	Philip Carey
Item 7.9.2 Mastics (Bitumen)	Spray Type	Spray	Chemical Dispersion Type	—	200°	"Spray Mastic"	Eagle-Picher
					200°	"H. I. Mastic"	Benjamin Foster

McGraw-Hill 3519

Feb. 2, 1970

ACS-400-73

PIPING AND EQUIPMENT INSULATION

<u>Type</u>	<u>Form</u>	<u>Usage</u>	<u>Material</u>	<u>F.A. Covering or Jacket</u>	<u>Max. Appl. Temp. (°F)</u>	<u>Brand Name</u>	<u>Manufacturer</u>
Item 7.9.3 Mastics (Bitumen)	Vapor Barrier Type	Trowel or Caulking Gun	Plastic Type (Asbestos, Asphaltum, Etc.)	—	700°	"Stalastic #HT"	Eagle-Picher
						"Insulation Seal"	Philip Carey
						"C. I. Mastic 60-25"	Benjamin Foster
Item 7.11 Polyvinyl Acetate Covering	PVA	Trowel or Palm	PVA	None	—	"WC-1"	Vimasco Corporation
						Vi-AC	Insul-Coustic
						PVA #100	Philip Carey

* * * * *