MD-3-A

**PACKAGE TICKET** (DRY AND PASTE ONLY)

CODE Ky-781-0 LOT 35476

| NET WT/PKG | NO. PKG | PACK. WGT | LOCATION | PO |
|---|---|---|---|---|
| 50 | 64 | 3,200 | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | STUMP | [illegible] | | |

TOTAL NET WT. _____ PKG. N-CODE 1000

| PROD. SPVR. | DATE | WHSE. OPER. |
|---|---|---|
| [illegible] | [illegible] | |

75
262

CG 03 CODE KY-781-D PKG. ____

→ APR 22 35476

EST. WGT. 786 LBS.

OK
KP

Total Wgt. 3436# (Req. _____)

PROCESSING INSTRUCTIONS: BATCH UNIT

| PROCESSES | APPROVED BY |
|---|---|
| KY-781-D (M) | BBK 12-16-74 |
| | DCG 12-17-74 |
| TYPED BY | |
| NSA 12-31-74 | |

MAKING NOTES

REMARKS

"KROLOR" YELLOW-LIGHT

NON-BLEEDING

INSTRUCTIONS -PRESSING- RECORD

| | | | | | |
|---|---|---|---|---|---|
| | 262 | | | | |
| | 4-23-80 | | | | |
| | 7:00 PM | | | | |
| ASED BY | C. M. | | | | |
| | 22 | 23 | 24 | 25 | 95 |
| CAKES | 32 | 32 | 32 | 32 | 30 |

with AGITATION

TO 5000 OHMS with 35-75F water

AFTER 3 HOURS

on 5 cars

| PRESSLOAD | 1ST | 2ND | 3RD | 4TH | 5TH |
|---|---|---|---|---|---|
| STARTED | 3:00 PM | | | | |
| CAKES USED | 30 | | | | |
| WATER ON | 2:00 PM | | | | |
| HRS. WASHED | | | | | |
| OHMS | | | | | |
| HRS. WASHED | | | | | |
| OHMS | | | | | |
| HRS. WASHED | | | | | |
| OHMS | | | | | |
| CAKE CONDITION | | | | | |
| NO. CARS LOADED | 4 | | | | |
| EXPLAIN LOSSES | | | | | |

LES 863

VER TO CTL for R/O

SAMPLED BY 197 RELEASED BY

-DRYING-

Dry 16 hrs at 220°F

~~Pack in 41 Gal L/P~~

LUMP: - OK - WET - SALTS - CONTAMINAT

NO Record of any Processing Load

ADDITIONAL DRYING HOURS REQUIRED

No Drums: 12

ES

VER TO

NO. CARS PULLED LUMP WGT. 3206

SAMPLED BY RELEASED BY BLL

-GRINDING-

939 3/32"

~~11~~ HSP ~~0.066 RP~~ SCREEN 3500 RPM

TEMP. 210° °F

~~Pack in 41 Gal L/P~~

SCREEN RPM

MAX. TEMP. °F

EXPLAIN LOSSES

E / WITHOUT MIXING

LES 1 Env & 1 Pt Can

VER TO C T L

DATE MIXED

SAMPLED BY RELEASED BY

DUP050456624

N32103.01

354.76 N
.41 N
3.24 N
.00 T

1.97
.14 -
3.21
.14 -
3.07
.14 -
2.94
.14 -
3.16
.14 -
2.97
.14 -
3.09
.14 -
19.43 T

354.76 N
1.24 N
.41 N
3.13
.14 -
3.05
.14 -
3.25
.14 -
3.15
.14 -
.75
.14 -
19.43
32.06 T

DUP050456625

N32103.02