



DOW CHEMICAL U.S.A.

LOUISIANA DIVISION
PLAQUEMINE, LOUISIANA 70784
804 389-8000

August 2, 1977

To: Solvents Supervisors

Xc: C. Barrios
A. BourgVINYLLIDENE CHLORIDE EXPOSURES

This report describes the vinylidene chloride exposures for both the OS boardman and the SOT sample man for the month of July. Results are summarized below:

<u>Person Monitored</u>	<u>Date</u>	<u>Job Classification</u>	<u>Vinylidene Chloride</u>	<u>Comments</u>
/ Buster Kyzar	7/11/77	OS V2/123	3.7	Some work in the V2 area/ control room most of day.
/ Ernest Lee	7/25/77	OS V2/123 (Trainee)	2.7	Pulled tag in phenol area with a seal leak/routine
/ Carneal Donatto	7/12/77	SOT Lab Man	15.4	Caught and ran samples/fixed a leak on C-92 btms pump.
/ Howard Webb	7/27/77	SOT Lab Man	1.3	Ran samples/routine (Did not wear pump to catch samples).

*Exposure in ppm (v)

Although the majority of the exposures were well within the TLV of 10 ppm, one case of overexposure was noted. Monthly monitoring of these jobs will be continued.

L. R. Smith
C. SolventsDO 101357
CONFIDENTIAL

CHEMICAL AND PHYSICAL AGENT INVENTORY

[illegible]

DO 101445
CONFIDENTIAL

* See Industrial Hygiene Data Sheet.

** To be filled in by Industrial Hygiene.