

Page 2

Material	Mode of attack and exposure	Threshold Limit Value (1963)
Fluorocarbons, unsaturated <i>from s/w</i>	Respiratory system (pulmonary edema); inhalation of vapors	
Hexafluoropropylene <i>s/w</i>	Respiratory system; by inhalation of vapors	
Hydrofluoric acid <i>from</i> (aqueous solutions)	Skin; by contact	
Lead; its oxides and salts <i>TEL</i>	Systemic; by inhalation of dusts and vapors	0.2 mg/m ³
MDI <i>- 144</i>	See Methylene bis(4-phenylisocyanate)	
Mercury, its oxides and salts <i>TEL</i>	Systemic; by skin contact or inhalation of dusts and vapors	0.1 mg/m ³
Methylene bis(2-chloro-aniline)(MOCA) <i>not used</i>	Carcinogenic (questioned); by inhalation of vapors or skin contact	
Methylene bis(4-phenyl-isocyanate) (MDI) <i>144</i>	Respiratory sensitization; by inhalation of vapors or skin contact	0.02 ppm
MOCA <i>144</i>	See Methylene bis(2-chloroaniline)	
Nitroanilines (all isomers) <i>Chl. - MF - Pu 144</i>	Cyanogenic; by skin contact or inhalation of vapors	1 ppm
Nitrobenzene <i>MF</i>	Cyanogenic and anemilogenic; by skin contact or inhalation of vapors	1 ppm
Nitrogen oxides <i>MI</i>	Respiratory system; by inhalation of vapors	5 ppm

DUP 0901192

ॐ नमो भगवते वासुदेवाय

1.0 meter of air