

6/13/84

PERSONAL & CONFIDENTIAL

TO: H. V. BRADLEY
D. B. WIKI
T. M. KEMP
T. L. SCHRENK

FROM: J. A. SCHMID

C-8 IN WATER

BELOW IS A COMPARISON BETWEEN THE 3/15/84 SAMPLES, AND
THOSE TAKEN ON 6/4/84.

LOCATION	3/15/84	6/4/84
*****	*****	*****
LITTLE HOCKING	0.8	NOT DETECTED
LUBECK WATER		
* POWELLS STORE	1.2	1.0
* LUBECK HILL	NOT SAMPLED	1.5

I WOULD HAVE TO CONCLUDE THAT IN THE CASE OF LITTLE
HOCKING, THE C-8 DROPPED BELOW THE DETECTION LIMIT OF 0.6 PPB.
ALSO, RECOGNIZING THAT WE ARE OPERATING AT THE EXTREME OF THE
TEST'S SENSITIVITY, THE BEST WE CAN SAY ABOUT THE LUBECK WATER IS
THAT IT IS PRESENT IN THE 1.0 PPB RANGE.

REV. 6/14/84 - 6/13/84 DATA WAS REPORTED AS FLUORINE NOT C-8.

RJ2009220

EID136976