

00000

Meeting: Asbestos Task Force

Date: January 14, 1987

AU51310

NAME	TITLE	COMPANY	ADDRESS	PHONE
Thomas L. Blank	Sr. Industrial Hygienist	Monsanto - A3NL	800 N. Lindbergh St. Louis, Mo. 63167	314-694-8716
JEAN W. Chappell	SAFETY MGR	GTE	ONE STAMFORD FARM, STAMFORD, CT. 06904	203-965-301
Don Esparach	SAFETY DIR	GTE	" " "	203-965-204
Jack Peters	Mgr. Industrial Hygiene	International Paper	6075 The Corners Parkway, GAITHERSBURG, MD 20878	410-949-0421
Mike Craft	Sr. Industrial Hygienist	International Paper	" " "	" "
TED RHUDDLE	STAFF IND. HYGIENIST	Exxon Co USA	P.O. Box 2180 Houston TX 77252-2180	713-656-1
Jim Doyle	COUNSEL	Exxon	" " "	713-656-4026
Duane Kortsha	Industrial Hygienist	Amoco	200 E. Randolph Dr., Chicago, IL 60601	219-922-8027
Bill Andersen	Mgr Group HHA	Allied-Signal	P.O. Box 235224 Morrisstown NJ 07960	201 (455) 305
PAUL SCHUBERT	Industrial Hygienist	Simmons Oil	200 Public Square, Cleveland OH 44114	(216) 836-9316
TOM SCOTT	INDUSTRIAL HYG.	CELANESE	PO Box 32414 CHARLOTTE NC 28232	(704) 554-2890
LJME HALL	DIR OF SAFETY	BELLSOUTH CORP	3451 SABELL CIRCLE ATLANTA, GA 30315	404/420-8757
Bill C. Murrell	Industrial HYG.	Union Carbide - Linde	OLD RIDGEWAY RD, DANBURY CT 06810	(203) 794-59
Bob Ordoezian	Ind. HYG.	Union Carbide	Old Ridgely Rd PO Danbury CT	203 794-5205
R. WOLFE WALKER	SR. END HYG	ICI AMERICA'S	HEA, CONCORD PIKE, WILM. DE	302-575-4547
IRVING FIELD	ATTORNEY	CON EDISON	4 IRVING AL, NEW YORK NY 10003	(212) 460-3990
Mike Dryden	Manager, IH	Charron Corp	PO Box 7924, San Francisco 94108	415-894-6712

Meeting: Asbestos Task Force

January 14, 1987

Date:

A05137

NAME	TITLE	COMPANY	ADDRESS	PHONE
TIM RYAN	ENV HYGIENIST	Reham & HAYS	P.O. Box 5341, Bristol, PA 19007	(215) 785-73
Kaura Rippey	Staff Industrial Hygienist	ALCOA	1501 Alcoa Bldg, Pittsburgh, PA 15219	(412) 553-259
DEN BOLT	STAFF PHYSICIAN	KODAK	MEDICAL DEPT., 1660 LAMAR AVE. ROCHESTER, NY 14650	
Diane Kobayashi	Industrial Hygienist	ARCO	515 S. Flower St, AP-1279 LA, CA 90071	(213) 486-80
Rick Hunt	Industrial Hygienist	Porter & Sample	5099 Spring Grove Ave, Cincinnati, Ohio	(513) 627-68
Merlin C. Race	Dir. of Safety, Serv	Con Edison	4 Irving Pl, NY, NY 10003	212 460 670
Jim Degen	Staff Director - Safety	NYNEX	70 W. Red Oak Ln, Room 420 White Plains, NY 10604	914 683-2824
Wendell K. Stevens	MANAGER/SAFETY	AMERITECH	240 N. MERIDIAN ST Room 769 INDIANAPOLIS, IN 46204	(317) 265-3630
Chuck Hill	Staff Mgr. Safety	Southwestern Bell	ONE Bell Center - Room 33-A-3 St. Louis, MO 63101	314-235-5598
Russ Culpepper	Med. Dir.	DuPont	Nemours Bldg. 11400 Wilmington, DE 19898	314-774-522
Anne M. Venetta	Industrial Hygienist	AT & T Corp Hq.	1550 Walnut St, Room 1100 Philadelphia, PA 19102	201-766-843
Don Espach	Dir. Ind. Hyg. Safety	GTE	1500 Walnut St Philadelphia, PA 19102	203/965-20
Tim Williamson	Counsel	AT & T DuPont	Wilmington, DE 19898	302-774-700

ASBESTOS MANAGEMENT

- o Installing new jacket over good asbestos - Negative pressure enclosure not required. Monitor to prove exposure is below the action level.
- o Only exception for small jobs is that shower can be remote from work site.
- o Can remote shower be same as shower used by other or does it have to be dedicated to asbestos workers? - (Rotthoff will check)
- o Is shower required before eating? (Rotthoff will check)

Do we have to have head covers?

Do we have to have shoe covers or are rubber boots acceptable?

- o Is protective clothing required on glove-bag jobs?
- o If we must have dedicated hygiene facilities, can we have one for entire plant?
- o Competent person is required for large scale jobs only.
- o Contractor will supply competent person for their jobs.
- o Plant will have at least one competent person.
- o Qualitative fit testing must be repeated every six months. All types of respirators.
- o Medical certification must be repeated every year.
- o What hygiene practices for small scale jobs?
- o Would like to be able to leave in street clothes - after vacuuming - take-off coveralls.

1907A

405138

① Garlock gaskets

② tremolite - use a
fibertalc gasket

A05130

RECEIVED

JAN 26 1987

R. D. ONDOCSIN



Organization Resources
Counselors, Inc.

Memorandum

January 23, 1987

To: ORC Asbestos Task Force

From: Darrell K. Mattheis and W. William Ament *Bill* *OWM*

Subject: Report of January 13, 1986 Asbestos Task Force Meeting
and Announcement of Two New Subgroup Task Forces

The Asbestos Task Force Meeting was essentially an unofficial question and answer session between ORC Asbestos Task Force members and OSHA representatives, Dave Smith, Roy Gibbs, and Joe Hopkins, from OSHA's Office of Health Compliance Assistance.

The following is ORC's account of the concerns expressed by the task force, and responses given by OSHA representatives. Any errors or misinterpretations are the responsibility of ORC. Views expressed by the OSHA representatives are not necessarily OSHA policy and should not be stated as such. OSHA's official positions may differ from those expressed, and these comments should not be used to show discrepancies in the Agency's views!

ASBESTOS STANDARD QUESTIONS/ANSWERS

- Q. When does the General Industry Standard Apply and When does the Construction Standard come into play?
- A. The General Industry (GI) standard was designed for industries that use asbestos to manufacture products. It applies to workers who are exposed as a result of primary or secondary manufacturing of asbestos products. Exceptions to the "determination by process" rule include service industries such as automotive brake and clutch repair and replacement, and shipbuilding, which fall under the General Industry Standard.

The Construction Standard applies to workers who are exposed as a result of removal, demolition, new installation, maintenance, or new construction.

A05140

there is no way to determine if they do or do not contain asbestos. At the same time it would be virtually impossible to monitor each and every job over the course of the day! How can we approach this problem?

- A. If you have sampling data on the "typical" exposure found you can extrapolate to decide whether monitoring is necessary. You must, however, have statistically sound sampling data from which to extrapolate.
- Q. What does OSHA consider a statistically reliable or acceptable historical data base from which to extrapolate to an analogous situation the probability that asbestos is not present above the action level, and therefore sampling for asbestos is unnecessary.
- A. There are presently no guidelines by which to make this determination. OSHA will review such decisions based on statistical data to make a subjective determination of whether the analogies drawn between the data and specific job are sound and prudent. Specific guidance in this area is being developed and will be included in the final guidelines.
- Q. If, after it has been determined on the basis of what is considered adequate historical data that it is statistically improbable that asbestos is present above the action level and that sampling is unnecessary, an OSHA inspection reveals otherwise, is the employer liable for citation?
- A. Yes.
- Q. In the particular case of service industries such as telecommunications and utilities where the employee's job consists primarily of installing material on sites which are owned by persons other than his employer, who is liable for citation if the employee is exposed to asbestos - the employer, or the owner or occupier of the site?
- A. The employer.
- Q. Under the Construction Standard the need to monitor daily is very expensive and many believe not necessary, what is OSHA's interpretation?
- A. Under the Construction Standard, daily monitoring is required until asbestos fiber concentrations are under the action level. If you are over the action level, then you must monitor.

405142

- Q. Can an employer comply with the labeling requirements by posting signs which instruct its employees, who are trained to deal with asbestos containing materials, to treat everything in the facility as if it contains asbestos?
- A. Yes, that is an acceptable means of compliance.
- Q. What is considered an adequate training program to qualify as a "competent person" under the standard. Are the courses provided by the EPA the only accepted means of training.
- A. The standard doesn't set a specific time frame for a training program, nor does it rule out in house training. A course which is equivalent in content to the EPA courses would be acceptable. However, some sort of certification to document the training would be necessary. The EPA does not now, and does not intend to certify private sector training programs. EPA's regional training centers will provide courses to industry which could be tailored to meet specific needs.
- Q. Can the function of the "competent person" be spread among several individuals i.e., can a "competent person" delegate some authority to other individuals with lesser background for specific tasks?
- A. Yes. As long as the intent of the standard, which is that employees working with asbestos be supervised by a person who has the requisite training in the hazards of asbestos, is met. OSHA advises, however, that there be one primary person who would be ultimately responsible.
- Q. Especially in the case of the petro/chemical industry, is the physical hazard created by enclosing an area, accepted by OSHA as a factor in determining the feasibility of complying with the standards enclosed area requirements?
- A. Yes. If it can be shown that enclosing an area creates a hazard greater than that of exposure to asbestos.
- Q. Is it necessary to set up enclosures on reactor towers in a refinery or chemical plant, even when they are 100 feet or more up in the air?
- A. Yes. Enclosures should be set up on a reactor tower or distillation tower, and the job done piecemeal. Employers must use negative pressure in each of the enclosures. If an employer can demonstrate that the asbestos level will be below the PEL, an enclosure is not required. Again, if it

A05144

- A. It is likely that state regulations would be preempted, at least in part. It would depend on the purpose of the state regulation. If the Federal and state regulations have the same purpose or intent, Federal regulations take precedence.
- Q. Under the Construction Standard, are showers mandatory after each and every exit from a negative pressure regulated area even for a short period of time such as a 15 min break or lunch?
- A. Yes. Employees must shower before they leave an enclosed area, regardless of how short a time. There are no exceptions.
- Q. Where it is physically not feasible to have a shower on the scene of a removal, is it possible to use a negative pressure equipment room for the gear, and a HEPA vacuum to clean up the protective clothing before removing it, and then have the employees go to a centrally located shower facility?
- A. OSHA would be reluctant to allow an enclosed removal job to proceed without on site showers unless all of the obvious options to the requirements of the standard could not be met. A remote shower facility is acceptable, however, if it can be shown that it is not feasible to construct an appropriate decontamination unit adjacent to the site. Employees must, however, either dispose of contaminated clothing, or thoroughly clean their outer clothing with a HEPA vacuum before proceeding to the central decontamination unit.
- Q. Does the General Industry Standard require that an employee shower after leaving a regulated area, prior to entering a regulated positive pressure lunch room or break area?
- A. No. It is not necessary to shower if the employee is going to a specific break area and will return to the site. It is sufficient that the employee vacuum off before entering the break area.
- Q. Under the General Industry Standard, must employees working in regulated areas have lunch rooms separate from other employees?
- A. No. As long as the lunch room or break area meets the regulatory requirements i.e., positive pressure, and the asbestos exposed employees either remove asbestos dust or remove the contaminated clothing by approved means prior to entering the break area.

A05146

The following list of questions were not addressed at the meeting. ORC will submit these questions to OSHA and will distribute the Agency's response to members of the task force.

- Is the Construction Standard requirement for negative pressure enclosures independent of other controls and work practices which historical data demonstrates are effective in maintaining exposure below the PEL?
- Where monitoring data clearly establishes exposure well below 20 f/cc (the upper limit permitted for HEPA filtered negative pressure respirators) why is daily monitoring still required for employees wearing negative pressure respirators in regulated areas?
- Is the requirement for blank air filter (10% or a minimum of 2) to be applied to each day's sampling, or to the sampling effort of an entire removal project?
- Must the content of labels required for installed asbestos be the same as that for asbestos products?
- Will a general contractor be held liable for asbestos infractions cited on a subcontractor working on the general contractors facility?
- Must a copy of the standard be in each employees' medical record if a copy is in the Medical Department? This does impose a problem, i.e., copying of the standard for each record and also makes the record itself very thick. What if someone stores medical records in a computer?
- Medical records are required to be maintained for 30 years after termination of employment. The standard states we must either transfer the records to NIOSH or give NIOSH three months notice of the disposal of the records. All of our medical records are stored by year. To pull out a particular medical record that comes under an OSHA regulation and transfer to NIOSH will be an administrative burden for our Corporate Records Department. We currently keep all of our medical records for 40 years. Does the standard apply to this routine? Must we continue to notify NIOSH? What about medical records for employees who are terminated before the standard became effective?
- Who is responsible for supplying a set of the ILO-U/C international classification of radiographs for pneumoconioses to B readers, a board eligible/certified radiologist, or an experienced physician with known expertise in pneumoconioses?
- Is a board eligible/certified radiologist qualified to read chest x-rays according to the ILO-U/C International classification of radiographs without taking the course?

A05148

Please return to:

Joyce K. Jenkins
Organization Resources Counselors, Inc.
National Place, North Lobby - Suite 911
1331 Pennsylvania Avenue, N.W.
Washington, D.C. 20004

() I will attend the Telecommunications and Utilities Task
Force Meeting on February 18, 1987 at the ORC Washington
Office, National Place, North Lobby - Suite 911, 1331
Pennsylvania Avenue, N.W., Washington, D.C. 20004.

Time: 9:30 A.M.

For ORC Records

Name _____

Title _____

Company _____

Address _____

Telephone _____

12/86

A05150

Please return to:

Joyce K. Jenkins
Organization Resources Counselors, Inc.
National Place, North Lobby - Suite 911
1331 Pennsylvania Avenue, N.W.
Washington, D.C. 20004

() I will attend the Data Collection and Survey Task Force Meeting on February 17, 1987 at the ORC Washington Office, National Place, North Lobby - Suite 911, 1331 Pennsylvania Avenue, N.W., Washington, D.C. 20004.

Time: 9:30 A.M.

For ORC Records

Name _____

Title _____

Company _____

Address _____

Telephone _____

12/86

A05151