

CON CO

Lake Charles VCM Plant

Conoco Chemicals Company
A Division of Conoco Inc.
P.O. Box 605
Westlake, Louisiana 70669
(318) 491-5211


January 14, 1981

Mr. Leon LeDoux
Riteway Scaffolding Inc.
P. O. Box 116
Westlake, LA 70669

Dear Mr. LeDoux:

The attached invoice has been mistakenly sent to my attention for payment.
Therefore, I am forwarding it to your attention for proper handling.

Sincerely,



J. A. DeBernardi
Plant Manager
VCM Plant

is
Enc

CCR 000080388

NAME:
ADDRESS:
REF. BY DR:

LaFleur, Michael Everett 25
Rt. 8 Box 183, Lake Charles, La.
Bennerscheidt
ACCT. NO. 80-7629
PHONE: 478-6236
EMPLOYER: B & B Insulation
@Cont. VCM

ADMIT.:
DISCHARGE:

RADIOLOGY

P. O. Box 3148
618 SOUTH RYAN STREET / PHONE 436-7569
LAKE CHARLES, LOUISIANA 70602

Continental Oil Co. VCM Plant
P.O. Box 605
Westlake, La. 70669

I.R.S. NO. 72-0796926 PLACE OF SERVICE: Office

DATE	EXAMINATION	CHARGES	CREDITS	BALANCE DUE
10-30-80	CHEST, 2 VIEWS	28.00		28.00
/				

ANY ACCOUNT WHICH IS 120 DAYS OLD IS CONSIDERED AS A PAST DUE ACCOUNT AND MUST BE CLEARED FROM OUR CURRENT FILES.

MAKE CHECKS PAYABLE TO: RADIOLOGY

THE DOCTORS WHOSE NAMES ARE BELOW CERTIFY THAT THE SERVICES LISTED ABOVE WERE FOR THE PATIENT NAMED.

PAST DUE NOTICE

PAY LAST AMOUNT IN THIS COLUMN

LEWIS M. MARSHALL M.D.
L. M. Marshall M.D.


ELWYN CAVIN M.D.
Elwyn Cavin M.D.

STEPHENE E. CARTER M.D.
Stephen E. Carter M.D.

ERWIN ENGERT, JR., M.D.
Erwin Engert, Jr., M.D.

J. R. ROMERO III, M.D.
J. R. Romero III, M.D.

CCR 000080389



23

Lake Charles VCM Plant

Conoco Chemicals Company
A Division of Conoco Inc.
P.O. Box 605
Westlake, Louisiana 70669
(318) 491-5211

CERTIFIED MAIL #0551000
RETURN RECEIPT REQUESTED

Ms. Adlene Harrison
U. S. Environmental Protection Agency
1201 Elm Street
First International Building
Dallas, TX 75270

Dear Ms. Harrison:

Re: Quarterly Discharge Monitoring Report
Permit No. LA 0003476


Attached are the completed discharge monitoring reports, October through December, for each of the three discharge monitoring points.

The effluent from the acid neutralization pit from the Incinerator Unit, discharge point 101, continues to be diverted through the Lake Charles Chemical Plant secondary system as stated in our earlier letter dated May 18, 1979.

All non-compliance situations have been reported to the EPA in accordance with the requirements set forth in the discharge permit LA 0003476. Earlier letters dated October 23, December 8, December 23 and December 30 have addressed the particular non-compliance situations that occurred. The consecutive day testing as required by the discharge permit was initiated and completed for each parameter which exceeded the discharge permit limitations.

Should you have any questions concerning the data presented in these reports, please contact J. A. DeBernardi (318) 491-5063.

Sincerely,


J. A. DeBernardi
Plant Manager

CC + enc:
J. Dale Givens - DONR
BCC:
REL-CRH-HJN-VAM-RLH-GLF-PLF-DLD-JWW-JCL-MGJ

CCR 000080390

NAME **CONOCO CHEMICALS CO**
 ADDRESS **A DIVISION OF CONOCO INC**
P O BOX 727 605
WESTLAKE LA 70669 R
 FACILITY
 LOCATION

(2-16) **LA0003476**
 PERMIT NUMBER
 (17-19) **001**
 DISCHARGE NUMBER

MONITORING PERIOD
 FROM **80 10 01 TH** **80 10 26**
 (20-21) (22-23) (24-25) RU (26-27) (28-29) (30-31)

NOTE: Read instructions before completing this form.

PARAMETER (32-37)	X	(3 Card Only) QUANTITY OR LOADING (46-53)			(4 Card Only) QUALITY OR CONCENTRATION (54-61)				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
pH	SAMPLE MEASUREMENT				7.2		8.2	S.U.	0		
	PERMIT REQUIREMENT				6.0		9.0			Cont	NA
Temperature	SAMPLE MEASUREMENT				46		72	°F	0		
	PERMIT REQUIREMENT									Cont	NA
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER
J. A. DeBernardi
Plant Manager
 TYPED OR PRINTED

THIS DOCUMENT IS SIGNED WITH RECOGNITION THAT KNOWINGLY MAKING A FALSE CERTIFICATION ON THIS REPORT OR SUPPORTING DOCUMENTS OR INTENTIONALLY TAMPERING WITH ANY MONITORING DEVICE OR METHOD ARE CRIMINAL OFFENSES. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penalties under these statutes may be fines up to \$10,000 and/or maximum imprisonment of between 6 months and 5 years.)

 SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE
318 491-5063
 AREA CODE NUMBER
 DATE
81 01 14
 YEAR MO DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

CCR 000080391

NAME **CONOCO CHEMICALS CO**
ADDRESS **A DIVISION OF CONOCO INC**
P O BOX 125 605
WES LAKE LA 70669 R
FACILITY
LOCATION

(2-16) **LA0003476**
PERMIT NUMBER
(17-19) **101**
DISCHARGE NUMBER

MONITORING PERIOD
FROM **80 10 01** TH **80 10 31**
YEAR MO DAY RU YEAR MO DAY
(20-21) (22-23) (24-25) (26-27) (28-29) (30-31)

NOTE: Read instructions before completing this form.

PARAMETER (32-37)		(3 Card Only) QUANTITY OR LOADING (46-53)			(4 Card Only) QUALITY OR CONCENTRATION (54-61)			NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM			
TSS	SAMPLE MEASUREMENT								(A)	24-Hr.
	PERMIT REQUIREMENT					50	75	mg/l	2/7	Compo-site
	SAMPLE MEASUREMENT									
	PERMIT REQUIREMENT									
	SAMPLE MEASUREMENT									
	PERMIT REQUIREMENT									
	SAMPLE MEASUREMENT									
	PERMIT REQUIREMENT									
	SAMPLE MEASUREMENT									
	PERMIT REQUIREMENT									
	SAMPLE MEASUREMENT									
	PERMIT REQUIREMENT									
	SAMPLE MEASUREMENT									
	PERMIT REQUIREMENT									
	SAMPLE MEASUREMENT									
	PERMIT REQUIREMENT									

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER J. A. DeBernardi Plant Manager TYPED OR PRINTED	THIS DOCUMENT IS SIGNED WITH RECOGNITION THAT KNOW- INGLY MAKING A FALSE CERTIFICATION ON THIS REPORT OR SUPPORTING DOCUMENTS OR INTENTIONALLY TAMPERING WITH ANY MONITORING DEVICE OR METHOD ARE CRIMINAL OFFENSES, SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penal- ties under these statutes may be fines up to \$10,000 and/or maximum imprisonment of between 6 months and 5 years.)	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT 	TELEPHONE 318 491-5063 81 01 14 AREA CODE NUMBER YEAR MO DAY
--	---	--	--

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

(A) No samples from this discharge point were analyzed as this stream is being treated in the L.C. Chemical Plant secondary system as stated in our letter to the EPA dated May 18, 1979.

CCR 000080392

NAME CONOCO CHEMICALS CO
ADDRESS A DIVISION OF CONOCO INC
 P O BOX 727 605
 WESTLAKE LA 70669 R
FACILITY
LOCATION

DISCHARGE MONITORING REPORT (DMR)

OMB No. 158 - R0073

(2-16) LA0003476
 PERMIT NUMBER
 (17-19) 201
 DISCHARGE NUMBER

MONITORING PERIOD
 FROM 80 10 01 TH 80 10 31
 YEAR MO DAY YEAR MO DAY
 (20-21) (22-23) (24-25) RU (26-27) (28-29) (30-31)

NOTE: Read instructions before completing this form.

PARAMETER (32-37)	X	(3 Card Only) (46-53) QUANTITY OR LOADING (54-61)			(4 Card Only) (38-45) QUALITY OR CONCENTRATION (46-53) (54-61)				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
BOD	SAMPLE MEASUREMENT	6.84	14.9	lbs./day					0	4/31	24-hr.
	PERMIT REQUIREMENT	600	1350							1/7	Compo-site
COD	SAMPLE MEASUREMENT	1188	4802	lbs./day					0	8/31	24-Hr.
	PERMIT REQUIREMENT	4177	9398							2/7	Compo-site
TSS	SAMPLE MEASUREMENT	168	531	lbs./day					0	5/31	24-Hr.
	PERMIT REQUIREMENT	558	1256							1/7	Compo-site
Ammonia (As Nitrogen)	SAMPLE MEASUREMENT	10.7	24.4	lbs./day					0	4/31	24-Hr.
	PERMIT REQUIREMENT	30	68							1/7	Compo-site
Chlorinated Hydrocarbons (as EDC)	SAMPLE MEASUREMENT	142	320	lbs./day					0	4/31	24-Hr.
	PERMIT REQUIREMENT	1500	3375							1/7	Compo-site
FLOW	SAMPLE MEASUREMENT	0.809	1.206	MGD						Cont.	NA
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER

J. A. DeBernardi
Plant Manager

TYPED OR PRINTED

THIS DOCUMENT IS SIGNED WITH RECOGNITION THAT KNOW-
INGLY MAKING A FALSE CERTIFICATION ON THIS REPORT OR
SUPPORTING DOCUMENTS OR INTENTIONALLY TAMPERING
WITH ANY MONITORING DEVICE OR METHOD ARE CRIMINAL
OFFENSES. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penal-
ties under these statutes may be fines up to \$10,000 and/or maximum
imprisonment of between 6 months and 5 years.)

SIGNATURE OF PRINCIPAL EXECUTIVE
OFFICER OR AUTHORIZED AGENT

318 491-5063 81 01 14
AREA CODE NUMBER YEAR MO DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

CCR 000080393

NAME **CONOCO CHEMICALS CO**
ADDRESS **A DIVISION OF CONOCO INC**
P O BOX 727 605
WESTLAKE LA 70669 R
FACILITY
LOCATION

(2-16) LA0003476	(17-19) 001
PERMIT NUMBER	DISCHARGE NUMBER

MONITORING PERIOD							
FROM	80	11	01	TH	80	11	30
	YEAR	MO	DAY	RU	YEAR	MO	DAY
	(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

NOTE: Read instructions before completing this form.

PARAMETER (32-37)	X	(3 Card Only) (46-53) QUANTITY OR LOADING (54-61)			(4 Card Only) (38-45) QUALITY OR CONCENTRATION (54-61)				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
pH	SAMPLE MEASUREMENT				5.6		9.0		1		
	PERMIT REQUIREMENT				6.0		9.0	SU		Cont.	NA
Temperature	SAMPLE MEASUREMENT				39		65	OF	0		
	PERMIT REQUIREMENT									Cont.	NA
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	THIS DOCUMENT IS SIGNED WITH RECOGNITION THAT KNOWINGLY MAKING A FALSE CERTIFICATION ON THIS REPORT OR SUPPORTING DOCUMENTS OR INTENTIONALLY TAMPERING WITH ANY MONITORING DEVICE OR METHOD ARE CRIMINAL OFFENSES. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penalties under these statutes may be fines up to \$10,000 and/or maximum imprisonment of between 6 months and 5 years.)	 SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE		DATE		
J. A. DeBernardi Plant Manager			318	491-5063	81	01	14
TYPED OR PRINTED			AREA CODE	NUMBER	YEAR	MO	DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

CCR 000080394

A letter dated December 8, 1980 summarizing the pH violation was sent to the EPA in accordance with the provisions of our NPDES Permit.

Facility Name/Location (if different)
CONOCO CHEMICALS CO
A DIVISION OF CONOCO INC
P O BOX 727-605
WESTLAKE LA 70669
R
Address
Facility
LOCATION

PERMIT NUMBER LA0003476 (2-16)		DISCHARGE NUMBER 101 (17-19)	
MONITORING PERIOD			
YEAR	MO	DAY	TH
80	11	01	TH
YEAR	MO	DAY	RU
80	11	30	RU

NOTE: Read instructions before completing this form.

PARAMETER (32-37)	AVERAGE			MAXIMUM			UNITS	NO. EX. ANALYSIS (64-68)	SAMPLE TYPE (69-70)
	(46-53) (3 Card Only) QUANTITY OR LOADING			(46-53) (4 Card Only) QUALITY OR CONCENTRATION			UNITS		

NAME **CONOCO CHEMICALS CO**
 ADDRESS **A DIVISION OF CONOCO INC**
P O BOX 727 605
WESTLAKE LA 70669 R
 FACILITY
 LOCATION

DISCHARGE MONITORING REPORT (DMR)

(2-16) LA0003476 PERMIT NUMBER	(17-19) 201 DISCHARGE NUMBER
MONITORING PERIOD	
FROM 80 11 01 YEAR MO DAY (20-21) (22-23) (24-25)	TH 80 11 30 RU YEAR MO DAY (26-27) (28-29) (30-31)

NOTE: Read Instructions before completing this form.

PARAMETER (32-37)	X	(3 Card Only) (46-53) QUANTITY OR LOADING (54-61)			(4 Card Only) (38-45) QUALITY OR CONCENTRATION (54-61)				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
BOD	SAMPLE MEASUREMENT	595	1938	1bs./day					1	5/30	24-Hr.
	PERMIT REQUIREMENT	600	1350							1/7	Compo-site
COD	SAMPLE MEASUREMENT	1630	4401	1bs./day					0	9/30	24-Hr.
	PERMIT REQUIREMENT	4177	9398							2/7	Compo-site
TSS	SAMPLE MEASUREMENT	194	314	1bs./day					0	4/30	24-Hr.
	PERMIT REQUIREMENT	558	1256							1/7	Compo-site
Ammonia (As Nitrogen)	SAMPLE MEASUREMENT	0.48	1.04	1bs./day					0	4/30	24-Hr.
	PERMIT REQUIREMENT	30	68							1/7	Compo-site
Chlorinated Hydrocarbons (as EDC)	SAMPLE MEASUREMENT	868	1819	1bs./day					0	4/30	24-Hr.
	PERMIT REQUIREMENT	1500	3375							1/7	Compo-site
FLOW	SAMPLE MEASUREMENT	0.687	0.758	MGD						Cont.	NA
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER		THIS DOCUMENT IS SIGNED WITH RECOGNITION THAT KNOW- INGLY MAKING A FALSE CERTIFICATION ON THIS REPORT OR SUPPORTING DOCUMENTS OR INTENTIONALLY TAMPERING WITH ANY MONITORING DEVICE OR METHOD ARE CRIMINAL OFFENSES. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penal- ties under these statutes may be fines up to \$10,000 and/or maximum imprisonment of between 6 months and 5 years.)				TELEPHONE		DATE			
J. A. DeBernardi Plant Manager						318 491-5063		81 01 14			
TYPED OR PRINTED		SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT				CODE NUMBER		YEAR MO DAY			

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

A letter dated December 23, 1980 summarizing the BOD₅ violation was sent to the EPA in accordance with the provisions of our NPDES Permit.

NAME **CONOCO CHEMICALS CO**
ADDRESS **A DIVISION OF CONOCO INC**
P O BOX 27 605
WESTLAKE LA 70669 **R**
FACILITY
LOCATION

(2-16) **LA0003476**
PERMIT NUMBER
(17-19) **001**
DISCHARGE NUMBER
MONITORING PERIOD
FROM **80** **12** **01** **TH** **80** **12** **31**
YEAR MO DAY RU YEAR MO DAY
(20-21) (22-23) (24-25) (26-27) (28-29) (30-31)

NOTE: Read instructions before completing this form.

PARAMETER (32-37)	X	(3 Card Only) QUANTITY OR LOADING (46-53)			(4 Card Only) QUALITY OR CONCENTRATION (54-61)				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
pH	SAMPLE MEASUREMENT				7.0	-	8.4	S U	0		
	PERMIT REQUIREMENT				6.0		9.0			Cont.	NA
Temperature	SAMPLE MEASUREMENT				34		59	of	0		
	PERMIT REQUIREMENT									Cont.	NA
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER
J. A. DeBernardi
Plant Manager
TYPED OR PRINTED

THIS DOCUMENT IS SIGNED WITH RECOGNITION THAT KNOWINGLY MAKING A FALSE CERTIFICATION ON THIS REPORT OR SUPPORTING DOCUMENTS OR INTENTIONALLY TAMPERING WITH ANY MONITORING DEVICE OR METHOD ARE CRIMINAL OFFENSES. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penalties under these statutes may be fines up to \$10,000 and for maximum imprisonment of between 6 months and 5 years.)

J. A. DeBernardi
SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE
318 491-5063
AREA CODE NUMBER

DATE
81 01 14
YEAR MO DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

CCR 000080397

NAME **CONOCO CHEMICALS CO**
 ADDRESS **A DIVISION OF CONOCO INC**
P O BOX 127 605
WESTLAKE LA 70669 **R**
 FACILITY
 LOCATION

(2-16)
LA0003476
 PERMIT NUMBER

(17-19)
101
 DISCHARGE NUMBER

MONITORING PERIOD
 FROM **80** **12** **01** **TH** **80** **12** **31**
 YEAR MO DAY YEAR MO DAY
 (20-21) (22-23) (24-25) RU (26-27) (28-29) (30-31)

NOTE: Read instructions before completing this form.

PARAMETER (32-37)		(3 Card Only) QUANTITY OR LOADING (46-53)			(4 Card Only) QUALITY OR CONCENTRATION (54-61)				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
TSS	SAMPLE MEASUREMENT				-	-	-			(A)	24-Hr.
	PERMIT REQUIREMENT					50	75	mg/l		2/7	Compo-site
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER

J. A. DeBernardi
 Plant Manager

TYPED OR PRINTED

THIS DOCUMENT IS SIGNED WITH RECOGNITION THAT KNOWINGLY MAKING A FALSE CERTIFICATION ON THIS REPORT OR SUPPORTING DOCUMENTS OR INTENTIONALLY TAMPERING WITH ANY MONITORING DEVICE OR METHOD ARE CRIMINAL OFFENSES, SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penalties under these statutes may be fines up to \$10,000 and/or maximum imprisonment of between 6 months and 5 years.)

J. A. DeBernardi
 SIGNATURE OF PRINCIPAL EXECUTIVE
 OFFICER OR AUTHORIZED AGENT

TELEPHONE

318 | 491-5063

AREA CODE

NUMBER

DATE

81 | 01 | 14

YEAR MO DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

A.) No samples from this discharge point were analyzed as this stream is being treated in the Lake Charles Chemical Plant secondary system as stated in our letter to the EPA dated May 18, 1979.

CCR 000080398

201
DISCHARGE NUMBER

FACILITY

LOCATION

MONITORING PERIOD									
FROM	80	12	01	TH	80	12	31		
	YEAR	MO	DAY		YEAR	MO	D		

BOD	SAMPLE MEASUREMENT	294	1221	lbs./day						0	15/31	24-Hr.
	PERMIT REQUIREMENT	600	1350								1/7	Compo-site
COD	SAMPLE MEASUREMENT	1613	4651	lbs./day						0	9/31	24-Hr.
	PERMIT REQUIREMENT	4177	9398								2/7	Compo-site
TSS	SAMPLE MEASUREMENT	484	3458	lbs./day						1	14/31	24-Hr.
	PERMIT REQUIREMENT	558	1256								1/7	Compo-site
Ammonia (As Nitrogen)	SAMPLE MEASUREMENT	2.1	4.6	lbs./day						0	6/31	24-Hr.
	PERMIT REQUIREMENT	30	68								1/7	Compo-site
Chlorinated Hydrocarbons (as EDC)	SAMPLE MEASUREMENT	577	1458	lbs./day						0	6/31	24-Hr.
	PERMIT REQUIREMENT	1500	3375								1/7	Compo-site
JW	SAMPLE MEASUREMENT	0.724	0.947	MGD						0	Cont.	NA
	PERMIT REQUIREMENT										Cont.	NA
	SAMPLE MEASUREMENT											
	PERMIT REQUIREMENT											

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER

J. A. DeBernardi
Plant Manager

TYPED OR PRINTED

THIS DOCUMENT IS SIGNED WITH RECOGNITION THAT KNOWINGLY MAKING A FALSE CERTIFICATION ON THIS REPORT OR SUPPORTING DOCUMENTS OR INTENTIONALLY TAMPERING WITH ANY MONITORING DEVICE OR METHOD ARE CRIMINAL OFFENSES, SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penalties under these statutes may be fines up to \$10,000 and for maximum imprisonment of between 6 months and 5 years.)

J. A. DeBernardi
SIGNATURE OF PRINCIPAL EXECUTIVE
OFFICER OR AUTHORIZED AGENT

TELEPHONE

DATE

AREA
CODE

NUMBER

YEAR

MO

DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

A letter dated December 30, 1980 summarizing the TSS violation was sent to the EPA in accordance with the provisions of our NPDES Permit.

CCR 000080399