Quality Control Department
Industrial Insulations
Division Headquarters
Manville Plant - Box 222
December 22, 1970

RECEIVED
DEC 29 1970
C. P. WEBER
QUALITY CONTROL DEPT.
IND. INSUL. DIV.
JAN 7 1971

C. P. Weber - DHQ, N. Y.

cc:
H. E. Konrad - New York
J. F. Mell - Billerica
S. J. Swiackey - Billerica
W. P. Hahn - Manville, Box 221
Stoddard Lane - Manville, Box 221
File
Chrono.

MARINITE CAUTION LABELS
INDUSTRIAL PRODUCTS

As you are well aware, Hopeman Brothers have refused to accept Marinite bearing the caution labels. Because of this, we have stopped "Caution" labeling all Marine products and are going to an ink stamping of the caution message.

In light of Hopeman's refusal to accept labels, we requested Billerica to inspect stock having labels and located at the bottom of several tiers of pallets.

Billerica's investigation yielded the following wire: "Went thru load of 3/4" 10 ft. Mte 36. Mat'l. on bottom pallet, had been in inventory since 9/29. Hazardous labels were removable without tearing label. Surface of panels was relatively dust-free, also surface hard. Pandux exceeded 55 units also removed labels from Mte. 65. Also removable in one piece.

Based upon the fact that labels could be removed intact from sheets labelled for almost 3 months and located under several tiered pallets, we will continue the labeling of all industrial Marinite products. The labels used will be the combination product name and caution labels.

D. B. WINGERTER

/blv

Don I agree, most assuredly!
Carl
1/5/71