



Attending:

Jerry Mitchell - Chairman
W. C. Atkinson
D. T. Austin
J. L. Baker
J. B. Smith
Hans Walter

H. M. Foster Company, Inc.
Johns-Manville Corporation
United States Rubber Company
American Asbestos Textile Corp.
Raybestos-Manila, Inc.
American Asbestos Textile Corp.

Institute Approved Dust Counting Method

The dust counting procedure worked up by the sub-committee headed by John Hawkins of Raybestos-Manhattan with the qualifications recommended by officials of the United States Public Health Service was approved and recommended for adoption by the Institute. On presentation, it was passed in the general meeting on Friday.

The outgoing chairman of this committee will see what bound copies of the Institute Approved Method of Dust Counting are distributed to each member company at an early date.

This leaves the matter of printing, if this should subsequently be considered, advisable.

Annual Report of the Asbestos Research Council

An abridged version of the annual report of the Asbestos Research Council of England, for the twelve months beginning October 1, 1961, received by the Institute July 24, 1961, had been previously distributed to member companies. This report was reviewed by the committee.

X The portions on animal experimentation and the conclusions in regard to the particle sizes that presumably cause a chest disease of particular interest.

Comments on monitoring of dust counts are also of interest in view of the discussion in this committee of various monitoring equipment offered by American Manufacturers.

It was decided we would request from the council, information on the monitoring membrane filter, especially details of improvement accomplished since they sent us a description and pictures of the device while still in the early stages of development.

It was also decided to secure, if possible, copies of the publications sponsored by the council.

The outgoing chairman will initiate these inquiries.

Membrane Filters

In addition to writing the Asbestos Research Council in regard to the equipment they have developed, it was decided this committee could make a thorough investigation of the equipment available to us from American Manufactur-

"Asbestos Exposure and Neoplasia"

A paper, with this title, presented at a joint meeting of the sections on Radiology and Diseases of the chest, of the American Medical Association and the American College of Chest Physicians. (Dinner meeting) on June 17, 1941 at Atlantic City, previously distributed to the membership by mail, was discussed briefly. This paper by Dr. Seilkoff, Dr. Chang, and Dr. Hammond, was mentioned in our last minutes.

"Experimental Asbestosis in Rats"

Excerpts from this paper (translated from the German) by Dr. Holt, Dr. Hill, and Dr. D. K. Young, covering work financed by the Asbestos Research Council were read and discussed.

"Public Health Service Survey"

Dr. Lewis Crowley, Scientist Director, Assistant Chief of the Division Occupational Research and Training Facility Public Health Service Department of Health Education and Welfare, is continuing to visit plants of the member companies in view of the planned survey of our industry. The continued discussion of this project as it relates to operations.

"Safety in the Plant"

First capacity tests and procedures, cleanup practices on plant wide cold and hot shops, accident prevention, and general "housekeeping", were discussed.