



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION 2

290 BROADWAY

NEW YORK, NY 10007-1866

SENT VIA EMAIL – REQUEST DELIVERY RECEIPT

Mark.Schnobel@Ge.com

Mark Schnobel
EHS Facility Leader
Metem AGE Power
700 Parsippany Road
Parsippany, NJ 07054

Re: Notice of Violation
Metem AGE Power
EPA ID No. NJD002139244

Dear Mr. Schnobel:

The United States Environmental Protection Agency (EPA) is charged with the protection of health and the environment under Section 3008 of the Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984, 42 U.S.C. § § 6901, 6928.

Pursuant to RCRA, as amended by the Hazardous and Solid Waste Amendments of 1984 (HSWA), EPA promulgated rules, regulations, and standards governing the handling and management of hazardous waste as set forth in 40 Code of Federal Regulations (C.F.R.) Parts 260-272. For the purposes of this Notice of Violation, the hazardous waste regulations governing the generation of hazardous waste were promulgated in 1980 and amended by HSWA in 1984.

On or about November 15, 2022, a duly authorized representative of EPA conducted an inspection of Metem AGE Power (hereafter referred to as the facility) located at 700 Parsippany Road, Parsippany, NJ 07054. This inspection was performed pursuant to Section 3007 of RCRA, 42 U.S.C. § 6927, to evaluate your compliance with RCRA.

The State of New Jersey is authorized by the EPA to conduct a hazardous waste program under Section 3006 of RCRA, 42 U.S.C. § 6926 and is authorized to enforce RCRA. The EPA has retained its authority to enforce the hazardous waste rules and regulations in the State of New Jersey.

Enclosed you will find a copy of the inspection report prepared by the authorized EPA representative (Enclosure I). Section III of the inspection report, titled Areas of Concern, is hereby incorporated by reference as the Notice of Violation (NOV) which is issued pursuant to Section 3008 of the Solid Waste Disposal Act, as amended by the HSWA and RCRA, 42 U.S.C. § 6928. Issuance of this Notice of Violation and compliance with its terms do not preclude EPA from taking any other formal enforcement action against you and/or your company under Section 3008 of RCRA, 42 U.S.C. § 6928, or any other applicable regulation or statute.

If you have not already done so, you must take immediate action to correct the violation(s) described in the Areas of Concern section of the inspection report. Please submit within thirty (30) calendar days of receipt of this Notice of Violation, a response which includes for each regulatory concern either:

- a detailed rebuttal explaining why the violation did not exist at the time of the inspection, or
- a description of the actions you have taken to correct the violation.

In either case, please provide supporting documentation (e.g., photographs, inspection records, operating records, manifest copies) demonstrating that each violation either did not exist or was corrected. The response must be signed by a responsible official or agent of your company using Enclosure II. The response to this letter with the signed Certification of Answers (Enclosure II) must be emailed to chernes.william@epa.gov or mailed to the following addressee:

Inspector William Chernes, Compliance Officer
Hazardous Waste Compliance Section
RCRA Compliance Branch
Enforcement and Compliance Assurance Division
U.S. Environmental Protection Agency - Region 2
290 Broadway, 21st floor
New York, New York 10007-1866

If you have any questions regarding this matter, please contact Mr. William Chernes at (212) 637-3593 or chernes.william@epa.gov.

Sincerely,

DERVAL
THOMAS

 Digitally signed by Derval THOMAS
Date: 2023.01.24 16:58:25 -05'00'

for Leonard Voo, Chief
RCRA Compliance Branch
Enforcement and Compliance Assurance Division

Enclosures: Enclosure I - Inspection Report
Enclosure II - Certification of Answers

Enclosure I
Inspection Report
Metem AGE Power

Inspection report attached in this email correspondence.

Enclosure II
Certificate of Answers
Metem AGE Power

CERTIFICATION OF ANSWERS TO REQUEST FOR INFORMATION

I certify under penalty of law that I have personally examined and am familiar with the information submitted in response to EPA's Notice of Violation, and all documents submitted herewith; that the submitted information is true, accurate, and complete; and that all documents submitted herewith are complete and authentic, unless otherwise indicated. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

Name (print or type)

SIGNATURE

DATE

TITLE