Certain-teed Products Corporation

PIPE DIVISION · [redacted]
P. O. Box 113, Ambler Pennsylvania
January 22, 1968

PLAINTIFF'S
EXHIBIT
CT-108

Dr. Herbert E. Stokinger
U. S. Public Health Service
1014 Broadway
Cincinnati, Ohio 45202

Dear Doctor Stokinger:

I have been Industrial Hygiene Engineer with my company for 8 years and have practiced this profession since 1947. I received a 1968 Notice of Intent of the Committee on Threshold Limits of the A.C.G.I.H. from Mr. Clayton, A.I.H.A. Secretary, and I wish to comment on your proposal concerning Crocidilite, a form of asbestos.

I strongly object to the point of view that, "Since no safe limit can be established for this form of asbestos at this time, etc.---- it is recommended that workers exposed to Crocidilite be equipped with air supplied helmets".

If this opinion is based on Wagner's and Selikoff's studies on South Africa and the United States insulation workers, I believe it is not sufficient evidence to virtually assign a T.L.V. of 0 when more hazardous materials have been handled by well designed exhaust systems similar to those used in our industry.

The experience of our industry, which uses a relatively small per centage of Crocidilite, does not reflect such conclusions as you probably know since the U.S. Public Health Service has been investigating our industry for over two years. They have rarely found dust counts higher than 2.5 mmpcfa throughout the industry.

In view of the reluctance of the U.S. Public Health Service to promulgate the medical portion of their study of the asbestos industry, since the medical experts are undecided how to approach this aspect of the study, I would think that your committee would hesitate to come up with a proposal such as you have.

I understand that your committee will meet early in February to discuss T.L.V.s and that industrial representatives are invited. You may have material to document your point of view, of which I am not aware.

Since I am attending the U.S. Public Health Service seminar on respirators in Cincinnati on February 6, 1968, would you let me know if I can also attend the A.C.G.I.H. discussion on Crocidilite. Please send me dates and agenda if you can invite me.

Sincerely,

Leon D. Horowitz

Leon D. Horowitz
Industrial Hygiene Engineer

LH:cb

January 25, 1968

Mr. Leon D. Horowitz
Industrial Hygiene Engineer
Certain-teed Products Corporation
P. O. Box 113
Ambler, Pennsylvania 19002

Dear Mr. Horowitz:

Thank you for your letter of January 22 in which you comment on the proposed changes in the TLV for ASBESTOS.

All various views will be aired at the meeting on February 2 at Kettering Laboratories here in Cincinnati, to which I am inviting you to attend. The meeting will begin at 9 AM in Kehoe Auditorium. There will be a number of individuals coming purposely to discuss asbestos, among them Dr. Stan Roach from the London School of Hygiene, who will put up a case for changing the Crisotile limit. From comments I have received since the promulgation of the Notice of Intent, I gain the impression that the statement on asbestos change will be modified.

I spoke yesterday with Dr. de Treville of your desire to attend this meeting and his comment was that he would appreciate it if you would write him of your intent so that he could keep track of the attendance. He has also reserved a block of rooms for the attendees at the Terrace Hilton downtown in Cincinnati.

Sincerely yours,

Herbert E. Stokinger, Ph.D., Chief,
Laboratory of Toxicology and Pathology
Occupational Health Program

HESTOKINGER:cl