

Section 1. Registration Information

Source Identification

Facility Name: Arkema Inc. - Crosby Plant
Parent Company #1 Name: Arkema, Inc.
Parent Company #2 Name:

Submission and Acceptance

Submission Type: Re-submission
Subsequent RMP Submission Reason: 5-year update (40 CFR 68.190(b)(1))
Description:
Receipt Date: 11-Jun-2014
Postmark Date: 11-Jun-2014
Next Due Date: 11-Jun-2019
Completeness Check Date: 11-Jun-2014
Complete RMP: Yes
De-Registration / Closed Reason:
De-Registration / Closed Reason Other Text:
De-Registered / Closed Date:
De-Registered / Closed Effective Date:
Certification Received: Yes

Facility Identification

EPA Facility Identifier: 1000 0012 4457
Other EPA Systems Facility ID:

Dun and Bradstreet Numbers (DUNS)

Facility DUNS:
Parent Company #1 DUNS: 622121697
Parent Company #2 DUNS:

Facility Location Address

Street 1: 18000 Crosby Eastgate Road
Street 2:
City: Crosby
State: TEXAS
ZIP: 77532
ZIP4:
County: HARRIS

Facility Latitude and Longitude

Latitude (decimal): 29.943722
Longitude (decimal): -095.022722
Lat/Long Method: Interpolation - Satellite
Lat/Long Description: Storage Tank
Horizontal Accuracy Measure: 25
Horizontal Reference Datum Name: North American Datum of 1983
Source Map Scale Number:

Owner or Operator

Operator Name: Arkema Inc.
Operator Phone: (281) 328-3561

Mailing Address

Operator Street 1: 18000 Crosby Eastgate Road
Operator Street 2:
Operator City: Crosby
Operator State: TEXAS
Operator ZIP: 77532
Operator ZIP4:
Operator Foreign State or Province:
Operator Foreign ZIP:
Operator Foreign Country:

Name and title of person or position responsible for Part 68 (RMP) Implementation

RMP Name of Person: Wendal Turley
RMP Title of Person or Position: Plant Manager
RMP E-mail Address: wendal.turley@arkema.com

Emergency Contact

Emergency Contact Name: Wendal Turley
Emergency Contact Title: Plant Manager
Emergency Contact Phone: (281) 328-9443
Emergency Contact 24-Hour Phone: (281) 328-9447
Emergency Contact Ext. or PIN:
Emergency Contact E-mail Address: wendal.turley@arkema.com

Other Points of Contact

Facility or Parent Company E-mail Address:
Facility Public Contact Phone: (281) 328-9422
Facility or Parent Company WWW Homepage Address: http://www.arkema.com

Local Emergency Planning Committee

LEPC: North Channel LEPC

Full Time Equivalent Employees

Number of Full Time Employees (FTE) on Site: 53
FTE Claimed as CBI:

Covered By

OSHA PSM : Yes
EPCRA 302 : Yes
CAA Title V: Yes
Air Operating Permit ID: O-01554

OSHA Ranking

OSHA Star or Merit Ranking:

Last Safety Inspection

Last Safety Inspection (By an External Agency) 12-Feb-2014
Date:
Last Safety Inspection Performed By an External State environmental agency
Agency:

Predictive Filing

Did this RMP involve predictive filing?:

Preparer Information

Preparer Name:
Preparer Phone:
Preparer Street 1:
Preparer Street 2:
Preparer City:
Preparer State:
Preparer ZIP:
Preparer ZIP4:
Preparer Foreign State:
Preparer Foreign Country:
Preparer Foreign ZIP:

Confidential Business Information (CBI)

CBI Claimed:
Substantiation Provided:
Unsanitized RMP Provided:

Reportable Accidents

Reportable Accidents: See Section 6. Accident History below to determine
if there were any accidents reported for this RMP.

Process Chemicals

Process ID: 1000050291
Description: MPU Unit
Process Chemical ID: 1000060875
Program Level: Program Level 3 process
Chemical Name: 2-Methylpropene [1-Propene, 2-methyl-]
CAS Number: 115-11-7
Quantity (lbs): 85256
CBI Claimed:
Flammable/Toxic: Flammable

Process ID: 1000050290
Description: MPU Unit
Process Chemical ID: 1000060874
Program Level: Program Level 3 process
Chemical Name: Sulfur dioxide (anhydrous)
CAS Number: 7446-09-5
Quantity (lbs): 66260
CBI Claimed:
Flammable/Toxic: Toxic

Process NAICS

Process ID: 1000050290
Process NAICS ID: 1000050753
Program Level: Program Level 3 process
NAICS Code: 325199
NAICS Description: All Other Basic Organic Chemical Manufacturing

Process ID: 1000050291
Process NAICS ID: 1000050754
Program Level: Program Level 3 process
NAICS Code: 325199
NAICS Description: All Other Basic Organic Chemical Manufacturing

Section 2. Toxics: Worst Case

Toxic Worst ID: 1000041041

Percent Weight:	100.0
Physical State:	Gas liquified by pressure
Model Used:	EPA's RMP*Comp(TM)
Release Duration (mins):	10
Wind Speed (m/sec):	1.5
Atmospheric Stability Class:	F
Topography:	Rural

Passive Mitigation Considered

Dikes:
Enclosures:
Berms:
Drains:
Sumps:
Other Type:

Section 3. Toxics: Alternative Release

Toxic Alter ID: 1000043430

Percent Weight:	100.0
Physical State:	Gas liquified by pressure
Model Used:	EPA's RMP*Comp(TM)
Wind Speed (m/sec):	3.0
Atmospheric Stability Class:	D
Topography:	Rural

Passive Mitigation Considered

Dikes:
Enclosures:
Berms:
Drains:
Sumps:
Other Type:

Active Mitigation Considered

Sprinkler System:
Deluge System:
Water Curtain:
Neutralization:
Excess Flow Valve: Yes
Flares:
Scrubbers:
Emergency Shutdown: Yes
Other Type:

Section 4. Flammables: Worst Case

Flammable Worst ID: 1000030809

Model Used:

EPA's RMP*Comp(TM)

Endpoint used:

1 PSI

Passive Mitigation Considered

Blast Walls:

Other Type:

Section 5. Flammables: Alternative Release

Flammable Alter ID: 1000028930

Model Used:

EPA's RMP*Comp(TM)

Passive Mitigation Considered

Dikes:

Yes

Fire Walls:

Blast Walls:

Enclosures:

Other Type:

Active Mitigation Considered

Sprinkler System:

Deluge System:

Water Curtain:

Excess Flow Valve:

Yes

Other Type:

Automatic Shutoff Systems

Section 6. Accident History

No records found.

Section 7. Program Level 3

Description

- Quantitative process hazard analyses (PHAs using LOPA methodology) Are completed on covered processes every five (5) years. Qualified PHA leaders are trained in PHA techniques approved under the OSHA PSM and EPA Risk Management standards.
- Written operating procedures are used for training and directing the work of operators, who receive refresher training every three years.
- Written operating procedures contain in-depth consequences of process deviation analysis.
- Operators, mechanics, and contractor personnel are qualified, trained in the general hazards in the facility, and informed of any temporary situations affecting safety. This includes Level III training for all operators;
- A Management of Change (MOC) system is in place to ensure that process-operating changes are managed safely;
- Environmental and Safety Critical equipment is inspected on a planned, periodic basis to ensure proper operating conditions;
- Pre-start-up safety reviews are performed to satisfy conditions for safe operation prior to starting new or modified equipment or processes;
- Incidents are investigated and actions taken as part of a continuous improvement effort;
- Routine audits are conducted to evaluate that safe practices are being followed;
- Storage tanks and associated equipment are designed and constructed in accordance with industry codes, standards (American Society of Mechanical Engineers - ASME), and practices;
- As part of the facility's Mechanical Integrity program, pressure vessels and transfer lines are inspected and tested according to the American Petroleum Institute (API) certified inspectors using API standards;
- All plant process components are inspected and monitored on a regularly scheduled basis as part of the leak detection and repair program (LDAR);
- The risk of over pressure of pressurized storage tanks is addressed by monitoring the tank temperature and pressure controllers;
- Covered storage vessels are sized with rupture discs and pressure relief valves;
- The risk of over filling of vessels is addressed by the use of process interlocks, high level alarms monitored by trained operators who monitor tank level indicators and metering devices;
- The risks of unloading releases are minimized by the use of: a) vapor balancing systems b) interlocks and c) remote shutoff devices when unloading chemicals into storage tanks;
- Access to the facility is restricted through security barriers and trained security personnel, thereby minimizing the risk to the tanks of vehicular damage or sabotage;
- A safety work permitting system is used to ensure routine and non-routine work is carried out after proper task identification, hazard assessment and implementation of safe work practices has taken place;
- Hazardous material delivery drivers are escorted into the plant. Access to all plant unloading lines is controlled via a key and lock system in the QC Laboratory to prevent inadvertent material transfers. Logistic personnel remain present during the entirety of the loading and unloading process.

Program Level 3 Prevention Program Chemicals

Prevention Program Chemical ID:	1000051384
Chemical Name:	Sulfur dioxide (anhydrous)
Flammable/Toxic:	Toxic
CAS Number:	7446-09-5
Process ID:	1000050290
Description:	MPU Unit
Prevention Program Level 3 ID:	1000043000
NAICS Code:	325199

Safety Information

Safety Review Date (The date on which the safety information was last reviewed or revised):	31-Oct-2013
---------------------------------------------------------------------------------------------	-------------

Process Hazard Analysis (PHA)

PHA Completion Date (Date of last PHA or PHA update):	31-Oct-2013
-------------------------------------------------------	-------------

The Technique Used

What If:	
Checklist:	
What If/Checklist:	Yes
HAZOP:	Yes
Failure Mode and Effects Analysis:	
Fault Tree Analysis:	
Other Technique Used:	Layers of Protection Analysis (LOPA)
PHA Change Completion Date (The expected or actual date of completion of all changes resulting from last PHA or PHA update):	30-Oct-2015

Major Hazards Identified

Toxic Release:	Yes
Fire:	Yes
Explosion:	Yes
Runaway Reaction:	Yes
Polymerization:	
Overpressurization:	Yes
Corrosion:	
Overfilling:	Yes
Contamination:	Yes
Equipment Failure:	Yes
Loss of Cooling, Heating, Electricity, Instrument Air:	Yes
Earthquake:	
Floods (Flood Plain):	Yes
Tornado:	
Hurricanes:	Yes
Other Major Hazard Identified:	Power Failure or Power Surge

Process Controls in Use

Vents:	Yes
Relief Valves:	Yes
Check Valves:	Yes
Scrubbers:	Yes
Flares:	
Manual Shutoffs:	Yes
Automatic Shutoffs:	Yes
Interlocks:	Yes
Alarms and Procedures:	Yes
Keyed Bypass:	
Emergency Air Supply:	Yes
Emergency Power:	Yes
Backup Pump:	
Grounding Equipment:	Yes
Inhibitor Addition:	
Rupture Disks:	Yes
Excess Flow Device:	Yes
Quench System:	Yes
Purge System:	Yes
None:	
Other Process Control in Use:	UPS or Back-up Power Sources

Mitigation Systems in Use

Sprinkler System:	Yes
Dikes:	Yes
Fire Walls:	
Blast Walls:	
Deluge System:	Yes
Water Curtain:	
Enclosure:	
Neutralization:	
None:	
Other Mitigation System in Use:	Fire Monitors

Monitoring/Detection Systems in Use

Process Area Detectors:	Yes
Perimeter Monitors:	
None:	
Other Monitoring/Detection System in Use:	SO2 Area Monitors

Changes Since Last PHA Update

Reduction in Chemical Inventory:	
Increase in Chemical Inventory:	
Change Process Parameters:	Yes
Installation of Process Controls:	Yes
Installation of Process Detection Systems:	Yes
Installation of Perimeter Monitoring Systems:	
Installation of Mitigation Systems:	
None Recommended:	

None:

Other Changes Since Last PHA or PHA Update:

Review of Operating Procedures

Operating Procedures Revision Date (The date of the most recent review or revision of operating procedures): 12-Nov-2013

Training

Training Revision Date (The date of the most recent review or revision of training programs): 31-Jan-2014

The Type of Training Provided

Classroom: Yes
On the Job: Yes
Other Training: web-based training (WBT) module

The Type of Competency Testing Used

Written Tests: Yes
Oral Tests:
Demonstration: Yes
Observation: Yes
Other Type of Competency Testing Used:

Maintenance

Maintenance Procedures Revision Date (The date of the most recent review or revision of maintenance procedures): 27-Sep-2013

Equipment Inspection Date (The date of the most recent equipment inspection or test): 14-May-2014

Equipment Tested (Equipment most recently inspected or tested): Fire Pumps and Generators

Management of Change

Change Management Date (The date of the most recent change that triggered management of change procedures): 12-May-2014

Change Management Revision Date (The date of the most recent review or revision of management of change procedures): 31-Jan-2014

Pre-Startup Review

Pre-Startup Review Date (The date of the most recent pre-startup review): 06-May-2014

Compliance Audits

Compliance Audit Date (The date of the most recent compliance audit): 08-Nov-2012

Compliance Audit Change Completion Date (Expected or actual date of completion of all changes resulting from the compliance audit): 19-Dec-2014

Incident Investigation

Incident Investigation Date (The date of the most recent incident investigation (if any)): 23-May-2014

Incident Investigation Change Date (The expected or actual date of completion of all changes resulting from the investigation): 30-Sep-2014

Employee Participation Plans

Participation Plan Revision Date (The date of the most recent review or revision of employee participation plans): 02-Apr-2014

Hot Work Permit Procedures

Hot Work permit Review Date (The date of the most recent review or revision of hot work permit procedures): 06-May-2014

Contractor Safety Procedures

Contractor Safety Procedures Review Date (The date of the most recent review or revision of contractor safety procedures): 12-Feb-2014

Contractor Safety Performance Evaluation Date (The date of the most recent review or revision of contractor safety performance): 11-Feb-2014

Confidential Business Information

CBI Claimed:

Description

This process covers the MPU production unit only. All of Arkema Inc., Crosby Facility's prevention program elements, in accordance with 29CFR1910.119 for Process Safety Management and the EPA Risk Management Program pursuant to 40CFR68, apply to this production unit.

Program Level 3 Prevention Program Chemicals

Prevention Program Chemical ID:	1000051385
Chemical Name:	2-Methylpropene [1-Propene, 2-methyl-]
Flammable/Toxic:	Flammable
CAS Number:	115-11-7
Process ID:	1000050291
Description:	MPU Unit
Prevention Program Level 3 ID:	1000043001
NAICS Code:	325199

Safety Information

Safety Review Date (The date on which the safety information was last reviewed or revised):	31-Oct-2013
---------------------------------------------------------------------------------------------	-------------

Process Hazard Analysis (PHA)

PHA Completion Date (Date of last PHA or PHA update):	31-Oct-2013
-------------------------------------------------------	-------------

The Technique Used

What If:	
Checklist:	
What If/Checklist:	Yes
HAZOP:	Yes
Failure Mode and Effects Analysis:	
Fault Tree Analysis:	
Other Technique Used:	Layers of Protection Analysis (LOPA)
PHA Change Completion Date (The expected or actual date of completion of all changes resulting from last PHA or PHA update):	30-Oct-2015

Major Hazards Identified

Toxic Release:	Yes
Fire:	Yes
Explosion:	Yes
Runaway Reaction:	Yes
Polymerization:	
Overpressurization:	Yes
Corrosion:	Yes
Overfilling:	Yes
Contamination:	Yes
Equipment Failure:	Yes

Loss of Cooling, Heating, Electricity, Instrument Air: Yes
 Earthquake:
 Floods (Flood Plain): Yes
 Tornado:
 Hurricanes: Yes
 Other Major Hazard Identified: Power Failure or Power Sure

Process Controls in Use

Vents: Yes
 Relief Valves: Yes
 Check Valves: Yes
 Scrubbers: Yes
 Flares:
 Manual Shutoffs: Yes
 Automatic Shutoffs: Yes
 Interlocks: Yes
 Alarms and Procedures: Yes
 Keyed Bypass:
 Emergency Air Supply: Yes
 Emergency Power: Yes
 Backup Pump:
 Grounding Equipment: Yes
 Inhibitor Addition:
 Rupture Disks:
 Excess Flow Device: Yes
 Quench System: Yes
 Purge System: Yes
 None:
 Other Process Control in Use: UPS or Back-up Power Sources

Mitigation Systems in Use

Sprinkler System: Yes
 Dikes: Yes
 Fire Walls:
 Blast Walls:
 Deluge System: Yes
 Water Curtain:
 Enclosure:
 Neutralization:
 None:
 Other Mitigation System in Use:

Monitoring/Detection Systems in Use

Process Area Detectors: Yes
 Perimeter Monitors:
 None:
 Other Monitoring/Detection System in Use: Four (4) LEL Detectors

Changes Since Last PHA Update

Reduction in Chemical Inventory:
 Increase in Chemical Inventory:

Change Process Parameters: Yes
 Installation of Process Controls: Yes
 Installation of Process Detection Systems: Yes
 Installation of Perimeter Monitoring Systems:
 Installation of Mitigation Systems:
 None Recommended:
 None:
 Other Changes Since Last PHA or PHA Update:

Review of Operating Procedures

Operating Procedures Revision Date (The date of the most recent review or revision of operating procedures): 12-Nov-2013

Training

Training Revision Date (The date of the most recent review or revision of training programs): 31-Jan-2014

The Type of Training Provided

Classroom: Yes
 On the Job: Yes
 Other Training: web-based training (WBT) module

The Type of Competency Testing Used

Written Tests: Yes
 Oral Tests: Yes
 Demonstration: Yes
 Observation: Yes
 Other Type of Competency Testing Used:

Maintenance

Maintenance Procedures Revision Date (The date of the most recent review or revision of maintenance procedures): 27-Sep-2013

Equipment Inspection Date (The date of the most recent equipment inspection or test): 14-May-2014

Equipment Tested (Equipment most recently inspected or tested): Fire Pumps and Generators

Management of Change

Change Management Date (The date of the most recent change that triggered management of change procedures): 12-May-2014

Change Management Revision Date (The date of the most recent review or revision of management of change procedures): 31-Jan-2014

Pre-Startup Review

Pre-Startup Review Date (The date of the most recent pre-startup review): 06-May-2014

Compliance Audits

Compliance Audit Date (The date of the most recent compliance audit): 08-Nov-2013

Compliance Audit Change Completion Date (Expected or actual date of completion of all changes resulting from the compliance audit): 19-Dec-2014

Incident Investigation

Incident Investigation Date (The date of the most recent incident investigation (if any)): 23-May-2014

Incident Investigation Change Date (The expected or actual date of completion of all changes resulting from the investigation): 30-Sep-2014

Employee Participation Plans

Participation Plan Revision Date (The date of the most recent review or revision of employee participation plans): 02-Apr-2014

Hot Work Permit Procedures

Hot Work permit Review Date (The date of the most recent review or revision of hot work permit procedures): 06-May-2014

Contractor Safety Procedures

Contractor Safety Procedures Review Date (The date of the most recent review or revision of contractor safety procedures): 12-Feb-2014

Contractor Safety Performance Evaluation Date (The date of the most recent review or revision of contractor safety performance): 11-Feb-2014

Confidential Business Information

CBI Claimed:

Section 8. Program Level 2

No records found.

Section 9. Emergency Response

Written Emergency Response (ER) Plan

Community Plan (Is facility included in written community emergency response plan?):

Facility Plan (Does facility have its own written emergency response plan?): Yes

Response Actions (Does ER plan include specific actions to be taken in response to accidental releases of regulated substance(s)?): Yes

Public Information (Does ER plan include procedures for informing the public and local agencies responding to accidental release?): Yes

Healthcare (Does facility's ER plan include information on emergency health care?): Yes

Emergency Response Review

Review Date (Date of most recent review or update of facility's ER plan): 20-Sep-2013

Emergency Response Training

Training Date (Date of most recent review or update of facility's employees): 29-Apr-2014

Local Agency

Agency Name (Name of local agency with which the facility ER plan or response activities are coordinated): Crosby Volunteer Fire Department

Agency Phone Number (Phone number of local agency with which the facility ER plan or response activities are coordinated): (281) 328-4512

Subject to

OSHA Regulations at 29 CFR 1910.38: Yes

OSHA Regulations at 29 CFR 1910.120: Yes

Clean Water Regulations at 40 CFR 112: Yes

RCRA Regulations at CFR 264, 265, and 279.52: Yes

OPA 90 Regulations at 40 CFR 112, 33 CFR 154, 49 CFR 194, or 30 CFR 254:

State EPCRA Rules or Laws: Yes

Other (Specify): DOT Regulations 49CFR171-180, Clean Air Act, 30 TAC Chapters 101,106,115,116,117,122,324,327 (TCEQ)

Executive Summary

INTRODUCTION

The Arkema Inc. (Arkema) - Crosby, Texas manufacturing facility (Crosby facility) has prepared this Risk Management Plan (RMP) to reduce the risk of accidental releases of hazardous materials. This RMP summarizes the management, administrative, procedural, and technological controls that work together to minimize the risk to the community of hazardous chemical releases. The plan summary is organized to correspond with specific EPA RMP definitions and requirements, including the following:

- Arkema Inc Loss Control Program to Protect Health, Environment, and Safety;
- Facility Identification and Regulated Substances in Covered Processes;
- Hazard Assessment;
- Prevention Program;
- Five-Year Accident History;
- Emergency Response Plan; and
- Planned Changes to Improve Safety.

ARKEMA INC. LOSS CONTROL PROGRAM FOR HEALTH, ENVIRONMENT, AND SAFETY

Arkema is committed to employee, public, and environmental safety by conducting its operations in a safe and responsible manner. This commitment is inherent to a comprehensive risk management program that covers areas such as equipment design and installation, plant operating procedures, maintenance, and employee training associated with the processes at the Crosby plant. The RMP formalizes and documents these activities.

The Crosby facility employs practices, programs, and procedures in place for the prevention, mitigation and/or minimization of catastrophic consequences and releases from materials covered under either standard.

The Crosby facility has One primary operating production unit: MPU. In addition, the Wastewater Treatment System (WWTS) at the Crosby plant treats the wastewater from the production unit. The CPU Unit is demolished and the BPU unit is officially idled and decommissioned, however there are several tanks and vessels located in the pre-existing CPU Unit that operate in support of the MPU Processing Unit.

This commitment to Loss Control starts with AIMS, integrated management systems pertaining to health, environment, and safety (HES). This program starts with the CEO. Senior management routinely dedicates time to review HES matters. This emphasis on safety is carried through to the facility level, where the Plant Manager and the Safety Team regularly review safety performance, take corrective actions, and strive for continuous improvement. The success of Arkema Inc.'s HES programs is also reflected by a strong commitment to safety by employees and contractors.

Arkema's HES programs include policies, procedures, standards, and guidance materials designed to fulfill Arkema's commitment to health, environment and safety. These materials include RMP guidance to help our facilities prevent and/or reduce the risk of accidents.

FACILITY IDENTIFICATION AND REGULATED SUBSTANCES IN COVERED PROCESSES

The Arkema Crosby facility is located at 18000 Crosby-Eastgate Road in Crosby, Texas. The facility manufactures liquid organic peroxides, which are primarily used in the production of plastic resins, polystyrene, polyethylene, polypropylene, PVC, and fiberglass. Certain substances used and produced within the facility are regulated substances under 40 CFR 68, the EPA RMP rule. Two substances, sulfur dioxide (SO₂) and 2-methyl Propene (Isobutylene) are present at, or above, the minimum threshold quantity (TQ) for RMP applicability.

The MPU process includes a batch and a continuous process area. Isobutylene and/or SO₂ are used to produce and/or process the majority of the products produced in both the MPU batch and continuous process areas. Arkema has included all equipment, lines, vessels, storage tanks, and reactors in Building 30 as part of the PSM and RMP covered processes associated with SO₂ and Isobutylene related equipment throughout the continuous process structure and batch process structure. The site evaluated the prevention program for each RMP compound separately.

The storage vessels used for the raw materials Isobutylene and Sulfur Dioxide are 30-T-71 and 17-T-19 respectively. The maximum inventory for Isobutylene is 85,256 lbs. This vessel is a raw material feedstock tank for the MPU batch and continuous processes and stores isobutylene in a pressurized vessel capable of containing the compound. The vessel is equipped with dual rupture disc and pressure relief valves. No further emission control is required for these pressure tanks under EPA BACT requirements. The Sulfur Dioxide feedstock vessel for all processes is located in CPU (17-T-19).

Additional specific equipment in Sulfur Dioxide Service:

EH-14 Evaporator used to vaporize sulfur dioxide that is transferred from 17-T-19 prior to distribution into the MPU Process for active oxygen destruction.

Spent Acid Treatment Tank (T-37) - The acid mother liquor from CF-1, Separated aqueous acid from T-30 or spent acid, is sent to 30-T-37 to be treated. SO₂ is fed from 30-T-19 to 30-T-37 through a vaporizer at a controlled rate to destroy any active oxygen. Sulfur Dioxide emissions are routed to a sodium hydroxide scrubber 30-FS-95.

Spent Acid Treatment Tank (T-38)- Waste Acid is transferred from the MPU Continuous unit into T-38 at a controlled rate. Sulfur Dioxide is injected at the bottom of the tank at a rate of ~0.2 lb/min to destroy the Active Oxygen in the Waste Stream. Sulfur Dioxide emissions are routed to a sodium hydroxide scrubber 30-FS-95.

HAZARD ASSESSMENT WORST-CASE RELEASE MITIGATION MEASURES

Assumptions:

There were five (5) key assumptions considered while assessing worst case release scenarios, and they are as follows:

- A) A complete rupture of either the Isobutylene feedstock tank (30-T-71) or the Sulfur Dioxide feedstock tank (17-T-19).
- B) All tank active safety systems failed
- C) No Plant Emergency actions or systems activated and/or significantly delayed
- D) Most favorable meteorological conditions for each worst case scenario and
- E) Entire contents of each vessel were released during the worst case scenario

Rationale:

It is important to note that the rational and assessment methodology for each scenario has been revised based on the most current operations, reflecting changes made over the past 5 years, previous plant incidents, and amended process hazard assessment methodologies. The topography in all scenarios is based on a rural area versus an urban area to account for the adjacent farmland and lack of development within one mile of the Arkema Crosby facility. There was little change in the potentially affected residential population or distance to endpoint for all scenarios versus the previous RMP submission.

The multiple layers of preventive and mitigation measures in use at the Crosby facility make it very unlikely that either worst-case scenario will occur. In the unlikely event that such a release occurs, Arkema, Inc. has mitigation measures in place to reduce any potential impacts.

- Remote shut-off valves on tank piping designed to shutdown flow from the feedstock storage tanks, thereby reducing the amount potentially released;
- Area monitors that either prompt the control room to activate shutoff of vessel isolation valves and/or actually initiate automatic closing of the isolation valves.
- Excess flow valves on tank process feed lines from the storage vessels or within the process that shut off the flow of material in the case of high discharge pressure or loss of material containment. Thus this reduces the amount of material potentially released:

- Stationary fire monitors which are permanently and strategically placed water cannons with the capability to remove airborne vapor with water sprays or to lay suppressive water deluge from a distance of at least 70 feet from the fire;
- On-site emergency responders 24 hours per day as well as communications links with additional off-site responders and response equipment;
- The First Call Interactive Network enabling the facility to immediately notify the surrounding neighbors.

HAZARD ASSESSMENT

ALTERNATIVE RELEASE SCENARIOS MITIGATION MEASURES

In the Toxic alternate cases, the site has historically used a 1.5, 2.0 or 3.0 inch process line rupture or a 1.5, 2.0 or 3.0 inch hole rupture in the vessel as the alternate case consideration. Current operations dictate that a flange leak or fitting failure demonstrates a more likely alternate case scenario. The site chose to evaluate hose failures for SO₂ Unloading or a flange leak on the low-pressure side of the SO₂ Feed System, including the Storage Tank and Feed Pump suction piping, and the high-pressure side of the system, including the Feed Pump discharge and the Feed Line. The breach in each case was taken to be one-eighth inch diameter. Low-pressure releases were driven by a 40-psig upstream pressure, and high pressure releases were driven by 65-psig upstream pressure.

In the flammable alternate cases, two potential impacts are associated with a BLEVE: 1) overpressure shockwave, due to the failure of the vessel wall or 2) a sudden release of the vessel contents, and a fireball, due to ignition of the released flammable vapor. The calculated overpressure impact from a BLEVE of the Isobutylene Storage Tank, extending out to the 1 psi overpressure endpoint specified by the RMP Guidance, is 483 feet, falling within the site boundaries. The BLEVE fireball radiation impact, extending out to the 3.42×10^6 (watts/m²)^{4/3}-sec thermal radiation dose as specified by the RMP guidance, is 1,053 feet, also approaching the yard of the residence nearest to the site. The site chose to submit the case involving the radiation impact from a BLEVE of the Isobutylene Storage as the required flammable alternate case.

While the alternate release scenarios are, by definition, more likely to occur they are subject to the systems within the facility's existing release and accident prevention program. In compliance with regulatory criteria associated with RMP evaluations, active mitigation systems cannot be considered in modeling worst-case scenario impacts; however, the significant planning and subsequent implementation that Arkema, Inc. has made in active mitigation measures could effectively reduce the risk associated with an RMP worst-case related incident. Mitigation measures include the following:

- Remote shut-off valves on tank piping designed to shutdown flow from the feedstock storage tanks, thereby reducing the amount potentially released;
- Area monitors that either prompt the control room to activate shutoff or vessel isolation valves and/or actually initiate automatic closing of the isolation valves.
- Remote shut-off valves on tank piping designed to shut down all flow from the storage tanks, thereby reducing the amount potentially released;
- Excess flow valves on tank process feed lines from the storage tanks designed to close in the case of a line failure, thereby reducing the amount potentially released;
- Stationary fire monitors are permanently and strategically placed water cannons with the capability to remove airborne vapor with water sprays or to lay suppressive water deluge from a distance of atleast 70 feet from the fire.
- On-site emergency responders 24 hours per day as well as emergency communications links with additional off-site responders and response equipment;
- The First Call Interactive Network enabling the facility to immediately notify the surrounding neighbors.

THE GENERAL ACCIDENTAL RELEASE PREVENTION PROGRAM AND CHEMICAL-SPECIFIC PREVENTION STEPS

The Arkema Crosby facility has an accidental release prevention program in place to minimize the risk of hazardous chemical releases. This program is designed to address the requirements of the EPA RMP pursuant to 40 CFR 68 and 29 CFR 1910.119, Process Safety Management (PSM). The accidental release prevention program includes the following elements and activities:

- Quantitative process hazard analyses (PHAs using LOPA methodology) are completed on covered processes every five (5) years. Qualified PHA leaders are trained in PHA techniques approved under the EPA RMP and OSHA PSM standards.
- Written operating procedures are used for training and directing the work of operators, who receive refresher training every three years.
- Written operating procedures contain in-depth consequences of process deviation analysis.
- Operators, mechanics, and contractor personnel are qualified, trained in the general hazards in the facility, and informed of any temporary situations affecting safety. This includes Level III training for all operators;
- A Management of Change (MOC) system is in place to ensure that process-operating changes are managed safely;
- Environmental and Safety Critical equipment is inspected on a planned, periodic basis to ensure proper operating conditions;
- Pre-start-up safety reviews are performed to satisfy conditions for safe operation prior to starting new or modified equipment or processes;
- Incidents are investigated and actions taken as part of a continuous improvement effort;
- Routine audits are conducted to evaluate that safe practices are being followed;
- Storage tanks and associated equipment are designed and constructed in accordance with industry codes, standards (American Society of Mechanical Engineers - ASME), and practices;
- As part of the facility's Mechanical Integrity program, pressure vessels and transfer lines are inspected and tested according to the American Petroleum Institute (API) certified inspectors using API standards;
- All plant process components are inspected and monitored on a regularly scheduled basis as part of the leak detection and repair program (LDAR);
- The risk of over pressure of pressurized storage tanks is addressed by monitoring the tank temperature and pressure controllers;
- Covered storage vessels are equipped with rupture discs and pressure relief valves;
- The risk of over filling of vessels is addressed by the use of process interlocks, high level alarms monitored by trained operators who monitor tank level indicators and metering devices;
- The risks of unloading releases are minimized by the use of: a) vapor balancing systems b) interlocks and c) remote shutoff devices when unloading chemicals into storage tanks;
- Access to the facility is restricted through security barriers and trained security personnel, thereby minimizing the risk to the tanks of vehicular damage or sabotage;
- A safety work permitting system is used to ensure routine and non-routine work is carried out after proper task identification, hazard assessment and implementation of safe work practices has taken place;
- Hazardous material delivery drivers are escorted into the plant. Access to all plant unloading lines is controlled via a key and lock system in the QC Laboratory to prevent inadvertent material transfers. Logistic personnel remain present during the entirety of the

loading and unloading process.

This systematic approach to process safety involves all facility employees. Management and facility personnel strive for continuing improvements in accident reduction. The training, qualification standards, and safety awareness of our operations, maintenance, and emergency response personnel are key elements in reducing and mitigating accidents.

FIVE YEAR ACCIDENT HISTORY

There have been no accidental off-site releases of applicable RMP chemicals from our facility in the previous five years.

EMERGENCY RESPONSE STATEMENT

The Arkema Crosby facility maintains a written Emergency Response Plan. The plan includes procedures for notifying civil authorities and the public in the event of an incident; documentation of proper first aid and medical treatment necessary to treat accidental human exposures; procedures for the use of emergency response equipment and for its inspection and testing; descriptions of the training programs for all employees in the relevant emergency response procedures; and the review and update of our response plan to reflect changes at the facility and to ensure that employees are informed of these changes. The appendix of the plan contains a listing of critical environmental, and critical safety equipment. The facility also conducts emergency drills on a regular basis.

PLANNED CHANGES FOR HEALTH, ENVIRONMENT, AND SAFETY

The facility has incorporated the environmental, safety, health, and quality into an integrated "loss control" management system at the Crosby facility. Chemical exposure risks to employees and the public have been minimized through ongoing internal risk reduction efforts, employee involvement and participation, and hazard evaluation and assessment. Arkema's Integrated Management Systems (AIMS) provides the framework for the site comprehensive health, environmental, and safety program. OHSAS 18001 requirements have been incorporated into the integrated management system.

CERTIFICATION

I certify to the best of my knowledge, the information, and belief formed after reasonable inquiry that the information submitted is true, accurate, and complete. The most recent approved NSR Air Permit Compliance period began on December 9, 2011. The Crosby facility current Title V permit, operating permit number O-01554 was issued on August 28, 2011 and is currently reviewed and inspected by the TCEQ on a frequent basis.