


0007-SWP-037715

<u>Dry No.</u>	<u>Name</u>
10189	Toluidine Toner CP
10121	Para Toner Lt. CP
10109	Para Toner Dk. CP
10160	Scarlet Lake
10182	Maroon Lake
10132	Alizarine Lake
10257	Alizarine Maroon Lake SW
10361	Permanea Red
CP 233	Graphic
CP 374	Graphic

10330

10371

10369

0007-SWP-037716

0007-SWP-000121505

Bulk	Lbs. For En.	Lbs. For Paste
8.4	.9	8
8.0	.9	8
8.1	.9	8
4.3	3	17
4.0	3	24
7.1	.8	7
4.0	3	20
7.36	1	5.5
6.9	1	5.5
	1	5.5

0007-SWP-037717

0007-SWP-000121506

ORIGINAL COPY, 1970 BY J. C. PARKER

MADE IN U.S.A.

LEFAX, PHILADELPHIA, PA.

71

- 102 -

RED & MAROON TONERS & LAKES(* Indicates numbers
listed temporarily)

TM, MK, REG. U.S. PAT. OFF.

<u>No.</u>	<u>Name</u>	<u>Bulk</u>
62	Nakaret Carmine (For Rx 149 and B 128 only)	8.2
75	Munich Lake (For Rx 159 only) 40% Alumina Base 52% Organic Coloring Cochineal 8% Moisture	7.00
CP 233-P	Graphic Red Medium 100% Barium Toner Graphic Red	6.9
CP 317	Graphic Red M 82% Barium Graphic Lake 18% Barium Rosinate Base	9.45
CP 318	Graphic Red R, Dry 80% Calcium Graphic 20% Calcium Rosinate Base	8.3
CP 320	624	
CP 321	20% Graphic Lake Calcium (For Rx 23187 only) 25% Calcium Graphic 60% Barium Sulfate Base 15% Aluminum Hydrate Base	4.36

0007-SWP-037718

0007-SWP-000121507

ORIGINAL COPY. 1910 BY J. C. PARKER


MADE IN U.S.A.

LEFAX, PHILADELPHIA, PA.

71

- 102-(a)

RED & MAROON TONERS & LAKES (Cont'd)



Bulk

CP 341 Britone Red M 7.6
75% Barium Graphic
25% Barium Resinate Base

CP 359 25% Lake Red C 4.74
(For Rx 23187 only)
25% Lake Red C 2.5
15% Aluminum Hydrate 12.5
60% Blanc Fixe 57.5

CP 429 (formerly CPX 195)
Lacquer Maroon Dark 5.73
(Non-bleeding) *original toner*
70% Manganese Salt of
Tobias Acid and
Beta Oxy Naphthoic Acid
30% Barium Sulphate

477 Gentian Blue Lake *
Organic Lake on
inert white base

1124 Fire Red Toner 6.8

1417 Alizarine Lilac Lake 6.6
(Used in Rx 239)
25% Organic Color
75% Alumina Hydrate

0007-SWP-037719

0007-SWP-000121508

ORIGINAL COPY 1110 BY J. C. PARKER

- 102 -(b)

RED & MAROON TONERS & LAKES (Cont'd.)

TR. MK. REG. U.S. PAT. OFF.

Bulk

1578 Permatone Red Lt. 8.00
(For use by Newark
in Rx 22976)

1774 Lincoln Maroon #4200
(Used in Rx 48038)

MADE IN U.S.A.

1785 Insignia Red
50% by weight 10189
50% by weight " 1188

LEFAX, PHILADELPHIA, PA.

71

0007-SWP-037720

0007-SWP-000121509

- 105 -

RED & MAROON TONERS & LAKES (Cont'd.)

			<u>Sell</u>	<u>Cost</u>
10109	Para Toner Deep	8.1		
	95% Aniline (Organic)			
	Color	100% P Red		
	5% Calcium Carbonate			
				76.00
10121	Para Toner Light	7.7		
	92% Aniline Color	100%		
	8% Calcium Carbonate			
				76.25
10293	25% Para Toner Lt.	4.2		
	55% Organic Coloring			
	Matter			
	75% Barium Sulphate	whiting		
				20.25
10294	25% Para Toner Dk.	4.1		
	25% Organic Coloring			
	Matter			
	75% Barium Sulphate	whiting		
				26.25
10132	Alizarine Lake	7.00		
	15% Organic Coloring			
	Matter			
	88% Aluminum Hydroxide			
	15% Barium Sulphate			
	3% Calc. Phosphate			
	23% Org dye			
	77% Al ₂ PO ₄			
				111.00

0007-SWP-037721

0007-SWP-000121510

-104-

RED & MAROON TONERS & LAKES
Cont'd.

Bulk

~~10140~~ ~~Red Pink Lake~~ ~~5.5~~
10% Organic Coloring Matter
12% Aluminum Hydroxide
68% Barium Sulphate

void

10180 Scarlet Lake 4.3
No bleeding.
No thickening with (488)
Organic Coloring 23% 20%
Alum. Hyd. 12% 20
Barium Sulphate 65% 60

10132 Maroon Lake 4.0
No Bleeding.
Organic Coloring 15%
Alum. Hyd. 15% 20
Barium Sulphate 70% 65

10185 C.P. Toluidine Toner 4.0
Pure Toluidine Toner 8.5
(Organic Coloring Matter)
Chloroform Extraction over 95%

11450
8.5

10234 Orange Lake 40% 4.2
40% Organic Dye
10.8% Aluminum Hydrate
49.2% Blanc Fixe

39.50

10257 Maroon Toner 4.0
(Use restricted to
existing formula 3/1/44)
Aniline Color 40%
Alum. Hydrate 10%
Barium Sulphate 50%

ORIGINAL COPY SUPPLY J.C. PARKER

MADE IN U.S.A.

LEFAN, PHILADELPHIA, PA.

0007-SWP-037722

0007-SWP-000121511

- 105 -

RED & MAROON TONERS & LAKES - Cont'd.

Bulk

10299 Alizarine Maroon 2B 7.52
(Restricted to O.D.
Truck & Bus Enamels)

10330 Permanent Orange Toner 8.06
100% Orange

10331 Maroon Lake 7.1
(Restricted to
Enameloids &
Master Painters'
Oil Colors)

10351 Fire Red Toner 7.35
100% Org. Rd

10340 4, 16 Maroon Lake
21.4 Dye 15.7 Benzene Free
22.9 Benzene Free
10361 Permanent Red Toner 7.36

0007-SWP-037723

0007-SWP-000121512

-106-

VERMILIONS

TRA. MK. REG. U.S. PAT. OFF.

No.	Name	Bulk	Cost
60-L	English Vermilion (Light Shade) Pure Mercury Sulfide	1.5	160.00
60-D	English Vermilion (Deep Shade) Pure Mercury Sulfide	1.5	160.00
10004	4% Eosine Orange Mineral Vermilion 4% Organic Coloring Matter 46% True Red Lead 48% Barium Sulphate 2% Litharge	1.7	31.50
10020	1% Eosine Orange Mineral Vermilion 1% Coloring Matter 49% Barium Sulphate 48% True Red Lead 2% Litharge	1.6	21.00
10063	White Lead Eosine Vermilion 2% Eosine Dye 98% White Lead Carbonate	1.9	29.50
12051	Scarlet Lead Chromate Basic Lead Carb. 40% Basic Lead Chromate 60% Trace Organic Dye	1.9	35.00

(This number also listed on page under Yellow-Orange Pigments)

0007-SWP-037724

0007-SWP-000121513

ORIGINAL COPY 1910 BY J. C. PARKER

MADE IN U.S.A.

LEAK, CAPTION, 71

-107-

MISCELLANEOUS PIGMENTS

TR. MN. REG. U.S. PAT. OFF.

		<u>Bulk</u>	<u>Cost</u>
82	Orange Shellac 100% Shellac	10.0	24.00
89	Copper Oxide 87% Cuprous Oxide	2.1	15.00
202	Red Lead (Not less than 95% True Red Lead 5% Litharge (Pb_3O_4))	1.4	4.00
267	Zinc Dust Total Zinc not less than 80% See R.M. Spec'n. for balance of requirements.	1.7	6.00
267-F	Zinc Dust - Triple "A" Grade (Finer than 267 Fm)	4.60	
292	Aluminum Bronze 68% Metallite Aluminum Aluminum - 99% minimum	2.1	43.50
300	Mercury Oxide Not less than 90% Mercuric Oxide.	2.1	127.00
303	Caustic Soda (For Rx 1962B only)		2.90
307	White Arsenic 99.5% Arsenious Oxide	3.06	2.90
406	Carmine (Orange-red) Mordant Saprophytic Iodine value 6.10		

0007-SWP-037725

0007-SWP-000121514

MISCELLANEOUS PIGMENTS - Contd.

ORIGINAL CONTR. BY J. D. PARKER

MADE IN U.S.A.

REPRODUCED FROM ORIGINAL

310 Pure White
Ceresine Wax
(Chicago only)
Melting Point 68°C.
Practically no acid, iodine,
or saponification value.

Bulk Cost

14.28

333 Gold Bronze
(Pale Shade)
100% Metallic Bronze Powder
Shall pass completely through 180-mesh screen

1.4

391 Yellow Crude Scale Wax
Paraffin Wax M.P. 120°F.

13.42

402 Mahogany Dye
Oil Soluble
Soluble Organic Color. matter

9.0

405 Nitro-sene Black,
Spirit Soluble
(Blue Shade)
Aniline Color - Alcohol
or spirit soluble.

8.8

406 Fat Brown Dye,
Oil Soluble
Soluble Organic Color.

407 Fat Orange Dye,
Oil Soluble
Soluble Organic Color.

9.0

0007-SWP-037726

MISCELLANEOUS PIGMENTS		Bulk	Cost
408	Fat Yellow Dye, Oil Soluble - Soluble Organic Color. matter	8.9	86.00
409	Blue Dye, Oil Soluble - Soluble Organic Color. matter	9.0	
410	Fat Red Dye, Oil Soluble, - Soluble Organic Color. matter	8.9	120.00
418	Oil Soluble Nigrosene Blk. (Blue Shade, Acme Fat Blk.) - Soluble Organic Color. matter.	8.8	50.00
432	Blue Dye, Spirit Soluble - Aniline Color - - Alcohol or spirit soluble.	8.9	
450	Victoria Black Base B (Oil soluble) - Oil Soluble organic Color. matter)		120.00
486	Nigrosene Dye, Oil Soluble (Blue Shade) - Soluble Organic Coloring matter.		

0007-SWP-037727

0007-SWP-000121516

-110-

MISCELLANEOUS PIGMENTS - Cont'd.

Bulk Cost

1215	Reocersine Brown LX (For use in Rx 14580 only) (Chicago only) 100% Organic Dyestuff	
404	Powdered Manganese Dioxide (For Rx 19061 only)	2.75 3.50
443	Aluminum Silicate 5.0 Aluminum Silicate, containing 13% combined water of hydration.	
448	Rock Tripoli 4.5 Aluminum Silicate, containing 13% combined water of hydration.	4.50
494	Dancing Floor Wax 15.00 (Chicago only - Rx 13074) Floor Wax prepared for us by outside concern. Analysis not available.)	
509	Calomel <i>Agel</i> 100% of the drug calomel	1.62 1.80
515	Gold Bronze 1.4 (Red Shade) 100% Metallic Bronze Powder	1.40 1.50

0007-SWP-037728

0007-SWP-000121517

-111-

MISCELLANEOUS PIGMENTS - Cont'd.

No.	Name	Bulk	Cost
516	Flatting Powder Powdered East India Gum with approx. 1% Aluminum Metallic Soap.	10.0	16.40
523	Dextrine Pure Organic Matter.	10.0	5.06
539	5 P Powdered Pumice, Air Floated. Silica & Silicates.	4.9	3.25
547	Aluminum Stearate 100% Aluminum Stearate	16.00 8.00	11.00
553	Candelilla Wax (Chicago only) Melting Point 67-68° C. Saponification value 55-64 Iodine value 37 Acid value 19	12.08	11.00
593	Chrome Ore Composition variable - Special analysis required whenever any question arise.		

ORIGINAL COPY 1912 BY J. C. PARKER

MADE IN U.S.A.

7. LEFAY, BELLEVILLE, PA.

0007-SWP-037729

0007-SWP-000121518

- 112 -

MISCELLANEOUS PIGMENTS - (Cont'd.)

No.	Name	Bulk	Cost
622	Hydrated Lime 70% Calcium Oxide (Restricted to Modern Method Frt. Car Paints)	5.77	1.40
636	Asbestos Fibre - Magnesium Silicate	4.8	1.10
1107	No. 2 North Country Carnauba Wax (Chicago only) Melting Point 84° C Saponification value 70-85 Iodine value 6-10 Acid value 1-5	12.09	1.75
1116	Extra Fine Aluminum - Must all pass 100-mesh sieve. 98% Metallic Aluminum	4.6	
1122	Flaxcap #1 - Linsced Oil & Sodium Soap	10.0	
1125	Copper Bronze - 99% Pure Electrolytic Ingots	2.1	

0007-SWP-037730

0007-SWP-000121519

- 113 -

MISCELLANEOUS MATERIALS - (Continued) - T. OFF

No.	Name	Price
1128	Oil Soluble Litharge - Pure PbO	1.27
1150	Paraffine Wax (Best Grade) M.P. 130-132° F.	13.6
1235	#3 Grade Asbestos } Fibre } (Used in Plastic Wall Pt.) - 100% Magnesium Silicate	4.3
1260	Red Slate Flour	4.2
1285	Soapstone (For Los Angeles & Oakland P & V only)	4.25
1295	Litharge	1.27
1303	Paint Grinders' } Red Lead } -(Containing not less than 95% True Red Lead) (PbO ₂)	1.4

W 1409 95% PbO₂ for sale

0007--SWP-037731

0007-SWP-000121520

- 115 -(*)

MISCELLANEOUS FIBREMENTS - (FORBIDDEN) PAT. OFF.

No.	Name	Bulk
1551	Asbestos Fibre (Special) (Absolutely free from stones) (For use by Chgo. P & V Depts.) (Restricted)	4.3
1552	1/2 Pumice (For Newark - Spec'n usage) (Traffic Zone Paint) - Used in Rx 27544 -	4.9
1557	Dark Standolind } Petrolatum } (Petroleum Jelly) -(Restricted - For use by Chicago) -(Used in Rx 22922)	13.63

GROUP 11, COPY. 110 BY J. PARKER

MADE IN U.S.A.

LEFAX PH. PHILADELPHIA, PA.

71

0007-SWP-037732

0007-SWP-000121521

- 113 -(b)

TR.MK. REG. U.S. PAT. OFF.

MISCELLANEOUS PIGMENTS -(Cont'd.)

<u>No.</u>	<u>Name</u>	<u>Bulk</u>
1711	Gum Tragacanth (Powdered) <u>-(For Newark in Rx 24619)</u>	

1754	Cadmium Sulphide <u>Light Red</u> <u>(For use by Newark</u> <u>in Rx 24858) (Restricted)</u>	
------	---	--

1781	Non-Staining White Portland Cement <u>(For use in Cement</u> <u>Paint White -Rx 26424)</u>	3.9
------	--	-----

1787	Portland Cement <u>(For use in Rx 26440</u> <u>- Cement Primer -</u> <u>For Galvanized Iron)</u>	
------	---	--

1796	Medium Cadmium Red	
------	--------------------	--

ORIGINAL COPY, 1910 BY S. C. PARKER

MADE IN U.S.A.

LEWIS, PHILADELPHIA, PA.

71

0007-SWP-037733

0007-SWP-000121522

ORIGINAL COPY 1918 BY J.C. PARKER

MADE IN U.S.A.

LEFAX, PHILADELPHIA, PA.

71

- 118 - (e)

MISCELLANEOUS FINISHES - (CHART)

No. Name Bulk

1804 L.W.100 Resin
(For use in Emulsion
Liquid White (2050)P)

Handwritten notes:
4029 01P - 11251
1.35-10 18P - 11251
" 0P - 90251
" 25 30251
" 20 - 30251
" 2001 - 00241
" 30 - 10241
" 4001 - 50241
" of material C.O. but gen? - 11251

12510 Paint Grinders* } 1.35
Red Lead
(Spec'n. Usage)

- Shall weigh 15 to 18.5 grams per cubic inch (6ccft Volumeter). 18-20
- Shall contain not less than 95% Pb_3O_4 .

Handwritten notes:
12510-X-15% emulsion
than 12510 - use in
weighing over 25g

0007-SWP-037734

0007-SWP-000121523

0007-SWP-037735

0007-SWP-000121524

DEDUCTIONS FOR USE IN CALCULATING
YIELDS OF EXPERIMENTAL FORMULAE

A. PASTES AND SEMI-PASTES.

- 1 Where the vehicle is fixed oil only, deduct 1-1/2% from gross yield.
- 2 Where the vehicle contains circles other than fixed oil, deduct 3% from gross yield.

B. LIQUID PAINT PRODUCTS.

- 1 Where the vehicle used in mixing consists of fixed oils only, deduct 2% from gross yield.
- 2 Where the vehicle used in mixing contains circles other than fixed oils, deduct 3% from gross yield.

C. ENAMEL PRODUCTS.

- 1 Where the vehicle used in mixing consists of fixed oils only, deduct 3% from gross yield.
- 2 Where the vehicle used in mixing contains circles other than fixed oils, deduct 4% from gross yield.

0007-SWP-037736

0007-SWP-000121525

C. ENAMEL PRODUCTS (Continued)

3. Where base colors are used,
deduct 2% from gross yield.

D. Q. D. COLORS.

1. Deduct 6% from gross yield
on Q. D. Blacks
2. Deduct 4% from gross yield
on all Q.D.'s other than
Blacks.

E. NO GRIND FORMULAE.

1. On all formulae which show
no grind, but are mixed only,
deduct 1% from gross yield.

F. Products which do not come under
the above classes shall be given
deductions which in the opinion
of the formulator are merited.

ORIGINAL COPY, 1910 BY J. C. PARKER

MADE IN U.S.A.

LEFANC PHILADELPHIA PA.

0007-SWP-037737

0007-SWP-000121526

- 116 -

ORIGINAL COPY, 1910 BY J. G. PARKER

SUGGESTED SUBSTITUTES FOR
ORSOLETR CIRCLES. FORMULATORS
SHOULD VERIFY BY TRIAL BATCHES
WHENEVER NECESSARY.

TR. MK. REG. U.S. PAT. OFF.

MADE IN U.S.A.

LEAF, PHILADELPHIA, PA.

71

(8) Sp.	Use (8)
(9)	" (183)
(10)	" (183)
(11) See Rx 10155	
(12) Sp.	Use (12)
(13)	" (812)
(14)	" (183)
(15)	" (38)
(16) Sp.	" (38)
(17)	" (38)
(18) Sp.	" (38)
(19)	" (25) (418)
(20)	" (25) (436)
(21)	" (14) (31)
(22)	" (11) V-2325
(23)	" (3) (9)
(24)	" (31)
(25)	" (345)
(26)	" (38)
(27)	
(28) See Rx 500	
(29) Suggest	(54) (797)
	V-2303 (498) V-2328
(30)	(13)
(31) Suggest	(423)
(32) Use	(56)
(33)	" (188)
(34)	" (104)
(35)	" (3) (4)
(36)	" (2) (2)

0007-SWP-037738

0007-SWP-000121527

ORIGINAL COPY 1919 BY J. G. PARKER

MADE IN U.S.A.

LEWIS & CLARK, WASH. D.C.

-117-

U.S. PATENT OFFICE
WASHINGTON, D.C.
JAN 2 1920
TR. REG. U.S. PAT. OFF.

(117)	Use (8)
(130)	See Rx 58
(132)	Use (898)
(139)	Use (10 - (878) (1 - (65)
(142)	Use (172)
(143)	" (144)
(155)	" (45)
(211)	" (181)
(233)	" (438)
(242)	" (14)
(248)	" (240)
(252)	Suggest (213)
(253)	Use (1175)
(272)	" (92)
(313)	" (501)
(314)	" (502)
(316)	" (504)
(317)	" (505)
(321)	" (509)
(325)	" (8)
(331)	" (8)
(334)	" (14)
(340)	See 02835
(352)	" 01132
(377)	Use (812)
(384)	" (240)
(391)	" (236)
(397)	" (311)

0007-SWP-037739

0007-SWP-000121528

ORIGINAL DOWNSIDE BY J. C. PARRER

MADE IN U.S.A.

MADE IN U.S.A.

71

(421)	Use	(129)
(424)	"	(209)
(427)	"	(48)
(428)	"	(440)
(430)	"	(431)
(432)	"	(2 - (181)
		(1 - (289)
(458)	"	(481)
(475)	"	(282)
(485)	"	(48)
(491)	"	(336)
(541)	See 635 Dry	
(561)	Use	(894)
(564)	"	(227)
(594)	Suggest	(629)
(602)	See	(209)
(607)	Use	(45)
(608)	"	(546)
(612)	"	(111)
(613)	"	(488)
(614)	"	(797)
(638)	"	(181)
(642)	"	(894)
(660)	Suggest	V 2137
(662)	"	(554)
(665)	Use	(655)
(670)	"	(671)
(672)	"	(185)
(677)	"	(45)

0007-SWP-037740

0007-SWP-000121529

- 129 -

ORIGINAL COPY, 100 BY J. C. PARKER

MADE IN U.S.A.

(682)	Use	(10 - (289)
(687)	"	(107)
(689)	"	(148)
(775)	"	(894)
(790)	See 03003	
(793)	Use	(851)
(795)	"	(86)
(796)	"	(383)
(868)	Suggest	(423)
(870)	"	(3)
(876)	"	(6 - (629)
	"	(1 - (348)
(891)	"	(5 - (45)
	"	3 - (586)
	"	2 - (63)
(899)	"	(330)
(1038)	"	V 2276

STAMP (REG. U.S. PAT. OFF.)

0007-SWP-037741

0007-SWP-000121530

90 94

~~101~~
-122-

Gal.	Decimal	Flu. Oz.
5/32	.1562	20
9/64	.1406	18
1/8	.125	16
7/64	.1094	14
3/32	.0937	12
5/64	.0781	10
1/16	.0625	8
3/64	.0469	6
1/32	.0312	4
1/64	.0156	2

0007-SWP-037744

0007-SWP-000121531

~~69 93~~
~~100~~
~~-121-~~

Gal.	Decimal	Flu. Oz.
37/64 -----	.5781	74
9/16 -----	.5625	72
35/64 -----	.5469	70
17/32 -----	.5312	68
33/64 -----	.5156	66
1/2 -----	.500	64
31/64 -----	.4844	62
15/32 -----	.4687	60
29/64 -----	.4531	58
7/16 -----	.4375	56
27/64 -----	.4219	54
13/32 -----	.4062	52
25/64 -----	.3906	50
3/8 -----	.375	48
23/64 -----	.3594	46
11/32 -----	.3437	44
21/64 -----	.3281	42
5/16 -----	.3125	40
19/64 -----	.2969	38
9/32 -----	.2812	36
17/64 -----	.2656	34
1/4 -----	.25	32
15/64 -----	.2344	30
7/32 -----	.2187	28
13/64 -----	.2031	26
3/16 -----	.1875	24
11/64 -----	.1719	22

0007-SWP-037743

0007-SWP-000121532

~~56~~ ~~92~~ ~~97~~ - 120 -

CONVERSION OF FRACTIONS INTO DECIMALS

Gal.	Decimal	Flu. Oz.
63/64	.9844	128
31/32	.9687	134
61/64	.9531	123
15/16	.9375	120
59/64	.9219	118
29/32	.9062	116
57/64	.8906	114
7/8	.875	112
55/64	.8594	110
27/32	.8437	108
53/64	.8281	106
13/16	.8125	104
51/64	.7969	102
25/32	.7812	100
49/64	.7656	98
3/4	.750	96
47/64	.7344	94
23/32	.7187	92
45/64	.7031	90
11/16	.6875	88
43/64	.6719	86
21/32	.6562	84
41/64	.6406	82
5/8	.625	80
39/64	.6094	78
19/32	.5937	76

0007-SWP-037742

0007-SWP-000121533

KEY TO MAJOR CHARACTER CLASSIFICATION

- 011 Aluminum Bronze
- 012 Gold Bronze
- 013 Copper Colored Bronze
- 014 Miscellaneous Bronze

- 020 Liquids - Miscellaneous
- 030 Liquid Paint Product *
- 040 Paste Paint Products *

- 051 Cold Water Kalsomine

- 052 Hot * *

- 053 Cold Water Paint

- ** 060 Cement Paint - Liquid

- ** 061 Cement Paint - Paste

- * 111 Paste Paints - Vehicle containing oil only

- * 112 Paste Paints - Vehicle containing oil with driers, reducing oils, varnishes and volatiles.

- * 113 Paste Paints - Vehicle containing no oil as such, but composed of varnishes, reducing oils, driers and volatiles.

- * 114 Vehicle containing Castor Oil

- * 121 Semi Paste Paints - Vehicle containing oil only.

- * 122 Semi Paste Paints - Vehicle containing oil with driers, reducing oils, varnishes and volatiles.

0007-SWP-037745

0007-SWP-000121534

* 123 Semi Paste Paints - Vehicle containing no oil as such, but composed of vernishes, redning oils, driers and volatiles.

*131 Oil Colors - C. P. colors and pure oil.

*132 Oil Colors - C. P. colors and oil with driers.

*133 Oil Colors - Extended colors and pure oil.

*134 Oil Colors - " " and oil with driers.

211 Q. D. Striping Colors

221 Q. D. colors for usage under varnish.

222 Q. D. colors for usage under color varnish.

() 231 Liquid Ground Colors and Sealers

*311 Wood Sash Glazing Putties (Primeless)

*312 Wood Sash Glazing Putties (ordinary usage)

*313 Metal Sash Glazing Putties

314 Hard Drying Putties for metal surfaces

315 Hard Drying Putties for wood surfaces

0007-SWP-037746

0007-SWP-000121535

- * 321 Seams, Crack and Graving Fillers
- * 322 Paste Wood Fillers
- * 323 Liquid Wood Fillers
- 324 Iron Fillers

- 331 Gear Fillers
- 332 Wheel "
- 333 Body "
- 334 Rough Stuffs

- 411 Primers - Wood & General Usage
- 412 " - Metal
- 413 " - Plaster
- 414 " - Concrete
- 415 " - Brick and Stone
- 416 " - Composition and Miscellaneous

- 421 Liquid Flat Colors other than primers.

- 431 Liquid Paints - General purpose having gloss or semi-gloss.
- 432 Liquid Paints - Metal protective having gloss or semi-gloss.
- 433 Liquid Paints having a gloss or semi-gloss for concrete, brick, stone and composition surfaces.
- 434 Liquid Paints having a gloss or

0007-SWP-037747

0007-SWP-000121536

semi-gloss especially for
interior usage.

** 435 Liquid Paints not air drying

511 Enamels - Gloss not included
in 515

512 Enamels - Semi-Gloss

513 " - Gloss for exterior
usage primarily.

521 Color Varnishes - Gloss

522 " " - Semi-Gloss

531 Varnish Stains

611 Spirit Lacquers - Transparent
without Soluble Color or Nitro-
Cotton.

612 Spirit Lacquers with soluble
color without Nitro Cotton.

613 Spirit Lacquers Pigment without
Nitro Cotton.

631 Varnish Lacquers - Gloss

711 Oil Stains


712 Penetrating (Spirit) Stains

713 Shingle Stains

714 Acid Stains

0007-SWP-037748

0007-SWP-000121537



MADE IN U.S.A.

- > 811 Glyceryl Phthalate Enamels
- Gloss
- > 812 Glyceryl Phthalate Enamels
- Semi-Gloss
- > 813 Glyceryl Phthalate Enamels
- Gloss - (For Exterior Usage)

0007-SWP-037749

0007-SWP-00012153E