

Message

---

**From:** Hale, Michelle [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=CB99F5247AB8412FA017133839301FEE-HALE, MICHE]  
**Sent:** 3/10/2017 9:56:18 PM  
**To:** Owen, James [JOwen@eei.org]  
**Subject:** RE: Board materials for Ryan Jackson/Administrator Pruitt

Thank you!

---

**From:** Owen, James [mailto:JOwen@eei.org]  
**Sent:** Friday, March 10, 2017 4:43 PM  
**To:** Hale, Michelle <hale.michelle@epa.gov>  
**Cc:** Shea, Quin <QShea@eei.org>; Stoddard, Melissa <MStoddard@eei.org>  
**Subject:** FW: Board materials for Ryan Jackson/Administrator Pruitt

Hi Michelle, I am hoping that you were alerted that this was incoming and the need to pass along to Millan (who is still dealing some onboarding issues as I understand it), OK?

Millan: It's Jim, back to you from EEI. I think I have attached all of the items we discussed, please let me know if anything is missing. Relatedly, the hold room inside the Mandarin will be Freer, which is located very close to the Grand Ballroom on the lower level. We will be expecting the Administrator to get situated there immediately after arrival at the Maine Avenue entrance at 9:30 on Tuesday morning. If it's OK with your guys, we would like our VP of Environment Policy, Quin Shea, copied herein, to meet the Administrator upon arrival and accompany him to the Freer Room. It is likely also that Sean Trauschke, CEO of OG&E, and Nicholas Akins, CEO of American Electric Power (both companies serve OK) will be on hand in or near the hold room, as well. As a reminder, Mr. Trauschke will be introducing the Administrator in the board meeting.

Finally, the security firm we have contracted with is TorchStone Global, contact there is:

Joseph Funk  
Sr. Vice President  
TorchStone Global

Ex. 6

[jfunk@torchstoneglobal.com](mailto:jfunk@torchstoneglobal.com)

Again, as a reminder, my mobile phone is Ex. 6 and I will be fully reachable from now all the way through our conference, so don't hesitate to reach out at any time. Best,

Jim