

**To:** Dravis, Samantha[dravis.samantha@epa.gov]  
**From:** Tampio, Christopher  
**Sent:** Thur 3/23/2017 2:14:13 PM  
**Subject:** RE: EPA [WARNING: SPF validation failed]

Yes will call you for sure.

**Christopher Tampio**  
Director, Congressional Affairs  
Government Affairs  
202-789-5178 [tampioc@ada.org](mailto:tampioc@ada.org)

---

American Dental Association 1111 14<sup>th</sup> Street, Suite 1100, Washington DC 20005  
[www.ada.org](http://www.ada.org)

**From:** Dravis, Samantha [mailto:dravis.samantha@epa.gov]  
**Sent:** Thursday, March 23, 2017 10:13 AM  
**To:** Tampio, Christopher  
**Subject:** RE: EPA [WARNING: SPF validation failed]

Sure, give me a call. Just for your awareness, this is about the Dental Amalgam Rule.

**From:** Tampio, Christopher [mailto:tampioc@ada.org]  
**Sent:** Thursday, March 23, 2017 10:12 AM  
**To:** Dravis, Samantha <dravis.samantha@epa.gov>  
**Subject:** RE: EPA [WARNING: SPF validation failed]

Yes for sure – Health care crazy time.

How about lunch time?

**Christopher Tampio**

Director, Congressional Affairs  
Government Affairs  
202-789-5178 [tampioc@ada.org](mailto:tampioc@ada.org)

---

American Dental Association 1111 14<sup>th</sup> Street, Suite 1100, Washington DC 20005  
[www.ada.org](http://www.ada.org)

**From:** Dravis, Samantha [<mailto:dravis.samantha@epa.gov>]

**Sent:** Thursday, March 23, 2017 9:28 AM

**To:** Tampio, Christopher

**Subject:** EPA

Chris,

Could you call me at 703-899-9379? I have a work related question for you. Thanks!

Samantha Dravis

Senior Counsel / Associate Administrator for Policy

U.S. Environmental Protection Agency