MD-3-A

**PACKAGE TICKET** (DRY AND PASTE ONLY)

CODE Ky. 788 LOT E1315

| NET WT/PKG | NO. PKG | PACK. WGT | LOCATION | PO |
|---|---|---|---|---|
| 50 | 74 | 3700 | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| STUMP Lump 3515 | | | | |

TOTAL NET WT. 3700 PKG. N–CODE 1000

| PROD. SPVR. | DATE | WHSE. OPER. |
|---|---|---|
| | | |

DUP050096506

23

240 CG 03 CODE KY-788-D PKG. ____

→MAY -0·81- E1315

EST. WGT. 960 LBS.

8R/4R

Total Wgt. 3360# Req(____)

PROCESSING INSTRUCTIONS: BATCH UNIT

| | PROCESSED | APPROVED BY |
|---|---|---|
| 23/240 | KY-788-D (J) | EWK 9/22/76 |
| | | DCG 9/27/76 |
| | TYPED BY | |
| | NE 2/17/77 | |

MAKING NOTES

REMARKS

NAME: "KROLOR" YELLOW - LIGHT NON-BLEEDING

EE INSTRUCTIONS

| | | | | | |
|---|---|---|---|---|---|
| LOT | 240 | | | | |
| DATE | 5-12-81 | | | | |
| TIME | 8:45A | | | | |
| RELEASED BY | | | | | |
| PRESS | 22 | 23 | 24 | | |
| NO. OF CAKES | 46 | 46 | 46 | | |

PRESS With AGITATION

WASH TO 2000 OHMS with 35-75°F water

FIRST AFTER 2 HOURS

LOAD on 6 cars

SAMPLES 1- 8oz JAR

DELIVER TO CTL for Color

-PRESSING- RECORD

| PRESSLOAD | 1ST | 2ND | 3RD | 4TH | 5TH |
|---|---|---|---|---|---|
| STARTED | 4:30P | | | | |
| CAKES USED | 3-2 | | | | |
| WATER ON | 10:2 | | | | |
| HRS. WASHED | 4:23 | | | | |
| OHMS | 2700 | | | | |
| HRS. WASHED | | | | | |
| OHMS | | | | | |
| HRS. WASHED | | | | | |
| OHMS | | | | | |
| CAKE CONDITION | G | | | | |
| NO. CARS LOADED | 6 | | | | |

EXPLAIN LOSSES

SAMPLED BY BS RELEASED BY JW

-DRYING-

Dry 12 hrs at 220 °F
Then Dry 8 hrs at 160 °F

LUMP: - OK - WET - SALTS - CONTAMINATED

ADDITIONAL DRYING HOURS REQUIRED

No Drums 15

SAMPLES

DELIVER TO

NO. CARS PULLED 6 LUMP WGT. 3515

SAMPLED BY RELEASED BY

-GRINDING-

LL 939 HSP 3/32" RP SCREEN 3500 RPM

MAX. TEMP. 150 °F

SCREEN RPM

MAX. TEMP. °F

EXPLAIN LOSSES

SAMPLE / WITHOUT MIXING

SAMPLES 1 Env. & 1 Pt can

DELIVER TO CTL

DATE MIXED

SAMPLED BY RELEASED BY

DUP050096507

788
1315
41
56

0.00 *

2.52 +
0.12 -
2.47 +
0.12 -
2.49 +
0.12 -
2.49 +
0.12 -
2.50 +
0.12 -
2.56 +
0.12 -
2.54 +
0.12 -
2.50 +
0.12 -
2.42 +
0.12 -
2.53 +
0.12 -
2.48 +
0.12 -
2.47 +
0.12 -
2.44 +
0.12 -
2.25 +
0.12 -
2.29 +
0.12 -
35.15 *

DUP050096508