Occupational Safety and Health Administration

[redacted]
Syracuse, N. Y. 13210

CSHO NO	
P-1568	45
AREA	REGION
6010	2

CITATION COVER LETTER

TO: Mr. John Rauch
Manager
Georgia Pacific Corporation
[redacted] Ingdale Road
[redacted], New York 14001

Date June 13, 1973

PLAINTIFF'S EXHIBIT
GP-1906

Subject: Citation for Alleged Occupational Safety and Health Violation(s)

An inspection of a workplace under your operation, ownership, or control has revealed conditions which we believe do not comply with the provisions of the Occupational Safety and Health Act of 1970 (29 U.S.C.). The nature of such alleged violation(s) is described in the enclosed citation with reference to applicable standards, rules, regulations, and provisions of the said Act. These conditions must be corrected on or before the date shown to the right of each violation therein.

The Act requires that a copy of the enclosed citation(s) be prominently posted "in a conspicuous place at or near the place of receipt" at or near each place a violation referred to in the citation occurred. It must remain posted until all violations cited therein are corrected, or for 3 working days, whichever period is longer. A sufficient number of copies of the attached citation(s) should be prepared to facilitate posting in accordance with the requirements of the Act.

If you contest the citation you may post a notice to this effect near the citation contested. The Act provides penalties for violation of the posting requirements.

You will soon be notified by certified mail whether or not a proposed penalty will be assessed as a result of the cited violation(s). You have the right to contest the citation(s), the proposed penalties or both, before the Occupational Safety and Health Review Commission. The Review Commission is an independent quasi-judicial agency with authority to issue decisions regarding citations and proposed penalties. If you do contest, you must so notify the Area Director within 15 working days after receipt of the certified mail notice regarding proposed penalties. If you fail to contest within the 15 working day period, the citation and the proposed assessment of penalties shall be deemed to be a final order not subject to review by any court or agency.

An employee or representative of employees may file a notice to contest the time stated in the citation for the abatement of the alleged violation(s).

Alleged violations that are not contested shall be corrected within the abatement period specified in the citation. Failure to correct an alleged violation within the abatement period may result in a further proposed assessment of penalties.

As to alleged violations with an abatement period of 30 days or less, you are directed to promptly advise the Area Director as to the specific corrective action on each such violation and the date of such action.

Alleged violations having a longer abatement period will require a progress report at the end of each 30-day period. The progress report should detail what has been done, what remains to be done, and the time needed to fully abate each such violation. When the alleged violation is fully abated, the Area Director shall be so advised.

A followup inspection may be made for the purpose of ascertaining that you have posted the citations as required by the Act and corrected the alleged violations as you have reported. The Act provides that whoever knowingly gives false information is subject to a fine up to $10,000, imprisonment up to 6 months, or both.

If you wish additional information, you may direct such request to the undersigned at the address listed above.

U. S. Department of Labor

By Area Director
Chester C. Whiteside

U.S. DEPARTMENT [illegible]
Occupational Safety and Health Ad[illegible]

NOTIFICATION OF PROPOSED PENALTY | [illegible] | 2

TO: Mr. John Rauch
M[illegible]
G[illegible] Pacific Corporation
B[illegible]gdale Road
A[illegible], New York 14001

On the 13th day of June, 1973, a Citation(s) was (were) issued to you in accordance with the provisions of section 9(a) of the Occupational Safety and Health Act of 1970 (84 Stat. 1601, 29 U.S.C. 651, et seq.) hereinafter referred to as the Act. You were thus notified of certain alleged violations of the Act, as specified in that Citation(s).

YOU ARE HEREBY NOTIFIED that pursuant to the provisions of section 10(a) of the Act, the penalty(ies) set forth below is/are being proposed, based on the above Citation(s):

SERIOUS VIOLATIONS

Citation No.	Proposed Penalty
1	$800.00
2	800.00
3	800.00

OTHER VIOLATIONS*

Citation No.	Item No.	Proposed Penalty
1, Page 1 of 4	1.	$ 90.00
	2.	90.00
1, Page 2 of 4	3.	None
	4.	None
1, Page 3 of 4	5.	None
	6.	90.00
1, Page 4 of 4	7.	90.00

Total for All Alleged Violations $2760.00

* In the case of each "other violation," the proposed penalty reflects a 50 percent adjustment factor for corrective action taken within the period prescribed in the citation. If a particular alleged violation is not corrected within this period, an automatic additional penalty [illegible] will be proposed for each violation. However, if you contest an alleged violation in good faith before the Review Commission [illegible] by the Review Commission affirming the citation [illegible] may subsequently be proposed for failure to correct a violation [illegible]

SGP 0006848

The payment of penalties is to be made by certified check or money order, payable to the order of the Occupational Safety and Health-Labor." Remit to the Area Director whose address appears below.

YOU ARE FURTHER NOTIFIED that the aforesaid Citation(s), this Notification, and the proposed assessment shall be deemed to be the final order of the Occupational Safety and Health Review Commission and not subject to review by any court or agency, unless, within 15 working days from the date of receipt of this notice, you notify the official named below in writing that you intend to contest the Citation or this Notification of Proposed Penalty before the Review Commission. The Review Commission is an independent quasi-judicial agency with authority to issue decisions regarding citations and proposed penalties.

There is no requirement that this Notification be posted.

Dated at Syracuse, New York this 13th day of June, 19 73.

Area Director
Occupational Safety and Health Administration
U. S. Department of Labor

203 Midtown Plaza
700 E. Water St.
Syracuse, N. Y. 13210

U.S. D[illegible]
Occupat[illegible]
[illegible]
[illegible]
Syracuse, [illegible]

CSHD NO.	[illegible]
P-1568	48
AREA	REGION
6010	2

CITATION FOR SERIOUS VIOLATION*

Citation Number 1 Date Issued JUN 13 1973

EMPLOYER Georgia Pacific Corporation

ADDRESS (Street Bloomingdale Road

City Akron State New York Zip 14001

An inspection of a workplace under your ownership, operation, or control located at above address and described as follows Manufactures gypsum wallboard and jointing compound has been conducted. On the basis of the inspection it is alleged that you have violated the Occupational Safety and Health Act of 1970 [illegible] U.S.C. 651, in the following respects:

Standard or regulation allegedly violated	Description of alleged violation	Date on which alleged violation must be corrected
29 CFR 1910.93a (b) Page 22142	Failure of the employer to maintain employee exposure to airborne concentrations of asbestos fibers below acceptable levels: 1) Concentrations below 5 fibers, longer than 5 microns, per CC, based on an 8 hour Time Weighted Average, 2) Concentrations, at any time, below 10 fibers, longer than 5 microns, per CC.	MULTI-STEP ABATEMENT (See Reverse Side of this Citation)

Area Director's Signature [signature]
Chester C. Whtteside

The issuance of a citation does not constitute a finding that a violation of the Act has occurred unless there is a failure to contest as provided for in the Act or, if contested, unless the citation is affirmed by the Occupational Safety and Health Review Commission.

RIGHTS OF EMPLOYEES

Any employee or representative of employees who believes that any period of time fixed in this citation for the correction of a violation is unreasonable has the right to contest such time for correction by filing a notice with the U.S. Department of Labor [illegible] the address shown above within 15 working days of the receipt by the employer of notice of proposed penalty or notice that no penalty is being proposed.

"No person shall discharge or in any manner discriminate against any employee because such employee has filed any complaint or instituted or caused to be instituted any proceeding under or related to this Act or has testified or is about to testify in such proceeding or because of the exercise by such employee on behalf of himself or others of any right afforded by this Act." Sec. [illegible] (c)(1) of the Occupational Safety and Health Act of 1970, 29 U.S.C. 651.

The law requires that a copy of the enclosed citation(s) "shall be prominently posted" in a conspicuous place "at or near each place a violation referred to in the citation occurred." It must remain posted until all violations cited therein are cor[illegible] [illegible] days, whichever period is longer.

[illegible] to exist in a place of employment if there is a substantial [illegible] condition which exists, or from one or more practices, [illegible] use, in such place of employment unless [illegible] [illegible] of the presence of the violation." [illegible]

SGP 0006850

MULTI-STEP ABATEMENT

I. Immediate Temporary Administrative Controls

Initiate immediate temporary administrative controls to prevent employee exposure to excessive asbestos dust concentrations by July 1, 1973. A Compliance Officer will determine if these temporary controls are preventing employee exposure.

(1) Provide U. S. Bureau of Mines approved respirators for all employees working within the joint compound dry mixing and pack out areas of the main plant. Continue the use of respirators until the installation of permanent engineering controls.

(2) Establish a complete respirator program in accordance with the provisions of the American National Standard Practices for Respiratory Protection Z88.2-1969.

(3) Establish a program for maintaining the joint compound dry mixing and pack out areas of the main plant in a clean, orderly and sanitary condition to prevent asbestos dust contamination of the air. This program will include utilizing sealed impermeable bags for the storage of waste asbestos.

(4) Provide employees with protective clothing that can be maintained in a sanitary and reliable condition from becoming contaminated with asbestos. In addition, provide employees with individual clothes lockers to prevent their personal clothing from becoming contaminated with asbestos dust.

(5) Establish a personal monitoring program to determine, at six month intervals, the concentrations of asbestos dust.

(6) Post asbestos "Caution" signs at all approaches to the work area to prevent unprotected persons from entering.

(7) Affix asbestos "Caution" labels on all raw materials, mixtures, scrap, waste, debris and other products containing asbestos to prevent exposure to asbestos dust.

II. Permanent Engineering and Administrative Controls

(1) By July 27, 1973, submit a plan for approval to the U. S. Department of Labor, Occupational Safety and Health Administration, 203 Midtown Plaza, 700 E. Water Street, Syracuse, New York 13210, Mr. Chester C. Whiteside, Area Director, showing a timetable for the installation of engineering controls to prevent employee exposure to asbestos dust concentrations above allowable limits.

(2) Incorporate items (3) through (7) (listed as temporary administrative controls in Part I) as permanent administrative controls to prevent employee asbestos dust exposure.



Occupat[illegible]

		P-1568	
OSHA-2A	CITATION FOR SERIOUS VIOLATION*	AREA 6010	REGION 2

Citation Number 2 Date Issued JUN 13 1973

EMPLOYER Georgia Pacific Corporation

ADDRESS (Street Bloomingdale Road

(City Akron State New York Zip 14001

An inspection of a workplace under your ownership, operation, or control located at above address and described as follows

Manufacturers gypsum wallboard and jointing compound

has been conducted. On the basis of the inspection it is alleged that you have violated the Occupational Safety and Health Act of 1970, 29 U.S.C. 651, in the following respects:

Standard or regulation allegedly violated	Description of alleged violation	Date on which alleged violation must be corrected
29 CFR 1910.93a (d)(2) Page 22163	Failure of the employer to provide, and for the employees to use, U.S. Bureau of Mines approved respirators to prevent inhalation of airborne asbestos dust fibers (within the dry mixing and packout area).	MULTI-STEP ABATEMENT (See reverse side of this Citation)

Area Director's Signature [signature] Chester C. Whiteside

The issuance of a citation does not constitute a finding that a violation of the Act has occurred unless there is a failure to contest as provided for in the Act or, if contested, unless the citation is affirmed by the Occupational Safety and Health Review Commission.

RIGHTS OF EMPLOYEES

Any employee or representative of employees who believes that any period of time fixed in this citation for the correction of a violation is unreasonable has the right to contest such time for correction by filing a notice with the U.S. Department of Labor at the address shown above within 15 working days of the date this citation was issued.

"No person shall discharge or in any manner discriminate against any employee because such employee has filed any complaint or instituted or caused to be instituted any proceeding under or related to this Act or has testified or is about to testify in such proceeding or because of the exercise by such employee on behalf of himself or others of any right afforded by this Act." Sec. 11 (c)(1) of the Occupational Safety and Health Act of 1970, 29 U.S.C. 651.

The law requires that a copy of the enclosed citation(s) "shall be prominently posted" in a conspicuous place "at or near each place a violation referred to in the citation occurred." It must remain posted until all violations cited therein are corrected, or for 15 working days, whichever period is longer.

[illegible], according to the Act "[illegible] deemed to exist in a place of employment if there is a substantial [illegible] from a condition which exists, or from one or more practices, [illegible] which are in use, in such place of employment unless the employer [illegible] knows of the presence of the violation." Sec. 17(c).

SGP 0006852

MULTI-STEP ABATEMENT

I. Immediate Temporary Administrative Controls

Initiate immediate temporary administrative controls to prevent employee exposure to excessive asbestos dust concentrations by July 1, 1973. A Compliance Officer will determine if these temporary controls are preventing employee exposure.

(1) Provide U. S. Bureau of Mines approved respirators for all employees working within the joint compound dry mixing and pack out areas of the main plant. Continue the use of respirators until the installation of permanent engineering controls.

(2) Establish a complete respirator program in accordance with the provisions of the American National Standard Practices for Respiratory Protection Z88.2-1969.

(3) Establish a program for maintaining the joint compound dry mixing and pack out areas of the main plant in a clean, orderly and sanitary condition to prevent asbestos dust contamination of the air. This program will include utilizing sealed impermeable bags for the storage of waste asbestos.

(4) Provide employees with protective clothing that can be maintained in a sanitary and reliable condition from becoming contaminated with asbestos. In addition, provide employees with individual clothes lockers to prevent their personal clothing from becoming contaminated with asbestos dust.

(5) Establish a personal monitoring program to determine, at six month intervals, the concentrations of asbestos dust.

(6) Post asbestos "Caution" signs at all approaches to the work area to prevent unprotected persons from entering.

(7) Affix asbestos "Caution" labels on all raw materials, mixtures, scrap, waste, debris and other products containing asbestos to prevent exposure to asbestos dust.

II. Permanent Engineering and Administrative Controls

(1) By July 27, 1973, submit a plan for approval to the U. S. Department of Labor, Occupational Safety and Health Administration, 203 Midtown Plaza, 700 E. Water Street, Syracuse, New York 13210, Mr. Chester C. Whiteside, Area Director, showing a timetable for the installation of engineering controls to prevent employee exposure to asbestos dust concentrations above allowable limits.

(2) Incorporate items (3) through (7) (listed as temporary administrative controls in Part I) as permanent administrative controls to prevent employee asbestos dust exposure.



U.S. DEPARTMENT OF LABOR
Occupational Safety and Health Administration

203 Mid-Town Plaza
700 E. Water St.
Syracuse, N. Y. 13210

CSHO NO.	[illegible]
P-1568	43
AREA	REGION
6010	2

CITATION FOR SERIOUS VIOLATION*

Citation Number 3 Date Issued JUN 13 1973

EMPLOYER Georgia Pacific Corporation

ADDRESS (Street Bloomingdale Road

(City Akron State New York Zip 14001

An inspection of a workplace under your ownership, operation, or control located at above address and described as follows

Manufactures gypsum wallboard and jointing compound

has been conducted. On the basis of the inspection it is alleged that you have violated the Occupational Safety and Health Act of 1970, 29 U.S.C. 651, in the following respects:

Standard or regulation allegedly violated	Description of alleged violation	Date on which alleged violation must be corrected
29 CFR 1910.93a (d)(2)(iv) Page 22143	Failure of employer to establish a respiratory program throughout the dry mixing area in accordance with the American National Standard Practice for Respiratory Protection Z88.2-1969, for employees who are exposed to excessive asbestos dust concentrations.	MULTI-STEP ABATEMENT (See Reverse Side of this Citation)

Area Director's Signature Chester C. Whiteside

The issuance of a citation does not constitute a finding that a violation of the Act has occurred unless there is a failure to contest as provided for in the Act or, if contested, unless the citation is affirmed by the Occupational Safety and Health Review Commission.

RIGHTS OF EMPLOYEES

Any employee or representative of employees who believes that any period of time fixed in this citation for the correction of a violation is unreasonable has the right to contest such time for correction by filing a notice with the U.S. Department of Labor at the address shown above within 15 working days of the receipt by the employer of notice of proposed penalty or notice that no penalty is being proposed.

"No person shall discharge or in any manner discriminate against any employee because such employee has filed any complaint or instituted or caused to be instituted any proceeding under or related to this Act or has testified or is about to testify in such proceeding or because of the exercise by such employee on behalf of himself or others of any right afforded by this Act." Sec. 11(c)(1) of the Occupational Safety and Health Act of 1970, 29 U.S.C. 651.

The law requires that a copy of the enclosed citation(s) "shall be prominently posted" in a conspicuous place "at or near each place a violation referred to in the citation occurred." It must remain posted until all violations cited therein are corrected or for 3 working days, whichever period is longer.

[illegible] exist in a place of employment if there is a substantial [illegible] from a condition which exists, or from one or more practices [illegible] used or are in use, in such place of employment unless the employer [illegible] knew of the presence of the violation." Sec. 5(a)(2)

SGP 0006854

MULTI-STEP ABATEMENT

I. Immediate Temporary Administrative Controls

Initiate immediate temporary administrative controls to prevent employee exposure to excessive asbestos dust concentrations by July 1, 1973. A Compliance Officer will determine if these temporary controls are preventing employee exposure.

(1) Provide U. S. Bureau of Mines approved respirators for all employees working within the joint compound dry mixing and pack out areas of the main plant. Continue the use of respirators until the installation of permanent engineering controls.

(2) Establish a complete respirator program in accordance with the provisions of the American National Standard Practices for Respiratory Protection Z88.2-1969.

(3) Establish a program for maintaining the joint compound dry mixing and pack out areas of the main plant in a clean, orderly and sanitary condition to prevent asbestos dust contamination of the air. This program will include utilizing sealed impermeable bags for the storage of waste asbestos.

(4) Provide employees with protective clothing that can be maintained in a sanitary and reliable condition from becoming contaminated with asbestos. In addition, provide employees with individual clothes lockers to prevent their personal clothing from becoming contaminated with asbestos dust.

(5) Establish a personal monitoring program to determine, at six month intervals, the concentrations of asbestos dust.

(6) Post asbestos "Caution" signs at all approaches to the work area to prevent unprotected persons from entering.

(7) Affix asbestos "Caution" labels on all raw materials, mixtures, scrap, waste, debris and other products containing asbestos to prevent exposure to asbestos dust.

II. Permanent Engineering and Administrative Controls

(1) By July 27, 1973, submit a plan for approval to the U. S. Department of Labor, Occupational Safety and Health Administration, 203 Midtown Plaza, 700 E. Water Street, Syracuse, New York 13210, Mr. Chester C. Whiteside, Area Director, showing a timetable for the installation of engineering controls to prevent employee exposure to asbestos dust concentrations above allowable limits.

(2) Incorporate items (3) through (7) (listed as temporary administrative controls in Part I) as permanent administrative controls to prevent employee asbestos dust exposure.



U.S. DEPARTMENT OF LABOR
Occupational Safety and Health Administration

200 [illegible] Plaza
[illegible]
Syracuse, N. Y. 13210

ISSUE NO.	
P-1568	[illegible]
AREA	REGION
6010	2

CITATION*

Citation Number 1, Page 1 of 4 Date Issued JUN 13 1973

EMPLOYER Georgia Pacific Corporation

ADDRESS Street Bloomingdale Road

City Akron State New York Zip 14001

An inspection of a workplace under your ownership, operation, or control located at above address and described as follows

Manufactures gypsum wallboard and jointing compound

has been conducted. On the basis of the inspection it is alleged that you have violated the Occupational Safety and Health Act of 1970, 29 U.S.C. 651, in the following respects:

Item number	Standard or regulation allegedly violated	Description of alleged violation	Date on which alleged violation must be corrected
1.	29 CFR 1910.93a (d)(3) Page 22143	Failure of the employer to provide and require use of special clothing, such as coveralls or similar whole body coverings, gloves, and foot coverings to prevent skin contact with asbestos fibers, of employees within the dry mix and packout area.	Multi-Step Abatement (See Reverse Side of this Citation)
2.	29 CFR 1910.93a (d)(4) Page 22143	Failure of the employer to provide change rooms, two separate clothes lockers for work and street clothes, and the laundering and handling of work clothes for all employees exposed to airborne concentrations of asbestos fibers in excess of prescribed limits, within the joint compound mixing and packout area.	Multi-Step Abatement (See Reverse Side of this Citation

Area Director's Signature [signature]
Chester C. Whiteside

The issuance of a citation does not constitute a finding that a violation of the Act has occurred unless there is a failure to contest as provided for in the Act or, if contested, unless the citation is affirmed by the Occupational Safety and Health Review Commission.

RIGHTS OF EMPLOYEES

Any employee or representative of employees who believes that any period of time fixed in this citation for the correction of a violation is unreasonable has the right to contest such time for correction by filing a notice with the U.S. Department of Labor at the address shown above within 15 working days of the receipt by the employer of notice of proposed penalty [illegible] penalty is being proposed.

"No person shall discharge or in any manner discriminate against any employee because such employee has [illegible] plaint or instituted or caused to be instituted any proceeding under or related to this Act or has testified or is about to [illegible] in such proceeding or because of the exercise by such employee on behalf of himself or others of any right afforded [illegible] Act." Sec. 11(c)(1) of the Occupational Safety and Health Act of 1970, 29 U.S.C. 651.

The law requires that a copy of the enclosed citation(s) "shall be prominently posted" in a conspicuous place "at or near each place of violation referred to in the citation occurred." It must remain posted until all violations cited therein are corrected [illegible] working days, whichever period is [illegible].

[illegible] serious violations within the meaning of the Act [illegible] health.

Form O

SGP 0006856

MULTI-STEP ABATEMENT

I. Immediate Temporary Administrative Controls

Initiate immediate temporary administrative controls to prevent employee exposure to excessive asbestos dust concentrations by July 1, 1973. A Compliance Officer will determine if these temporary controls are preventing employee exposure.

(1) Provide U. S. Bureau of Mines approved respirators for all employees working within the joint compound dry mixing and pack out areas of the main plant. Continue the use of respirators until the installation of permanent engineering controls.

(2) Establish a complete respirator program in accordance with the provisions of the American National Standard Practices for Respiratory Protection Z88.2-1969.

(3) Establish a program for maintaining the joint compound dry mixing and pack out areas of the main plant in a clean, orderly and sanitary condition to prevent asbestos dust contamination of the air. This program will include utilizing sealed impermeable bags for the storage of waste asbestos.

(4) Provide employees with protective clothing that can be maintained in a sanitary and reliable condition from becoming contaminated with asbestos. In addition, provide employees with individual clothes lockers to prevent their personal clothing from becoming contaminated with asbestos dust.

(5) Establish a personal monitoring program to determine, at six month intervals, the concentrations of asbestos dust.

(6) Post asbestos "Caution" signs at all approaches to the work area to prevent unprotected persons from entering.

(7) Affix asbestos "Caution" labels on all raw materials, mixtures, scrap, waste, debris and other products containing asbestos to prevent exposure to asbestos dust.

II. Permanent Engineering and Administrative Controls

(1) By July 27, 1973, submit a plan for approval to the U. S. Department of Labor, Occupational Safety and Health Administration, 203 Midtown Plaza, 700 E. Water Street, Syracuse, New York 13210, Mr. Chester C. Whiteside, Area Director, showing a timetable for the installation of engineering controls to prevent employee exposure to asbestos dust concentrations above allowable limits.

(2) Incorporate items (3) through (7) (listed as temporary administrative controls in Part I) as permanent administrative controls to prevent employee asbestos dust exposure.

SGP 0006857

U.S. DEPARTMENT OF LABOR
Occupational Safety and Health Administration

203 Midtown Plaza
700 E. Water St.
Syracuse, N. Y. 13210

CSHO NO.	[illegible]
P-1568	48
AREA	REGION
6010	2

CITATION*

Citation Number 1, Page 2 of 4 Date Issued JUN 13 1973

EMPLOYER Georgia Pacific Corporation

(Street Bloomingdale Road

ADDRESS (

(City Akron State New York Zip 14001

An inspection of a workplace under your ownership, operation, or control located at above address

and described as follows

Manufactures gypsum wallboard and jointing compound

has been conducted. On the basis of the inspection it is alleged that you have violated the Occupational Safety and Health Act of 1970, 29 U.S.C. 651, in the following respects:

Item number	Standard or regulation allegedly violated	Description of alleged violation	Date on which alleged violation must be corrected
3.	29 CFR 1910.93a (f)(2)(ii) Page 22143	Failure of the employer to establish a personal monitoring program at intervals not greater than 6 months within the joint compound mixing and packout areas where asbestos exposure may reasonably be foreseen to exceed prescribed limits.	Multi-Step Abatement (See Reverse Side of this Citation)
4.	29 CFR 1910.93a (g)(1)(i) Page 22143	Failure of employer to post "Caution" signs at all approaches to the joint compound mixing and packout area where airborne concentrations of asbestos fibers may be in excess of prescribed limits.	Multi-Step Abatement (See Reverse Side of this Citation)

Area Director's Signature Chester C. Whiteside

The issuance of a citation does not constitute a finding that a violation of the Act has occurred unless there is a failure to contest as provided for in the Act or, if contested, unless the citation is affirmed by the Occupational Safety and Health Review Commission.

RIGHTS OF EMPLOYEES

Any employee or representative of employees who believes that any period of time fixed in this citation for the correction of a violation is unreasonable has the right to contest such time for correction by filing a notice with the U.S. Department of [illegible] at the address shown above within 15 working days of the receipt by the employer of notice of proposed penalty [illegible] penalty is being proposed.

"No person shall discharge or in any manner discriminate against any employee because such employee has [illegible] any [illegible] plaint or instituted or caused to be instituted any proceeding under or related to this Act or has testified or [illegible] in such proceeding or because of the exercise by such employee on behalf of himself or others of any right afforded by this Act." Sec. 11 (c)(1) of the Occupational Safety and Health Act of 1970, 29 U.S.C. 651.

This [illegible] requires that a copy of the enclosed citation(s) "shall be prominently posted" in a conspicuous place "at or near [illegible] referred to in the citation occurred." It must remain posted until all violations cited therein are cor[illegible] whichever [illegible]

[illegible] by this citation [illegible] not serious violations within the meaning of the [illegible] relation [illegible] safety and health.

SGP 0006858

MULTI-STEP ABATEMENT

I. Immediate Temporary Administrative Controls

Initiate immediate temporary administrative controls to prevent employee exposure to excessive asbestos dust concentrations by July 1, 1973. A Compliance Officer will determine if these temporary controls are preventing employee exposure.

(1) Provide U. S. Bureau of Mines approved respirators for all employees working within the joint compound dry mixing and pack out areas of the main plant. Continue the use of respirators until the installation of permanent engineering controls.

(2) Establish a complete respirator program in accordance with the provisions of the American National Standard Practices for Respiratory Protection Z88.2-1969.

(3) Establish a program for maintaining the joint compound dry mixing and pack out areas of the main plant in a clean, orderly and sanitary condition to prevent asbestos dust contamination of the air. This program will include utilizing sealed impermeable bags for the storage of waste asbestos.

(4) Provide employees with protective clothing that can be maintained in a sanitary and reliable condition from becoming contaminated with asbestos. In addition, provide employees with individual clothes lockers to prevent their personal clothing from becoming contaminated with asbestos dust.

(5) Establish a personal monitoring program to determine, at six month intervals, the concentrations of asbestos dust.

(6) Post asbestos "Caution" signs at all approaches to the work area to prevent unprotected persons from entering.

(7) Affix asbestos "Caution" labels on all raw materials, mixtures, scrap, waste, debris and other products containing asbestos to prevent exposure to asbestos dust.

II. Permanent Engineering and Administrative Controls

(1) By July 27, 1973, submit a plan for approval to the U. S. Department of Labor, Occupational Safety and Health Administration, 203 Midtown Plaza, 700 E. Water Street, Syracuse, New York 13210, Mr. Chester C. Whiteside, Area Director, showing a timetable for the installation of engineering controls to prevent employee exposure to asbestos dust concentrations above allowable limits.

(2) Incorporate items (3) through (7) (listed as temporary administrative controls in Part I) as permanent administrative controls to prevent employee asbestos dust exposure.



U.S. DEPARTMENT OF LABOR
Occupational Safety and Health Administration
[illegible]
[illegible]
Syracuse, N. Y. 13210

OSHO NO	A[illegible]
P-1568	48
AREA	REGION
6010	2

CITATION*

Citation Number 1, Page 3 of 4 Date Issued JUN 13 1973

EMPLOYER Georgia Pacific Corporation

(Street Bloomingdale Road

ADDRESS (

(City Akron State New York Zip 14001

An inspection of a workplace under your ownership, operation, or control located at above address

and described as follows

Manufactures gypsum wallboard and jointing compound

has been conducted. On the basis of the inspection it is alleged that you have violated the Occupational Safety and Health Act of 1970, 29 U.S.C. 651, in the following respects:

Item number	Standard or regulation allegedly violated	Description of alleged violation	Date on which alleged violation must be corrected
5.	29 CFR 1910.93a (g)(2)(i) Page 22144	Failure of the employer to affix a "Caution" label to all raw materials, mixtures, scrap, waste, debris and other products containing asbestos fibers to prevent exposure to concentrations above prescribed limits during any reasonably forseeable use.	Multi-Step Abatement (See Reverse Side of this Citation)
6.	29 CFR 1910.93a (h)(1) Page 22144	Failure of the employer to maintain all external surfaces within the joint compound, dry mixing and packout area, free of accumulations of asbestos fibers (dry sweeping is to be discouraged, utilize vacuum sweeping methods).	Multi-Step Abatement (See Reverse Side of this Citation)

Area Director's Signature [signature]
Chester C. Whiteside

The issuance of a citation does not constitute a finding that a violation of the Act has occurred unless there is a failure to contest as provided for in the Act or, if contested, unless the citation is affirmed by the Occupational Safety and Health Review Commission.

RIGHTS OF EMPLOYEES

Any employee or representative of employees who believes that any period of time fixed in this citation for the correction a violation is unreasonable has the right to contest such time for correction by filing a notice with the U.S. Department of [illegible] at the address shown above within 15 working days of the receipt by the employer of notice of proposed penalty or notice [illegible] penalty is being proposed.

"No person shall discharge or in any manner discriminate against any employee because such employee has filed any complaint or instituted or caused to be instituted any proceeding under or related to this Act or has testified or is about to testify in such proceeding or because of the exercise by such employee on behalf of himself or others of any right afforded by this Act." Sec. 11 (c)(1) of the Occupational Safety and Health Act of 1970, 29 U.S.C. 651.

The law requires that a copy of the enclosed citation(s) "shall be prominently posted" in a conspicuous place "at or near each place [illegible] violation referred to in the citation occurred." It must remain posted until all violations cited therein are corrected [illegible] working days, whichever period is longer.

* A [illegible] by this citation [illegible] which are not serious violations within the meaning of the Act but [illegible] relationship to occupational safety and health.

Form [illegible]

SGP 0006860

MULTI-STEP ABATEMENT

I. Immediate Temporary Administrative Controls

Initiate immediate temporary administrative controls to prevent employee exposure to excessive asbestos dust concentrations by July 1, 1973. A Compliance Officer will determine if these temporary controls are preventing employee exposure.

(1) Provide U. S. Bureau of Mines approved respirators for all employees working within the joint compound dry mixing and pack out areas of the main plant. Continue the use of respirators until the installation of permanent engineering controls.

(2) Establish a complete respirator program in accordance with the provisions of the American National Standard Practices for Respiratory Protection Z88.2-1969.

(3) Establish a program for maintaining the joint compound dry mixing and pack out areas of the main plant in a clean, orderly and sanitary condition to prevent asbestos dust contamination of the air. This program will include utilizing sealed impermeable bags for the storage of waste asbestos.

(4) Provide employees with protective clothing that can be maintained in a sanitary and reliable condition from becoming contaminated with asbestos. In addition, provide employees with individual clothes lockers to prevent their personal clothing from becoming contaminated with asbestos dust.

(5) Establish a personal monitoring program to determine, at six month intervals, the concentrations of asbestos dust.

(6) Post asbestos "Caution" signs at all approaches to the work area to prevent unprotected persons from entering.

(7) Affix asbestos "Caution" labels on all raw materials, mixtures, scrap, waste, debris and other products containing asbestos to prevent exposure to asbestos dust.

II. Permanent Engineering and Administrative Controls

(1) By July 27, 1973, submit a plan for approval to the U. S. Department of Labor, Occupational Safety and Health Administration, 203 Midtown Plaza, 700 E. Water Street, Syracuse, New York 13210, Mr. Chester C. Whiteside, Area Director, showing a timetable for the installation of engineering controls to prevent employee exposure to asbestos dust concentrations above allowable limits.

(2) Incorporate items (3) through (7) (listed as temporary administrative controls in Part I) as permanent administrative controls to prevent employee asbestos dust exposure.



U.S. DEPARTMENT OF LABOR
Occupational Safety and Health Administration

203 Midtown Plaza
700 E. Water St.
Syracuse, N. Y. 13210

CSHO NO.	OSHA NO.
P-1568	48
AREA	REGION
6010	2

CITATION*

Citation Number 1, Page 4 of 4 Date Issued JUN 13 1973

EMPLOYER Georgia Pacific Corporation

ADDRESS (Street Bloomingdale Road

(City Akron State New York Zip 14001

An inspection of a workplace under your ownership, operation, or control located at above address

and described as follows

Manufactures gypsum wallboard and jointing compound

has been conducted. On the basis of the inspection it is alleged that you have violated the Occupational Safety and Health Act of 1970, 29 U.S.C. 651, in the following respects:

Item number	Standard or regulation allegedly violated	Description of alleged violation	Date on which alleged violation must be corrected
7.	29 CFR 1910.93a (h)(2) Page 22144	Failure of the employer to collect and dispose of all asbestos waste, scrap, debris, bags, containers, contaminated clothing in sealed impermeable bags to prevent any forseeable airborne concentrations of asbestos fibers above the allowable limit.	Multi-Step Abatement (See Reverse Side of this Citation)

Area Director's Signature Chester C. Whiteside

The issuance of a citation does not constitute a finding that a violation of the Act has occurred unless there is a failure to contest as provided for in the Act or, if contested, unless the citation is affirmed by the Occupational Safety and Health Review Commission.

RIGHTS OF EMPLOYEES

Any employee or representative of employees who believes that any period of time fixed in this citation for the correction of a violation is unreasonable has the right to contest such time for correction by filing a notice with the U.S. Department of Labor at the address shown above within 15 working days of the receipt by the employer of notice of proposed penalty or notice that a penalty is being proposed.

"No person shall discharge or in any manner discriminate against any employee because such employee has filed any complaint or instituted or caused to be instituted any proceeding under or related to this Act or has testified or is about to testify in such proceeding or because of the exercise by such employee on behalf of himself or others of any right afforded by this Act." Sec. 11 (c)(1) of the Occupational Safety and Health Act of 1970, 29 U.S.C. 651.

The law requires that a copy of the enclosed citation(s) "shall be prominently posted" in a conspicuous place "at or near each place a violation referred to in the citation occured." It must remain posted until all violations cited therein are corrected or for 3 working days, whichever period is longer.

* All violations covered by this citation are those which are not serious violations within the meaning of the Act for which there is no direct or immediate relationship to occupational safety and health.

F .

SGP 0006862

MULTI-STEP ABATEMENT

I. Immediate Temporary Administrative Controls

Initiate immediate temporary administrative controls to prevent employee exposure to excessive asbestos dust concentrations by July 1, 1973. A Compliance Officer will determine if these temporary controls are preventing employee exposure.

(1) Provide U. S. Bureau of Mines approved respirators for all employees working within the joint compound dry mixing and pack out areas of the main plant. Continue the use of respirators until the installation of permanent engineering controls.

(2) Establish a complete respirator program in accordance with the provisions of the American National Standard Practices for Respiratory Protection Z88.2-1969.

(3) Establish a program for maintaining the joint compound dry mixing and pack out areas of the main plant in a clean, orderly and sanitary condition to prevent asbestos dust contamination of the air. This program will include utilizing sealed impermeable bags for the storage of waste asbestos.

(4) Provide employees with protective clothing that can be maintained in a sanitary and reliable condition from becoming contaminated with asbestos. In addition, provide employees with individual clothes lockers to prevent their personal clothing from becoming contaminated with asbestos dust.

(5) Establish a personal monitoring program to determine, at six month intervals, the concentrations of asbestos dust.

(6) Post asbestos "Caution" signs at all approaches to the work area to prevent unprotected persons from entering.

(7) Affix asbestos "Caution" labels on all raw materials, mixtures, scrap, waste, debris and other products containing asbestos to prevent exposure to asbestos dust.

II. Permanent Engineering and Administrative Controls

(1) By July 27, 1973, submit a plan for approval to the U. S. Department of Labor, Occupational Safety and Health Administration, 203 Midtown Plaza, 700 E. Water Street, Syracuse, New York 13210, Mr. Chester C. Whiteside, Area Director, showing a timetable for the installation of engineering controls to prevent employee exposure to asbestos dust concentrations above allowable limits.

(2) Incorporate items (3) through (7) (listed as temporary administrative controls in Part I) as permanent administrative controls to prevent employee asbestos dust exposure.



SGP 0006863