MD-3-A

PACKAGE TICKET (DRY AND PASTE ONLY)

CODE KY-787 LOT 34596

NET WT/PKG	NO. PKG	PACK. WGT	LOCATION	PQ
50	70	3,500		
	STUMP			

TOTAL NET WT. 3500 PKG. N–CODE 1130

PROD. SPVR.	DATE	WHSE. OPER.
JV	3/5/82	

N 263

CG 03 CODE KY-787-D PKG. ____

→ FEB 27 34596

EST. WGT. ~~1090~~ 990 LBS.

12" in VAT 2ND.

OK / YP

Total Wgt. ~~3490#~~ 3390

PROCESSING INSTRUCTIONS: BATCH UNIT

22
240

PROCESSES	APPROVED BY
KY-787-D (R)	FWK 9/22/76
Alternate	DCG 9/27/76
TYPED BY	
NF 2/12/77	

MAKING NOTES

REMARKS

NAME: KROLOR - YELLOW MEDIUM

NON-BLEEDING

-PRESSING-

INSTRUCTIONS

VAT	240				
DATE	[illegible]				
TIME	[illegible]	TJW			
RELEASED BY	[illegible]				
PRESS	22	23	24	24	
NO. OF CAKES	46	46	46	52	

PRESS with AGITATION

WASH TO 2000 OHMS with 35-75°F water

TEST AFTER 2 HOURS

LOAD on 6 cars

TDS

SAMPLES 1-8 oz JAR

DELIVER TO ctl for color

RECORD

PRESSLOAD	1ST	2ND	3RD	4TH	5TH
STARTED	12:30				
CAKES USED	46				
WATER ON	8:00	3Am			
HRS. WASHED	9				
OHMS	2000				
HRS. WASHED					
OHMS					
HRS. WASHED					
OHMS					
CAKE CONDITION					
NO. CARS LOADED	6				

EXPLAIN LOSSES

SAMPLED BY 382 RELEASED BY WJ

-DRYING-

Dry 12 hrs at 220 °F.
Then Dry 8 hrs at 160°F

LUMP: - OK - WET - SALTS - CONTAMINATED

ADDITIONAL DRYING HOURS REQUIRED

SAMPLES

DELIVER TO

NO. CARS PULLED 14

LUMP WGT. 3377

SAMPLED BY

RELEASED BY WJ

-GRINDING-

MILL 939 HSP 3/32" RP SCREEN 3500 RPM

MAX. TEMP. 150 °F

SCREEN RPM

MAX. TEMP. °F

EXPLAIN LOSSES

SAMPLE / WITHOUT MIXING

SAMPLES 1 ENV & 1 Pt. can

DELIVER TO C T L

DATE MIXED

SAMPLED BY RELEASED BY

N 26308.01

DUP050093784

345.96
41
16

0.00 *

2.56 +
0.12 -
2.55 +
0.12 =
2.43 +
0.12 =
2.50 +
0.12 -
2.42 +
0.12 -
2.70 +
0.12 -
2.60 +
0.12 -
2.48 +
0.12 -
2.50 +
0.12 -
2.50 +
0.12 -
2.64 +
0.12 -
2.51 +
0.12 -
2.45 +
0.12 -
2.61 +
0.12 -
33.77 *

DUP050093785