Monsanto

FROM (NAME & LOCATION): R. McEntire - WGK

DATE: June 22, 1971

SUBJECT:

REFERENCE:

cc: R. Blowers
H. Horner
M. Campbell

TO: W. Engman
C. Buckley
J. Junoz
R. McCutchan
A. Rasmussen

COMPANY CONFIDENTIAL

The amount and type of PCB obtained in recent water samples are reported below. Results are in parts per billion (ppb) unless otherwise noted.

Log No.	Date	Sample Description	(ppb) PCB	Type
628	6-3	WTP Inf	1574	1242
629	6-3	WTP	227	1242
630	6-4	HCl	2	1242
			1	1260
631	6-3	246	3609	1242
			489	1254
632	6-3	30 W	106	1248
			60	1254
633	6-3	24 W	126	1242
			34	1254
634	6-6	WTP Eff	95	1242
			19	1254
635	6-6	WTP Inf	96	1242
			23	1254
636	6-6	246	100	1242
637	6-6	24 W	77	1242
			18	1254
638	6-6	30 W	157	1248
			76	1254
639	6-10	246	3878	1242
			1158	1254
640	6-10	24 W	210	1248
			45	1254
641	6-10	30 W	119	1248
			68	1254
642	6-18	WTP Inf	170	1242
			30	1254
643	6-10	WTP Eff	129	1242
644	6-13	WTP Inf	439	1242
			104	1254
645	6-13	WTP Eff	593	1242
			120	1254
646	6-13	246 MONS 098795	431	1242
			62	1254

Log No.	Date	Sample Description	(ppb) PCB	Type
647	6-15	246 Scrubber H_2O	124	1242
			77	1254
648	6-13	24 W	84	1242
649	6-13	30 W	136	1248
			54	1254
650	6-17	WTP INF	283	1242
			56	1254
651	6-17	WTP Eff	277	1242
			57	1254

R. McEntire

dy