

SWP, GLOSS WHITE

Contents of Can:

Pigment by weight... 68%
Liquid by weight... 32%

100%

Composition of Liquid:

Linseed Oil 90%
Japan Drier and
Turpentine 10%

100%

Zinc Oxide 33%
Lead Sulphate 21%
Lead Carbonate 16%
Magnesium Silicate... 9%

100%

2471

THE SHERWIN-WILLIAMS PAINT

SWP

GLOSS WHITE
FOR OUTSIDE USE

SHERWIN-WILLIAMS CO.



NEW YORK, CHICAGO, NEW ORLEANS,
LONDON, ENG.

SALES OFFICES AND WAREHOUSES IN PRINCIPAL CITIES.

USE 1-11 40

MADE IN U.S.A.

S. W. P. GLOSS WHITE
 Contents of Can:
 Pigment by weight..... 85%
 Liquid by weight..... 15%
 100%
 Composition of Liquid:
 Linseed Oil..... 85%
 Japan Drier and Turp..... 15%
 100%
 Composition of Pigment:
 Lead Carbonate..... 85%
 Lead Sulphate..... 15%
 Zinc Oxide..... 100%

5240

THE SHERWIN-WILLIAMS PAINT

MADE IN U.S.A.

ON GALLONS

PIPERAD

FOR OUTDOOR USE

SHERWIN-WILLIAMS CO.

PAINTS AND VARNISHES

FACTORIES: CLEVELAND, CHICAGO, NEWARK, MONTREAL, LONDON, ENG.

SALES OFFICES AND WAREHOUSES IN PRINCIPAL CITIES

THE SHERWIN-WILLIAMS CO.

PAINTS AND VARNISHES

FACTORIES: CLEVELAND, CHICAGO, NEWARK, MONTREAL, LONDON, ENG.

SALES OFFICES AND WAREHOUSES IN PRINCIPAL CITIES

MADE IN U.S.A.

SWP, GLOSS WHITE

Contents of Can:

Pigment by weight.. 68%
Liquid by weight.... 32%

100%

Composition of Liquid:

Linseed Oil 90%
Japan Drier and
Turpentine 10%

100%

Zinc Oxide 33%
Lead Sulphate 22%
Lead Carbonate 36%
Magnesium Silicate.. 9%

100%

R471

THE SHERWIN-WILLIAMS

PREPARED
MADE IN PAINTS, OILS, AND SOLIDS

ON
GALL

GLOSS WHITE
FOR OUTSIDE USE

THE SHERWIN-WILLIAMS
PAINTS AND VARNISH MANUFACTURING COMPANY



FACTORIES: CLEVELAND, CHICAGO, NEWARK, MOBILE, LONDON, ENG.

SALES OFFICES AND WAREHOUSES IN PRINCIPAL CITIES

V86 G12 1234

THE SHERWIN-WILLIAMS PAINT

SWP

SWP, GLOSS WHITE

Contents of Quart
 Finest by weight. 97%
 Liquid by weight. 99%

Composition of Liquid:

Linseed Oil 91%
 Jenean Drier and
 Turpentine 9%

Zinc Oxide 100%
 Lead Soap 22%
 Lead Carbonate 21%
 Magnesium Silicate 9%

2471

90 213 1431

FINISH
 GLOSS WHITE
 FOR OUTSIDE USE
 GALLONS

SHERWIN-WILLIAMS Co.
 PAINT AND VARNISH MANUFACTURERS.

FACTORIES: CLEVELAND, CHICAGO, NEWARK, MONTREAL,
 LONDON, ENG.

SALES OFFICES AND WAREHOUSES IN PRINCIPAL CITIES.



776

Made in U. S. A.

THE SHERWIN-WILLIAMS PAINT CO.

BLOSS WHITE
FOR OUTSIDE USE

MILWAUKEE, WISCONSIN
MADE BY THE SHERWIN-WILLIAMS CO.
MADE IN U.S.A.

Composition of Liquid:	
Yeast (14).....	90%
Japan Paper and Turbocellulose.....	10%

Lead Carbonate.....	90%
Zinc Oxide.....	95%
Lead Sulfate.....	93%
Magnesium Sulfate.....	94%
	100%

0007-SWP-000329513

SWP, GLOSS WHITE

CONTENTS OF CAN:
 Net weight..... 50
 Liquid by weight..... 50
 Liquid by weight..... 100%

COMPOSITION OF LIQUID:
 Linseed Oil..... 50%
 Japan Oil and Turpentine..... 10%
 100%

Lead Carbonate..... 50%
 Zinc Oxide..... 50%
 Lead Sulfate..... 50%
 Magnesium Silicate..... 100%

NET

THE SHERWIN-WILLIAMS PAINT

MADE IN U. S. A.

GLOSS WHITE

FOR OUTSIDE USE

THE SHERWIN-WILLIAMS CO.

PAINT MANUFACTURERS

MADE IN U. S. A.

SALES OFFICES AND WAREHOUSES IN PRINCIPAL CITIES.

MADE IN U. S. A.

IMPORTANT. STIR THOROUGHLY.

Success in painting depends upon the use of good material carefully applied on a proper surface under favorable conditions. The important thing is to know what to do and how to do it and what not to do and how to avoid it.

The wide variety of conditions of surface and lumber make it difficult to give any definite directions for use which will apply to all cases, and we would therefore prefer that consumers consult our pamphlet, "The Right Use of Paint," which is in the hands of every agent and which gives definite directions covering practically every requirement.

The following general directions must, however, always be observed, else best results in the use of any paint cannot be had:

The paint must be thoroughly stirred. Putting on new work must not be done until after priming. Old work that is peeling or scaling must be properly scraped before repainting. Paint to be used on soft, spongy or open surfaces must be thinned liberally with pure raw linseed oil with a little pure spirits turpentine for first coats and be well brushed in to satisfy the surface, while paint to be used on old, hard and resinous surfaces or for second coat on new work requires the use of less oil and a liberal allowance of spirits turpentine to assist in penetration. Coats must not be flowed on, but must be brushed evenly into the surface. Always use 3 coats on new work.

WHAT TO AVOID.

Never use Ochre as a Primer.

Never paint in wet or frosty weather. The surface must be perfectly dry and free from smoke or grease.

Never paint over green or sappy lumber. Do not apply second or third coats until the undercoat is perfectly dry.

Never add drier of any kind.

Avoid the use of wide or flat brushes. Use a round or oval brush instead. If you can brush out the paint much better and work it into the surface.

513 000

SWP, GLOSS WHITE

Contents of Can:

Percent by weight... 87%
Liquid by weight... 52%

100%

Composition of Liquid:

Linseed Oil 91%
Japan Drier and
Turpentine 9%

100%

Zinc Oxide 33%
Lead Sulphate 21%
Lead Carbonate ... 36%
Magnesium Silicate 10%

100%

R471

THE SHERWIN

MADE IN PAINTS
BU

ONE QUART

GLO FOR

S

THE
FACTORY CLEVELAND, OH
SALES OFFICES AND

186

S. W. P., No. 352

Contents of Can:

Pigment by weight...	58%
Liquid by weight.....	42%
	100%

Composition of Liquid:

Linseed Oil.....	87%
Turpentine.....	4%
Turpentine Drier.....	8%
Water.....	1%
	100%

Composition of Pigment:

Zinc Oxide.....	31%
Lead Sulphate.....	21%
Lead Carbonate.....	31%
Magnesium Silicate..	10%
*Color.....	7%
	100%

***Coloring Materials:**

Ochre	
20% Ferric Oxide	
80% Silica and Silicates	
Indian Red	
98% Ferric Oxide	
2% Silica and Silicates	
Lamp Black—Pure Carbon	

THE SHERWIN-WILLIAMS

MADE IN PAINTS

**HALL
GALL**

**DARK FAWN
352**

**THE SHERWIN-WILLIAMS
PAINTS AND VARNISH MANUFACTURING CO.**

FACTORIES: LONDON, NEW YORK, NEWCASTLE, LONDON, ENGL.

SALES OFFICES AND WAREHOUSES IN 50 PRINCIPAL CITIES

U.S. G. P. M.

SWP, No. 351

Contents of Can:

Pigment by weight... 57%
Liquid by weight.... 43%
100%

Composition of Liquid:

Linseed Oil 89%
Turpentine 2%
Japan Drier 8%
Water 1%
100%

Composition of Pigment:

Zinc Oxide 32%
Lead Sulphate 22%
Lead Carbonate 32%
Magnesium Silicate.. 11%
*Color 3%
100%

***Coloring Material:**

Golden Ochre
5% Ferric Oxide
5% Lead Chromate
30% Silica and Silicates
60% Calcium Sulphate
Indian Red
98% Ferric Oxide
2% Silica and Silicates
Lamp Black
Pure Carbon

313 808

THE SHERWIN-WILLIAMS

PAINTS

MAINTENANCE PAINTS

STONE

351

THE SHERWIN-WILLIAMS

PAINTS AND VARNISHES

FACTORIES: LONDON, ENGLAND, NEW YORK, N.Y.

SALES OFFICES AND WAREHOUSES IN PRINCIPAL PORTS

U86

SWP, FLAT WHITE

Contents of Can:

Pigment by weight... 60%
Liquid by weight... 40%

100%

Composition of Liquid:

Linseed Oil 35%
Varnish 8%
Turpentine and Oil 53%
Water 2%

100%

Composition of Pigment:

Zinc Oxide 63%
Lead Sulphate 21%
Magnesium Silicate 17%

100%

R350

THE SHERWIN-WILLIAMS PAINT CO.

MADE IN ENGLAND

HALF
GALLON

★
FLAT WHITE
★
FOR INSIDE USE ONLY

SHERWIN-WILLIAMS CO.
PAINTS AND VARNISH MANUFACTURERS

FACTORIES: LONDON, ENGLAND, NEW YORK, MONTREAL,
LONDON, ENGL.

SALES OFFICES AND WAREHOUSES IN PRINCIPAL CITIES

USE 1-11 40

0007-SWP-000329519

MAY 13 1914

PERM

THE SHERWIN-WILLIAMS PAINT

SWP

GLASS WHITE

FOR OUTDOOR USE

MADE IN U. S. A.

SALES OFFICES AND WAREHOUSES IN PRINCIPAL CITIES.

U.S. GAO 1953

MADE IN U. S. A.

S. W. P. GLOSS WHITE

Contents of Cans:

Pigment by weight.....	88%
Liquid by weight.....	12%
	100%

Composition of Liquid:

Linseed Oil.....	88%
Japan Drier and Turp.....	12%
	100%

Composition of Pigment:

Lead Carbonate.....	88%
Lead Sulfate.....	12%
Zinc Oxide.....	100%

RM49

General No. 19

only for bus.

SWP, No. 357

Contents of Can:

Pigment by weight... 60%
Liquid by weight... 40%
100%

Composition of Liquid:

Linseed Oil 89%
Turpentine 2%
Japan Drier 8%
Water 1%
100%

Composition of Pigment:

Zinc Oxide 34%
Lead Sulphate 22%
Lead Carbonate 33%
Magnesium Silicate.. 11%
100%

Tinted with Umber and
Lamp Black.

THE SHERWIN-WILLIAMS

MADE IN PAINTS

HA
GALL

SILVER GRAY

357

FACTORIES: LONDON, ENGLAND, NEW YORK, N.Y.

SALES OFFICES AND WAREHOUSES IN PRINCIPAL CITIES

USE 1-11 40

S W P, No. 354

Contents of Can:

Pigment by weight... 60%
Liquid by weight... 40%

100%

Composition of Liquid:

Linseed Oil..... 86%
Turpentine..... 6%
Turpentine Drier..... 7%
Water..... 1%

100%

Composition of Pigments:

Zinc Oxide..... 33%
Lead Sulphate..... 22%
Lead Carbonate..... 33%
*Colour..... 12%

100%

***Coloring Materials:**

Ultra Blue
Contains Silica, Alumina,
Sulphur and Sodium
Oxide combined by
fusing.

Chrome Yellow
65% Lead Chromate
35% Lead Sulphate

Golden Ochre
3% Ferric Oxide
14% Lead Chromate
83% Silica and Silicates

Extra
7/12
9/6/12

THE SHERWIN-WILLIAMS

SEA GREEN
354

SALES OFFICES AND WAREHOUSES IN PRINCIPAL PORTS

FACTORIES: LONDON, NEWCASTLE, SHEPPARTON

L36 G10 1952

SWP, No. 355

Contents of Can:
 Pigment by weight... 54%
 Liquid by weight... 46%

Composition of Liquid:
 Linseed Oil 89%
 Turpentine 2%
 Japan Drier 8%
 Water 1%

Composition of Pigment:
 Zinc Oxide 18%
 Lead Carbonate..... 38%
 Lead Sulphate 16%
 Magnesium Silicate.. 13%
 *Color 5%

*Coloring Material:
 Ultra Blue
 Contains Silica, Alumina,
 Sulphur and Sodium Oxide
 combined by fusing.
 Chrome Yellow
 65% Lead Chromate
 35% Lead Sulphate
 Bone Black
 12% Animal Carbon
 88% Calcium Phosphate
 and Carbonate
 Umber
 10% Manganese Oxide
 45% Ferric Oxide
 45% Silica and Silicates

THE SHERWIN-WILLIAMS

PREPARED
MAINTENANCE PAINTS

HALF
GALLON

SAGE GREEN

355

THE SHERWIN-WILLIAMS
PAINTS AND VARNISHES

FACTORIES: LONDON, ENGLAND, NEW YORK, U.S.A.

SALES OFFICES AND WAREHOUSES IN ALL PRINCIPAL PORTS

U.S. 141

SWP, No. 353

Contents of Can:
 Pigment by weight... 38%
 Liquid by weight... 42%

Composition of Liquid:
 Linseed Oil 90%
 Turpentine 3%
 Isan Drier 5%
 Water 1%

Composition of Pigment:
 Zinc Oxide 33%
 Lead Sulphate 22%
 Lead Carbonate 34%
 Magnesium Silicate... 11%

Tinted with Carbon and Ultra Blue.

THE SHERWIN-WILLIAMS PAINT

MADE IN U.S.A.

PAINT

353

LIGHT LEAD

GALLONS

SHERWIN-WILLIAMS CO.

PAINTS AND VARNISHES

NEW YORK, N.Y.

CHICAGO, ILL.

LONDON, ENGL.

SALES OFFICES AND WAREHOUSES IN PRINCIPAL CITIES.

MADE IN U.S.A.

SWP, No. 362

Contents of Can:

Pigment by weight..	51%
Liquid by weight...	49%
	100%

Composition of Liquid:

Linseed Oil	86%
Turpentine	8%
Japan Drier	7%
Water	1%
	100%

The Pigment is Chrome Green:

17% Lead Chromate
5% Lead Sulphate
68% Barium Sulphate
8% Kaolin
4% Ferric Ferro Cyanide

THE SHERWIN-WILLIAMS

PAINTS

MADE IN PAINTS

HA

GALL

FRENCH CROWN GREEN

MEDIUM

★ 362 ★

THE SHERWIN-WILLIAMS

PAINTS AND VARNISHES

FACTORIES: LONDON, ENGLAND, NEW YORK, N.Y.

SALES OFFICES AND WAREHOUSES IN PRINCIPAL CITIES OF THE WORLD

U.S. 1-11 40

S W P, No. 361

Contents of Can:

Pigment by weight....	54%
Liquid by weight.....	46%
	100%

Composition of Liquid:

Linseed Oil.....	86%
Turpentine.....	5%
Turpentine Drier.....	8%
Water.....	1%
	100%

Composition of Pigment:

Zinc Oxide.....	43%
Lead Sulphate.....	28%
Lead Carbonate.....	18%
Magnesium Silicate...	14%
	100%

Tinted with Ultra Blue,
Ferric Oxide and Carbon.

THE SHERWIN-WILLIAM

SWW

PAINTS

MAINTENANCE PAINTS

HAIR GALL

LAVENDER

361

THE SHERWIN-WILLIAM

PAINTS AND VARNISH MANUFACTURING CO.

FACTORIES: LONDON, ENGLAND, NEW YORK, N.Y.

LONDON, ENG.

SALES OFFICES AND WAREHOUSES IN 25 PRINCIPAL CITIES

U.S. G. 1630

SWP, No. 360

Contents of Can:

Pigment by weight... 59%
Liquid by weight... 41%

100%

Composition of Liquid:

Linseed Oil 89%
Turpentine 2%
Japan Drier 8%
Water 1%

100%

Composition of Pigment:

Zinc Oxide 37%
Lead Sulphate 18%
Lead Carbonate 3%
Magnesium Silicate... 11%
*Color 1%

100%

***Coloring Materials:**

Ultra Blue
Contains Silica, Alumina,
Sulphur and Sodium Oxide,
combined by fuming.
Lump Black—Pure Carbon
Ochre
20% Ferric Oxide
80% Silica and Silicates
Golden Ochre
5% Lead Chromate
5% Ferric Oxide
30% Silica and Silicates
60% Calcium Sulphate

B18 R20

THE SHERWIN-WILLIAMS

PAINTS
MAINTENANCE PAINTS

**HA
GAL**

CREAM GRAY

360

THE SHERWIN-WILLIAMS
PAINTS AND VARNISH MANUFACTURING CO.

WORKS: LONDON, ENGLAND, NEW YORK, N.Y.
LONDON, ENGL.

SALES OFFICES AND WAREHOUSES IN PRINCIPAL PORTS

L786

SWP, No. 358

Contents of Can:
 Pigment by weight... 57%
 Liquid by weight... 43%

Composition of Liquid:
 Linseed Oil 89%
 Turpentine 2%
 Japan Drier 8%
 Water 1%

Composition of Pigment:
 Zinc Oxide 25%
 Lead Sulphate 25%
 Lead Carbonate 18%
 Manganese Silicate 11%
 Color 3%

Coloring Material:
 Ultra Blue
 Contains Silica, Alumina,
 Sulphur and Sodium Ox-
 ide, combined by furnace
 fusing.
 Chrome Yellow
 65% Lead Chromate
 35% Lead Sulphate
 Bone Black
 12% Animal Carbon
 88% Calcium Urophosphate
 and Carbonate

MADE IN U.S.A.

THE SHERWIN-WILLIAMS PAINT

GREEN STONE

358

PAINTS

MADE IN U.S.A.

GREEN STONE

358

PAINTS

MADE IN U.S.A.

THE SHERWIN-WILLIAMS PAINT

GREEN STONE

358

PAINTS

MADE IN U.S.A.

MADE IN U.S.A.

THE SHERWIN-WILLIAMS PAINT

GREEN STONE

358

PAINTS

MADE IN U.S.A.

GREEN STONE

358

PAINTS

MADE IN U.S.A.

THE SHERWIN-WILLIAMS PAINT

GREEN STONE

358

PAINTS

MADE IN U.S.A.

SWP, No. 366

Contents of Can:

Pigment by weight... 46%
Liquid by weight... 52%

100%

Composition of Liquid:

Linseed Oil 86%
Turpentine 6%
Japan Drier 7%
Water 1%

100%

Composition of Pigment:

*Color 80%
Magnesium Silicate... 20%

100%

***Coloring Materials:**

Chrome Green
16% Lead Chromate
4% Lead Sulphate
69% Barium Sulphate
6% Kaolin
5% Ferric Ferro Cyanide
Bone Black
12% Animal Carbon
88% Calcium Phosphate
and Carbonate

THE SHERWIN-WILLIAMS

PAINTS
MADE IN ENGLAND

**HALL
GALL**

**FRENCH CROWN GREEN
DARK**

★ 366 ★

THE SHERWIN-WILLIAMS
PAINTS
WHOLESALE AND RETAIL
LONDON, E.C.4.

SALES OFFICES AND WAREHOUSES IN PRINCIPAL

USE GIZ 1234

S W P, No. 364

Contents of Can:

Pigment by weight....	55%
Liquid by weight....	45%
	100%

Composition of Liquids:

Linseed Oil.....	84%
Turpentine.....	7%
Turpentine Drier.....	7%
Water.....	2%
	100%

Composition of Pigments:

Zinc Oxide.....	53%
Lead Sulphate.....	31%
Magnesium Silicate....	10%
*Color.....	2%
	100%

***Coloring Material:**

Non-fading Red
5% Lead Chromate
14% Zinc Oxide
21% Lead Oxide
27% Blanc Fixe
12% Alumina
20% Organic Coloring Matter
Chrome Yellow
Pure Lead Chromate
Turkey Red
25% Ferric Oxide
75% Calcium Carbonate

THE SHERWIN-WILLIAMS

PAINTS

MAINTENANCE PAINTS

HAIR GALL

PINK

364

THE SHERWIN-WILLIAMS

PAINTS AND VARNISH MANUFACTURING CO.

FACTORIES: LONDON, ENGLAND, NEW YORK, U.S.A.

SALES OFFICES AND WAREHOUSES IN PRINCIPAL PORTS OF THE WORLD

U.S.G. 610 1952

SWP, No. 363

Contents of Can:
 Pigment by weight... 13%
 Liquid by weight... 43%
 100%

Composition of Liquid:
 Linseed Oil 89%
 Turpentine 7%
 Japan Drier 5%
 Water 1%
 100%

Composition of Pigment:
 Zinc Oxide 33%
 Lead Carbonate 33%
 Lead Sulphate 22%
 Magnesium Silicate... 11%
 *Color 1%

*Coloring Material:
 Ultra Blue
 Contains Silica, Alumina,
 Sulphur and Sodium Ox-
 ide combined by fusing.
 Lamp Black—Pure Carbon

B18 863

MADE IN U.S.A.

THE SHERWIN-WILLIAMS PAINT

MADE IN U.S.A.

PAINTED

SLATE

363

THE SHERWIN-WILLIAMS CO.

PAINTS AND VARNISHES

NEW YORK, N.Y. LONDON, ENGL. MONTREAL, CANADA

SALES OFFICES AND WAREHOUSES IN PRINCIPAL CITIES.

MADE IN U.S.A.

Sta. General No. 19

S. W. P., No. 372

Contents of Can:
 Pigment by weight 48%
 Liquid by weight 52%

Composition of Liquid:
 Linseed Oil 85%
 Turpentine 5%
 Turpentine Drier 5%
 Water 1%

Composition of Pigment:
 "Color" 85%
 Magnesium Silicate 25%

*Coloring Material:
 Chrome Yellow
 81% Lead Chromate
 11% Lead Sulphate
 8% Barium Sulphate
 Lamp Black
 Pure Carbon
 Oxide
 20% Ferric Oxide
 20% Silica & Silicates
 Golden Ochre
 5% Lead Chromate
 5% Ferric Oxide
 30% Silica
 40% Calcium Sulphate

THE SHERWIN-WILLIAMS PAINT

MADE IN ENGLAND

PAINTS

OLIVE BROWN

372

SHERWIN-WILLIAMS & CO.

PAINTS AND VARNISH MANUFACTURERS

FACTORIES: SHEFFIELD, MANCHESTER, NEWCASTLE, LONDON, E.C.

SALES OFFICES AND WAREHOUSES IN 26 PRINCIPAL CITIES.

USA C₉ 467

MADE IN U.S.A.

THE SHERWIN-WILLIAMS PAINT

PAINTED

METALLIC BROWN

370

HALF GALLON

SHERWIN-WILLIAMS CO.

PAINTS AND VARNISH MANUFACTURERS

FACTORIES: LONDON, ENGLAND, NEW YORK, N.Y., MONTREAL, CANADA.

SALES OFFICES AND WAREHOUSES IN 23 PRINCIPAL CITIES.

TRADE MARK

MADE IN U.S.A.

S. W. P., No. 370

Contents of Can:

Pigment by weight..48%
Liquid by weight..52%

100%

Composition of Liquid:

Lined Oil85%
Turpentine12%
Turpentine Drier.. 7%
Water 1%

100%

This Pigment is Red

Contains:
10% Ferric Oxide
17% Calcium Carbonate
83% Silica & Silicates

SWP, No. 369

Contents of Can:

Pigment by weight... 57%
Liquid by weight... 43%

100%

Composition of Liquid:

Linseed Oil 89%
Turpentine 2%
Alkanolamine 8%
Water 1%

100%

Composition of Pigment:

Zinc Oxide 54%
Lead Sulphate 36%
Magnesium Silicate... 10%

100%

Tinted with Ferric Ferro
Cyanide

THE SHERWIN-WILLIAMS PAINT.

SWP

369

BLUE



SHERWIN-WILLIAMS CO.
PAINTS AND OILS
LONDON, ENGL.
NEW YORK, N.Y.
MONTREAL, QUEBEC

MADE IN U.S.A.

S. W. P., No. 383

Contents of Can:
 Pigment by weight..... 57%
 Liquid by weight..... 43%
 100%

Composition of Liquid:
 Linseed Oil..... 86%
 Turpentine..... 5%
 Turpentine Thinner..... 9%
 Water..... 1%
 100%

Composition of Pigment:
 Zinc Oxide..... 34%
 Lead Sulphate..... 22%
 Lead Carbonate... 14%
 Magnesium Silicate 20%
 *Color 10%
 100%

***Coloring Materials:**
 Yellow
 Pure Zinc Chromate
 Ultra Blue
 Contains Silica, Alumina, Sulphur and Sodium Oxide, combined by furnacing.

THE SHERWIN-WILLIAMS

PAINTS

MAINTENANCE PAINTS

HAIR GALL

PEA GREEN

383

SHERWIN-WILLIAMS

PAINTS AND PAINTS

FACTORIES: LONDON, NEW YORK, NEWCASTLE, LONDON, ENG.

SALES OFFICES AND WAREHOUSES IN 20 PRINCIPAL

USE Gp. 1/2

S W P, No. 382

Contents of Can:

Pigment by weight... 45%
Liquid by weight... 55%

100%

Composition of Liquid:

Linseed Oil..... 80%
Turpentine..... 18%
Turpentine Drier..... 2%

100%

The Pigments Red Oxide

33% Ferric Oxide
54% Silica and Silicates
3% Calcium Carbonate
4% Organic Lake

MADE IN U.S.A.

PAINTS

THE SHERWIN-WILLIAMS PAINT

PAINTS

MADE IN U.S.A.

PAINTS

HA
GALL

HIGH MAROON

382

THE SHERWIN-WILLIAMS PAINT CO.

PAINTS

MADE IN U.S.A.

MADE IN U.S.A.

MADE IN U.S.A.

PAINTS

MADE IN U.S.A.

PAINTS

U.S. G.D. 1951

MADE IN U.S.A.

CHINA GLOSS WHITE

Contents of Can:

Pigment by weight	54%
Liquid by weight	46%
	100%

Composition of Liquid:

Linseed Oil.....	68%
Varnish	32%
Turpentine	13%
Water	3%
	100%

Composition of Pigment:

Zinc Oxide.....	67%
Lead Sulphate.....	34%
Magnesium Silicate	13%
	100%

R773

THE SHERWIN-WILLIAMS

PAINTS AND VARNISHES

MADE IN ENGLAND

CHINA GLOSS WHITE

FOR INSIDE USE

HALF GALLON

FACTORIES: CHICHESTER, ENGLAND, NEWARK, N.J., LONDON, ENGLAND.

SALES OFFICES AND WAREHOUSES IN PRINCIPAL PORTS

CN 610 1952

SWP, No. 387

Contents of Can:

Pigment by weight... 60%
Liquid by weight... 40%

100%

Composition of Liquid:

Linseed Oil 90%
Turpentine 3%
Japan Drier 6%
Water 1%

100%

Composition of Pigment:

Zinc Oxide 33%
Lead Sulphate 22%
Lead Carbonate 33%
Magnesium Silicate.. 11%
Color 1%

100%

***Chrome Yellow**

84% Lead Chromate
16% Lead Sulphate

THE SHERWIN-WILLIAMS

PAINTS

MADISON PAINTS

HALL

GALL

CANARY YELLOW

387

THE SHERWIN-WILLIAMS

PAINTS

COLOURS: CHROMA, CHROMA, NEWARK, N.J.

LONDON, ENGL.

SALES OFFICES AND WAREHOUSES IN PRINCIPAL CITIES

U.S. GIZ 1234

SWP, No. 386

Contents of Can:
 Pigment by weight... 49%
 Liquid by weight... 51%

100%

Composition of Liquid:
 Linseed Oil 86%
 Turpentine 7%
 Japan Drier 7%

100%

Composition of Pigment:
 Zinc Oxide 4%
 Lead Sulphate 3%
 *Color 93%

100%

*Coloring Material:
 Venetian Red
 18% Ferric Oxide
 45% Calcium Sulphate
 13% Calcium Carbonate
 24% Silica and Silicates
 Bone Black
 12% Animal Carbon
 88% Calcium Phosphate
 and Carbonate
 Chrome Yellow
 57% Lead Chromate
 18% Lead Sulphate
 25% Barium Sulphate

THE SHERWIN-WILLIAMS

PAINTS
 MADE IN PAINTS

**HALL
GALLERY**

TEAK BROWN DARK

386

THE SHERWIN-WILLIAMS
PAINTS
 LONDON, ENGL.

SALES OFFICES AND WAREHOUSES IN PRINCIPAL CITIES

USE G12 1234

SWP, No. 385

Contents of Can:

Pigment by weight... 56%
Liquid by weight... 44%
100%

Composition of Liquid:

Linseed Oil 89%
Turpentine 2%
Japan Drier 8%
Water 1%
100%

Composition of Pigment:

Zinc Oxide 31%
Lead Sulphate 21%
Lead Carbonate 31%
Magnesium Silicate... 10%
*Color 7%
100%

***Coloring Material:**

Ochre
20% Ferric Oxide
80% Silica and Silicates
Umber
10% Manganese Oxide
45% Ferric Oxide
45% Silica and Silicate
Chrome Yellow
Lead Chromate

THE SHERWIN-WILLIAMS

PAINTS
MANUFACTURED BY THE SHERWIN-WILLIAMS CO.

STRAW
385

SHERWIN-WILLIAMS
PAINTS AND VARNISHES
FACTORIES: LONDON, ENGLAND, NEW YORK, U.S.A.

SALES OFFICES AND WAREHOUSES IN PRINCIPAL PORTS

U.S. 1-11 48

Cleveland

5-13-24

J. G. Weber

#462 Labels.

Wish to advise you that it h d been definitely decided not
to imprint the word "Cream" on #462 Labels, but on the next printing the
name will appear Ivory or Cream.
#462

Very truly yours,

WRS:MU
Copy to H. Campbell

Dept. of Cents.

SWP, No. 393

Contents of Can:

Pigment by weight... 46%
Liquid by weight... 54%

100%

Composition of Liquid:

Linseed Oil 85%
Turpentine 7%
Japan Drier 7%
Water 1%

100%

Composition of Pigment:

Zinc Oxide 12%
Lead Sulphate 8%
Magnesium Silicate... 10%
*Color 70%

100%

***Coloring Material:**

Chrome Yellow
37% Lead Chromate
18% Lead Sulphate
25% Barium Sulphate
Bone Black
12% Animal Carbon
88% Calcium Phosphate
and Carbonate
Red Oxide
43% Ferric Oxide
55% Silica and Silicates
Ochre
20% Ferric Oxide
80% Silica and Silicates

THE SHERWIN-WILLIAM

PAINTS
MADE IN ENGLAND

**HAIR
GALL**

**TOBACCO BROWN
393**

THE SHERWIN-WILLIAM
PAINTS AND VARNISH MANUFACTURING CO. LTD.
LONDON, ENGLAND

SALES OFFICES AND WAREHOUSES IN PRINCIPAL

1834

THE SHERWIN-WILLIAMS PAINT

inside

Hide &



8

1

1

200

INSURE

We are all well. The
hall of
for former
and a
no more agree in spirit
of applying it, if in any instance, it is not found as above
determined.

The
will
love.
The
proper
writing
well letter, near
to, including Buvi
id, will not break,

Ed. Thomas Williams Co.

Indonesian officials, including, in particular, Lieutenant Colonel Soedono and Major Soedono, in the Indonesian army, are also being investigated.

THE

S W P, No. 391

Contents of Can:

Pigment by weight... 56%
Liquid by weight... 44%
100%

Composition of Liquid:

Linseed Oil..... 86%
Turpentine..... 6%
Turpentine Drier..... 7%
Water..... 1%
100%

Composition of Pigment:

Zinc Oxide..... 32%
Lead Sulphate..... 21%
Lead Carbonate..... 32%
Magnesium Silicate... 11%
*Color..... 3%
100%

***Coloring Material:**

Chrome Yellow
51% Lead Chromate
18% Lead Sulphate
25% Barium Sulphate
Lump Black—Pure Carbon
Ochre
20% Ferric Oxide
40% Silica and Silicates

THE SHERWIN-WILLIAMS

PAINTS
MADE IN ENGLAND

**HA
GAL**

**QUAKER DRAB
391**

SHERWIN-WILLIAMS & CO.
PAINTS AND VARNISH MANUFACTURERS

**FACTORIES: NEWCASTLE, LONDON, NEWARK, MONTREAL,
LONDON, ENGLAND.**

SALES OFFICES AND WAREHOUSES IN PRINCIPAL CITIES

USG G10 1952

THE SHERWIN-WILLIAMS PAINT

Inside

side

10

to

FRENCH GROWN BREW

00

000

WIRECORE

ed, will not break,
and better, near
its, including some

For
with
low

the of
hall off
of home

the hereby agree in full value of the joint and the cost of applying it, if in any instance, it is not found as above suggested.

The Thomas-William Co.

[illegible]

074 11 43

SWP, No. 457

Contents of Can:

Pigment by weight... 60%
Liquid by weight... 40%
100%

Composition of Liquid:

Linseed Oil 89%
Turpentine 2%
Japan Drier 8%
Water 1%
100%

Composition of Pigment:

Zinc Oxide 33%
Lead Carbonate 33%
Lead Sulphate 22%
Magnesium Silicate... 11%
*Color 1%
100%

***Coloring Material:**

Golden Ochre
5% Lead Chromate
3% Ferric Oxide
32% Silica
60% Calcium Sulphate
Venetian Red
22% Ferric Oxide
16% Calcium Carbonate
56% Calcium Sulphate
6% Silica and Silicates

THE SHERWIN-WILLIAMS

PAINTS
MAINTENANCE PAINTS

**HA
GAL**

CORAL TINT

457

THE SHERWIN-WILLIAMS
PAINTS AND VARNISH MANUFACTURING CO.

SALES OFFICES: LONDON, ENGLAND, NEW YORK, U.S.A.

SALES OFFICES AND WAREHOUSES IN PRINCIPAL PORTS

USE 1-11 40

S W P, No. 456

Contents of Can:

Pigment by weight... 57%
Liquid by weight... 43%
100%

Composition of Liquid:

Linseed Oil... 87%
Turpentine... 4%
Turpentine Drier... 8%
Water... 1%
100%

Composition of Pigment:

Zinc Oxide... 31%
Lead Sulphate... 11%
Lead Carbonate... 42%
Magnesium Silicate... 10%
*Color... 6%
100%

***Coloring Material:**

Red Oxide:
28% Ferric Oxide
72% Calcium Carbonate

Chrome Yellow

57% Lead Chromate
18% Lead Sulphate
25% Barium Sulphate

Ochre

20% Ferric Oxide
80% Silica and Silicates

THE SHERWIN-WILLIAMS

PAINTS
MAINTENANCE PAINTS

**HA
GAL**

SALMON

456

THE SHERWIN-WILLIAMS
PAINTS AND VARNISHES

FACTORIES: NEWLAND, NEWCASTLE, NEW
LONDON, ENGLAND.

SALES OFFICES AND WAREHOUSES IN 25 PR

U.S. Co. 189

1156

PRIMER YELLOW

Contents of Can:

Pigment by weight 58%
Liquid by weight.. 41%

100%

Composition of Liquid:

Linseed Oil..... 87%
Turpentine 6%
Turpentine Drier.. 7%

100%

Composition of Pigments:

Lead Carbonate... 34%
Magnesium Silicate 62%
*Ochre 34%

100%

*Ochre
20% Ferric Oxide
80% Silica & Silicates
R450

SHERWIN-WILL PRIMER YELLOW

HALF
GALLON

For use under medium or dark
S.W.P. A solvent undercoat
makes the surface and base ready
upon which to apply good paint
heavy in consistency and is
thinned before use by the add
two gallons pure SW linseed
oil quart to three parts of pure
turpentine to each gallon of
brush out this.

THE SHERWIN-WILL
PAINT AND VARNISH



FACTORIES: CLEVELAND, CHICAGO, N.Y.
LONDON, ENGL.

SALES OFFICES AND WAREHOUSES IN

380 A10 913

SWP, No. 394

Contents of Can:

Pigment by weight... 56%
Liquid by weight... 44%
100%

Composition of Liquid:

Linseed Oil 98%
Turpentine 3%
Japan Drier 8%
Water 1%
100%

Composition of Pigment:

Zinc Oxide 80%
Lead Carbonate... 24%
Lead Sulphate... 19%
Magnesium Silicate 14%
Color 12%
100%

Coloring Material:

Chrome Yellow
60% Lead Chromate
15% Lead Sulphate
25% Barium Sulphate
*Gehre
20% Ferric Oxide
80% Mica and Silicates

THE SHERWIN-WILLIAMS

PAINTED

MAINTENANCE PAINTS

PRIMROSE YELLOW

394

THE SHERWIN-WILLIAMS

PAINTS AND VARNISHES

FACTORIES: NEW ZEALAND, AUCKLAND, NEW ZEALAND, LONDON, ENGLAND.

SALES OFFICES AND WAREHOUSES IN PRINCIPAL PORTS AND CITIES.

U.S. A-14 724

7

JUL 23 1914

SWP, No. 394

Contents of Can:
 Pigment by weight... 56%
 Liquid by weight... 44%

100%
 Composition of Liquid:
 Linseed Oil 86%
 Turpentine 5
 Japan Drier 85
 Water 15

100%
 Composition of Pigments:
 Zinc Oxide 32%
 Lead Carbonate 24%
 Lead Sulphate 16%
 Magnesium Silicate.. 15
 *Color 13%

100%
 Coloring Material:
 Chrome Yellow
 59% Lead Chromate
 15% Lead Sulphate
 26% Barium Sulphate
 Ochre
 20% Ferric Oxide
 80% Silica and Silicates

THE SHERWIN-WILLIAMS

PRIMROSE YELLOW
394

HA
GALL

ES
PA
W
W

SALES OFFICES AND WAREHOUSES IN PRIN

U.S. G12 1234

S. W. P., No. 463

Contents of Can:

Pigment by weight.. 45%
Liquid by weight.. 55%
100%

Composition of Liquid:

Linseed Oil..... 80%
Turpentine 7%
Turpentine Drier.. 7%
100%

The Pigment is a Non-Fading Red.

14% Lead Oxide
4% Lead Chromate
10% Zinc Oxide
18% Barium Sulfate
8% Alumina
32% Barium Sulphate
14% Organic Coloring Matter

THE SHERWIN-WILLIAMS

PERMANENT CARDINAL RED

463

FACTORIES: LONDON, ENGLAND, NEW YORK, U.S.A.

SALES OFFICES AND WAREHOUSES IN PRINCIPAL PORTS

USE G10 1932

S W P, No. 462

SWP, No. 461

Contents of Can:

Pigment by weight... 44%
Liquid by weight... 56%
100%

Composition of Liquid:

Linseed Oil 86%
Turpentine 6%
Japan Drier 7%
Water 1%
100%

Composition of Pigment:

*Color 55%
Magnesium Silicate... 45%
100%

***Coloring Material:**

Chrome Green
46% Lead Chromate
19% Lead Sulphate
2% Kaolin
30% Barium Sulphate
3% Ferric Ferro Cyanide
Bone Black
12% Animal Carbon
88% Calcium Phosphate
and Carbonate

THE SHERWIN-WILLIAMS

PAINTS AND PAINTS

HALL

WILLOW GREEN

461

THE SHERWIN-WILLIAMS
PAINTS AND PAINTS
MADE IN ENGLAND
LONDON, ENGL.

SALES OFFICES AND WAREHOUSES IN PRINCIPAL

USE G12 1834

SWP, No. 460

Contents of Can:

Pigment by weight... 56%
Liquid by weight... 42%
100%

Composition of Liquid:

Linseed Oil 89%
Turpentine 2%
Japan Drier 8%
Water 1%
100%

Composition of Pigment:

Zinc Oxide 36%
Lead Carbonate 31%
Lead Sulphate 16%
Magnesium Silicate.. 10%
*Color 7%
100%

***Coloring Material:**

Chrome Green
62% Lead Chromate
33% Lead Sulphate
5% Ferric Ferro Cyanide

Ultra Blue

Contains Silica, Sulphur
and Sodium Oxide, com-
bined by fuming.

THE SHERWIN-WILLIAMS

PAINTS
MADE IN ENGLAND

**HA
GALL**

APPLE GREEN

460

THE SHERWIN-WILLIAMS
PAINTS AND VARNISH MANUFACTURING CO. LTD.
WORKS: CHROMYND, NEWARK, Notts.
LONDON, ENG.

SALES OFFICES AND WAREHOUSES IN PRINCIPAL PORTS

U.S. GIZ 1234

General No 22

SWP, No. 464

CONTENTS OF CAN:

Pigment by weight...	58%
Liquid by weight.....	42%
	100%

COMPOSITION OF LIQUID:

Linseed Oil.....	90%
Turpentine.....	3%
Japan Drier.....	4%
Water.....	1%
	100%

COMPOSITION OF PIGMENT:

Zinc Oxide.....	53%
Lead Sulphate.....	35%
Magnesium Silicate...	10%
*Color.....	2%
	100%

***COLORING MATERIAL:**

Ultra Blue
Contains Silica, Alumina,
Sulphur and Sodium Oxide,
combined by farnacing.

THE SHERWIN-WILLIAMS

PAINTS

MANUFACTURED IN ENGLAND

SKY BLUE

464

FACTORIES: LONDON, ENGLAND, NEW YORK, N.Y.

SALES OFFICES AND WAREHOUSES IN PRINCIPAL PORTS OF THE WORLD

U86 I-11 40

SWP, No. 371

Contents of Can:
 Pigment by weight... 51%
 Liquid by weight... 49%
 100%

Composition of Liquid:
 Linseed Oil 82%
 Turpentine 2%
 Japan Drier 8%
 Water 1%
 100%

Composition of Pigment:
 Zinc Oxide 38%
 Lead Sulphate 18%
 Lead Carbonate 23%
 Magnesium Silicate... 15%
 *Color 16%
 100%

***Coloring Material:**
Ultra Blue
 Contains Silica, Alumina,
 Sulphur and Sodium Ox-
 ide, combined by furnac-
 ing.
Chrome Yellow
 65% Lead Chromate
 35% Lead Sulphate
Bone Black
 12% Animal Carbon
 88% Calcium Phosphate
 and Carbonate
Umber
 10% Manganese Oxide
 45% Ferric Oxide
 45% Silica and Silicates

THE SHERWIN-WILLIAMS

PAINTS
 MANUFACTURED BY THE SHERWIN-WILLIAMS CO. LTD.

**HALF
GAL**

**LINCOLN GREEN
371**

THE SHERWIN-WILLIAMS CO. LTD.
PAINTS AND VARNISH MANUFACTURERS

FACTORIES: LONDON, ENGLAND, NEW YORK, N.Y., BOSTON, MASS., PHILADELPHIA, PA., SAN FRANCISCO, CALIF.

SALES OFFICES AND WAREHOUSES IN PRINCIPAL CITIES

USE 1-11 40

S. W. P., No. 388

Contents of Can:

Pigment by weight..... 35%
Liquid by weight..... 65%
100%

Composition of Liquid:

Linseed Oil..... 85%
Turpentine..... 15%
Turpentine Drier..... 100%

Composition of Pigment:

*Colony..... 76%
Magnesium Silicate..... 24%
100%

***Coloring Materials:**

Ochre.....
30% Ferric Oxide
70% Silica & Silicates
Bone Black.....
12% Animal Carbon
88% Calcium Phosphate
and Carbonate

Indian Red.....
90% Ferric Oxide
10% Silica & Silicates

Chrome Yellow.....
50% Lead Chromate
50% Lead Sulphate
25% Barium Sulphate
K38

THE SHERWIN-WILLIAMS

PAINTS
MADE IN ENGLAND

**HA
GAL**

**MODERN BROWN
388**

SHERWIN-WILLIAMS
PAINTS AND VARNISH MANUFACTURING CO.

FACTORIES: LONDON, ENGLAND, NEW YORK, N.Y.,
LONDON, ENG.

SALES OFFICES AND WAREHOUSES IN 25 PRINCIPAL CITIES

USE G.P. SIGN

465

PRIMER GRAY

Contents of Can:

Pigment by weight..... 53%
Liquid by weight..... 42%

100%

Composition of Liquids:

Linseed Oil..... 85%
Turpentine..... 7%
Turpentine Drier..... 7%

100%

Composition of Pigment:

Lead Carbonate..... 32%
Magnesium Silicate..... 67%
Color..... 1%

100%

*Coloring Material:

Bone Black
12% Animal Carbon
88% Calcium Phosphate and
Carbonate

Ocher
20% Ferric Oxide
80% Silica & Silicates

R465

SHERWIN-WILLIAMS PRIMER GRAY

HALF
GALLON

For use under white or light shades of S.W.F. A solvent undercoating that makes the safest and best undercoating upon which to apply most paint. It is heavy in consistency and must be thinned before use by the addition of two gallons pure raw linseed oil and one quart to three pints of pure spirits turpentine to each gallon of Primer. Brush out this.

U. S.
STAND.
MEAS.



THE SHERWIN-WILLIAMS CO.
PAINT AND VARNISH MAKERS.

FACTORIES: CLEVELAND, CHICAGO, NEWARK, MONTREAL,
LONDON, ENG.

SALES OFFICES AND WAREHOUSES IN PRINCIPAL CITIES

MADE IN

1/222 CIO 1302

THE SHERWIN-WILLIAMS PAINT

PAINTS AND COLOURS

MADE IN ENGLAND

HA

GALL

BLACK

467

ESHERWIN-WILLIAMS

PAINTS AND COLOURS

CHIEF OFFICES: 5, ABchurch Lane, LONDON, E.C. 4.

BRANCHES: NEW YORK, BOSTON, PHILADELPHIA, PITTSBURGH, CINCINNATI, ST. LOUIS, KANSAS CITY, MEMPHIS, JACKSON, MOBILE, SAVANNAH, ATLANTA, NASHVILLE, CHICAGO, MILWAUKEE, PORTLAND, OREGON, SAN FRANCISCO, LOS ANGELES, HONOLULU, MANILA, CEBU, SOERABAYA, BATAVIA, SINGAPORE, CALCUTTA, COLOMBO, RANGOON, YOKOHAMA, KOBAY, MANILA, CEBU, SOERABAYA, BATAVIA, SINGAPORE, CALCUTTA, COLOMBO, RANGOON, YOKOHAMA, KOBAY.

SALES OFFICES AND WAREHOUSES IN PRINCIPAL CITIES.

MADE IN U. S. A.

SWP, No. 467

Contents of Can:	
Pigment by weight...	15%
Liquid by weight...	85%
100%	
Composition of Liquid:	
Linseed Oil	54%
Varnish	22%
Turpentine	12%
Japan Drier	12%
100%	
Composition of Pigment:	
Carbon	72%
Silica and Silicates ..	28%
100%	

S. W. P. No. 470

Contents of Can:

Pigment by weight.....	37%
Liquid by weight.....	43%
	100%

Composition of Liquid:

Linseed Oil.....	88%
Turpentine.....	4%
Turpentine Drier.....	7%
Water.....	1%
	100%

Composition of Pigments:

Zinc Oxide.....	30%
Lead Sulphate.....	20%
Lead Carbonate.....	30%
Magnesium Silicate.....	10%
*Color.....	10%
	100%

***Coloring Materials:**

Ochre	
20% Ferric Oxide	
80% Silica and Silicates	
Red Oxide	
22% Ferric Oxide	
16% Calcium Carbonate	
50% Calcium Sulphate	
6% Silica and Silicates	

THE SHERWIN-WILLIAMS P

MADE IN AINT ... AND

HALF
GALLON

GOLDEN YELLOW
470



THE SHERWIN-WILLIAMS
PAINT MANUFACTURERS

WORKS: CLEVELAND, OHIO; NEWARK, NEW JERSEY;
LONDON, ENGLAND.

SALES OFFICES AND WAREHOUSES IN PRINCIPAL CITIES

U.S. GPO 1952

SWP, GLOSS WHITE

Contents of Can:

Pigment by weight.. 68%
Liquid by weight.... 32%
100%

Composition of Liquid:

Linseed Oil 90%
Japan Drier and
Turpentine 10%
100%

Zinc Oxide 33%
Lead Sulphate 2%
Lead Carbonate 34%
Magnesium Silicate.. 3%
100%

X471

THE SHERWIN-WILLIAMS

PAINTS

MAINTENANCE PAINTS

GLOSS WHITE

FOR OUTSIDE USE

PAINTS

FACTORIES: LONDON, NEW YORK, NEWCASTLE, LONDON, ENGLAND.

SALES OFFICES AND WAREHOUSES IN PRINCIPAL CITIES

USE 1-11 40

S W P, No. 472

Contents of Can:

Pigment by weight.....	50%
Liquid by weight.....	50%
	100%

Composition of Liquid:

Linseed Oil.....	85%
Turpentine.....	15%
Turpentine Drier.....	1%
Water.....	1%
	100%

Composition of Pigments:

Zinc Oxide.....	19%
Magnesium Silicate.....	17%
*Color.....	64%
	100%

***Coloring Materials:**

Ochre	
20% Ferric Oxide	
80% Silica and Silicates	
Venetian Red	
22% Ferric Oxide	
14% Calcium Carbonate	
56% Calcium Sulphate	
0% Silica and Silicates	

THE SHERWIN-WILLIAMS

PAINTS

MADE IN ENGLAND

HAIR GALL

TAN BROWN

472

THE SHERWIN-WILLIAMS

PAINTS AND VARNISH MANUFACTURERS

FACTORIES: LONDON, NEWCASTLE, LONDON, ENGLAND.

SALES OFFICES AND WAREHOUSES IN 25 PRINCIPAL CITIES.

USE Gp. 143

SWP, No. 473

Contents of Can:

Pigment by weight...	51%
Liquid by weight...	49%
	100%

Composition of Liquid:

Linseed Oil	80%
Turpentine	2%
Japan Drier	8%
Water	1%
	100%

Composition of Pigment:

Zinc Oxide	35%
Lead Sulphide	13%
Lead Carbonate	24%
Magnesium Silicate	16%
*Color	12%
	100%

***Coloring Material:**

Ochre	
20% Ferric Oxide	
80% Silica and Silicates	
Indian Red	
98% Ferric Oxide	
2% Silica and Silicates	

THE SHERWIN-WILLIAMS

PAINTS

BROWN DRAB

473

FACTORIES: LONDON, ENGLAND, NEW YORK, U.S.A.

SALES OFFICES AND WAREHOUSES IN PRINCIPAL PORTS

UN 3-11 40

SWP, No. 475

Contents of Can:
 Pigment by weight... 43%
 Liquid by weight... 57%
 100%

Composition of Liquid:
 Linseed Oil 86%
 Turpentine 7%
 Japan Drier 7%
 100%

Composition of Pigment:
 Zinc Oxide 5%
 Lead Sulphate 3%
 *Color 92%
 100%

*Coloring Material:
 Chrome Yellow
 57% Lead Chromate
 18% Lead Sulphate
 25% Barium Sulphate
 Chrome Green
 16% Lead Chromate
 4% Lead Sulphate
 69% Barium Sulphate
 6% Kaolin
 5% Ferric Ferro Cyanide
 Bone Black
 12% Animal Carbon
 88% Calcium Phosphate
 and Carbonate
 Ochre
 20% Ferric Oxide
 80% Silica and Silicates

THE SHERWIN-WILLIAMS

PAINTS
MADE IN ENGLAND

BRONZE GREEN
475

SHERWIN-WILLIAMS & CO.
PAINTS AND OILS

FACTORIES: LONDON, ENGLAND, NEW YORK, N.Y.,
LONDON, ENGL.

SALES OFFICES AND WAREHOUSES IN PRINCIPAL CITIES

USE T-11 40

S. W. P., No. 478

Contents of Can:
 Pigment by weight... 87%
 Liquid by weight... 13%

100%
 Composition of Liquid:
 Linseed Oil..... 86%
 Turpentine..... 6%
 Turpentine Drier..... 7%
 Water..... 1%

100%
 Composition of Pigment:
 Zinc Oxide 22%
 Lead Sulphate.... 25%
 Lead Carbonate... 25%
 Magnesium Silicate 11%
 *Color 2%

100%
 *Coloring Material:
 Ultra Blue
 Contains Silica, Alumina, Sulphur and Sodium Oxide combined by furnacing.
 Chrome Yellow
 21% Lead Chromate
 19% Lead Sulphate
 Golden Ochre
 1% Lead Chromate
 1% Ferric Oxide
 84% Silica
 84% Calcium Sulphate

THE SHERWIN-WILLIAMS

PREPARED

MAINTENANCE PAINTS

HAIR GALL

CITRON GREEN

478

THE SHERWIN-WILLIAMS

PAINTS AND OILS

FACTORIES: LONDON, ENGLAND, NEW YORK, U.S.A.

SALES OFFICES AND WAREHOUSES IN 26 PRINCIPAL

U.S. Co. Ltd.

S W P, No. 479

Contents of Can:

Pigment by weight.....	60%
Liquid by weight.....	40%
	100%

Composition of Liquid:

Linseed Oil.....	86%
Turpentine.....	6%
Turpentine Drier.....	7%
Water.....	1%
	100%

Composition of Pigment:

Zinc Oxide.....	37%
Lead Sulphate.....	18%
Lead Carbonate.....	33%
Magnesium Silicate.....	11%
*Color.....	1%
	100%

***Coloring Material:**

Ultra Blue
Contains Silica, Alumina,
Sulphur and Sodium Ox-
ide combined by fusing.
Bone Black
12% Animal Carbon
88% Calcium Phosphate
and Carbonate
Golden Ochre
5% Lead Chromate
5% Ferric Oxide
30% Silica
60% Calcium Carbonate

THE SHERWIN-WILLIAM

PAINTS
MAINTENANCE PAINTS

HAIR
PEARL GRAY
479

PAINTS
PAINTS
PAINTS

FACTORIES: LONDON, ENGLAND, NEW YORK, N.Y.

SALES OFFICES AND WAREHOUSES IN PRINCIPAL CITIES

U.S.G. 110 1982

THE SHERWIN-WILLIAMS PAINT

SELF-PROTECTING
481
P

See the
 hall of
 fame
 and
 every agree
 of applying it, if in any instance, it is not found as above
 represented.

FACTORY: CLEVELAND, OHIO. NEW YORK, NEW YORK. CHICAGO, ILL. ST. LOUIS, MO.
 SELLER OFFICE AND WAREHOUSE IN 25 PRINCIPAL CITIES
 MADE IN THE U. S. A.
The Sherwin-Williams Co.
 U.S. OF MEX.

S. W. P., No. 482

Contents of Can:

Pigment by weight 80%	
Liquid by weight.. 40%	
	100%

Composition of Liquid:

Linseed Oil.....	84%
Turpentine	6%
Turpentine Drier..	4%
Water	2%
	100%

Composition of Pigment:

Zinc Oxide.....	33%
Lead Sulphate.....	27%
Lead Carbonate....	33%
Magnesium Silicate	11%
*Color	1%
	100%

***Coloring Material:**

Chrome Yellow
 65% Lead Chromate
 35% Lead Sulphate
 Ultra Blue
 Contains Silica, Alumina, Sulphur and Sodium Oxide combined by fuming.

THE SHERWIN-WILLIAMS

PALE BRIMSTONE
482

**HA
GAL**

PALE BRIMSTONE

482

THE SHERWIN-WILLIAMS
PALE BRIMSTONE

FACTORIES: CLEVELAND, CHICAGO, NEW YORK, LONDON, ENGL.

SALES OFFICES AND WAREHOUSES IN 28 PRINCIPAL CITIES

Use Gp 10%