



INTERNAL CORRESPONDENCE

PLAINTIFF'S
EXHIBIT
UC-1064

I. H. F. 1e

CHEMICALS AND PLASTICS

P. O. BOX 8361, SOUTH CHARLESTON, WEST VIRGINIA 25303

To (Name) Mr. W. T. Barker, 514
Mr. W. W. Bedford, 513
Mr. L. W. Bratt, 514
Mr. G. O. Bunch, 517
Mr. W. G. Cornell, 517
Mr. J. D. Enright, 517
Mr. A. D. Haddix, 514
Mr. W. E. Knight, 513
Mr. R. E. Merrill, 513

Date April 9, 1969

Originating Dept. Research and Development

Subject Asbestos; PRESTONE Canning

cc: Mr. P. G. Bonin, Cleveland
Mr. G. P. Borst, NYO
Mr. D. E. Deese, 515
C. U. Dernehl, M. D., NYO-4
Mr. H. R. Guest, 511
Mr. W. G. Hennessey, Cleveland
E. Q. Hull, M. D., 514
R. E. Joyner, M. D., 515
Mr. P. W. McDaniel, NYO-4

C. S. McKinley, M. D., 312
Mr. J. McMaster, Cartaret
Mr. E. M. Morgan, NYO
Mr. B. L. Murray, 514
Mr. R. E. Peele, 512
Mr. W. O. Price, Cartaret
Mr. H. L. Robinson, 511
R. J. Sexton, M. D., 512
Mr. Fred Williams, 511

Gentlemen:

By letter of March 18, 1969, Mr. P. G. Bonin, Consumer Products Division, informed you of precautions required to avoid a hazard due to inhalation of asbestos fibers. Mr. Bonin's information is correct except for his recommendation that information about sampling and analyzing the work room air should be obtained from the Department of Health, Education and Welfare. The appropriate information and specific assistance you may need are available from UCC medical and industrial hygiene personnel and should be obtained from such persons in preference to involving the Federal Government.

By copy of this letter, I am advising Group I Plants which are canning PRESTONE that the Department of Health, Education and Welfare recommends air sampling for asbestos fiber be done with the membrane filter method. The airborne fibers are then counted with a microscope using 430X magnification and phase contrast illumination. I will be pleased to supply detailed instructions for, or assistance in, taking air samples

UCTC 10979

Mr. W. T. Barker, et.al.

-2-

April 9, 1969

and to arrange for counting the samples with microscopy equipment available in the Research and Development Department, South Charleston, West Virginia.

For UCC locations other than Group I, requests for information or assistance should be sent to Mr. P. W. McDaniel, Industrial Hygiene Engineer, Medical Department, Fourth Floor, New York Office.

Very truly yours,



N. H. Ketcham
Industrial Hygiene Consultant

NHK/dww

UCTC 10980