

PLAINTIFF'S EXHIBIT

K-1910

OWENS-CORNING FIBERGLAS CORPORATION FIBERGLAS TOWER, TOLEDO, OHIO 43659, (419) 248-8000

January 9, 1978

Mr. John A. Pompei
Industrial Commission of Ohio
Industrial Hygiene & Engineering Department
2325 West Fifth Avenue
P. O. Box 1754
Columbus, OH 43216

Dear Mr. Pompei:


This is the data you requested during our recent telephone conversation.

Data was extracted from surveys conducted between April, 1975, and July, 1977.
We have further data that goes all the way back to 1970 and which just confirms this. Glass fiber concentrations for each of the three areas are summarized below.

<u>Operation</u>	<u>Number Samples</u>	<u>Concentration (f/ml)</u> <u>Average</u>	<u>Range</u>
Molded Pipe Wrap Saw and Pleater Areas	9	0.14	0.02 - 0.92
Wool Special Refrigeration	10	0.20	0.06 - 0.46
A-2 Filter Machine Packing End	3	0.04	0.02 - 0.07

If you need more detailed information, please let me know.

Sincerely,


Gerald E. Devitt
Chief Industrial Hygienist
Corporate Medical Services Department

/cfn

cc: F. W. Lichtenberg - T/11
R. K. Slusher - Newark

34