

PLAINTIFF'S EXHIBIT

DOW-1078

PLAINTIFF'S
EXHIBIT

106

OWENS-CORNING FIBERGLAS CORPORATION

MAY 5

INTRA-COMPANY CORRESPONDENCE

General Office - Toledo, Ohio

Attention of Mr. T. S. Rogers - Toledo
From Hugh T. Williams - Toledo
Subject ALBANY, NEW YORK
ASBESTOS WORKERS UNION LOCAL

May 5, 1955

We are attaching a copy of a letter received from Bob McArthur, our Newark, New Jersey salesman. We have forwarded a copy of this letter to Ira Brought and have requested that he use his best efforts within the union local to find the reason behind such a request. With your new responsibility of "Health Aspects of Fiberglas", I would be interested in your following the hospital report mentioned in the last paragraph.

Hugh T. Williams

HTW/Ls

*who authorizes action by Brought?
line on union report!
G. we keep record?*



KEY TO '53



VIGOROUS

IMAGINATION
PLANNING
ACTION

PLAINTIFF'S
EXHIBIT

9 *Ther...*
cl 4-3-71

01 022 0434

EXHIBIT

EXHIBIT

103

C
O O
P P
Y Y
P P
O O
C

Mr. Hugh Williams - Toledo

April 25, 1955

Mr. R. W. McArthur - Newark, N. J.

cc: Mr. D. W. Ladd Jr. - N. Y.
Mr. C. A. Brown - N. J.

ALBANY, N. Y. ASBESTOS WORKERS UNION LOCAL

It has come to our attention during the past week that subject local has included a demand for a premium of 50¢ an hour for handling rock or glass wool, in their list of demands for the current contract negotiations. All the employers are standing together in their opinion that not only is the demand completely ridiculous but that such a situation is not a matter for local consideration but for national action if it is to be considered at all.

The employers in the Albany area are:

COMPANY

PRODUCTS

Johns-Manville - company owned
Robert A. Kearsbey Company
Armstrong Cork - company owned
Hudson Valley Asbestos

Johns Manville
Fiberglas & Carey
Armoglas
Mundat

Part of the problem has arisen as a consequence of a hospital report on Roy Van Alstyne, the local's business agent, that he cannot work again because he has "asbestos poisoning". Nobody is quite sure what that disease is but the men have become emotional about the problem.

I'll keep you posted on further developments.

Robert W. McArthur

RWMA:pa

Copied 5/5/55

ls

01 022 0435

May 18, 1955

Mr. Hugh T. Williams - Toledo

When you answer Bob McArthur's letter of April 25, please minimize the health angle as Ira Brought is looking into it further for me.



100 to 1 chances are it is "asbestosis" and can not be hung on Fiberglas or mineral wools.

If other "health" problems arise, please keep me posted.

TSD/wal

Attached

01 022 0433



Mr. Hugh Williams - Toledo

April 25, 1955

Mr. R. W. McArthur - Newark, N. J.

cc: Mr. D. W. Ladd Jr. - N. Y.
Mr. C. A. Brown - N. J.

ALBANY, N. Y. ASBESTOS WORKERS UNION LOCAL

It has come to our attention during the past week that subject local has included a demand for a premium of 50¢ an hour for handling rock or glass wool, in their list of demands for the current contract negotiations. All the employers are standing together in their opinion that not only is the demand completely ridiculous but that such a situation is not a matter for local consideration but for national action if it is to be considered at all.

The employers in the Albany area are:

COMPANY

Johns-Manville - company owned
Robert A. Keasbey Company
Armstrong Cork - company owned
Hudson Valley Asbestos

PRODUCTS

Johns Manville
Fiberglas & Carey
Armaglas
Mandet

Part of the problem has arisen as a consequence of a hospital report on Roy Van Alstyne, the local's business agent, that he cannot work again because he has "asbestos poisoning". Nobody is quite sure what that disease is but the men have become emotional about the problem.


I'll keep you posted on further developments.

Robert W. McArthur

RTWMA:pa

Copied 5/5/55
lz

01 501 0269



May 18, 1953

Mr. Hugh T. Williams - Toledo

When you answer Bob Weirther's letter of April 25, please minimize the health angle as Ira Brought is looking into it further for me.

100 to 1 chances are it is "asbestosis" and can not be hung on Fiberglass or mineral wools.

If other "health" problems arise, please keep me posted.

TSR/wal

Attached



015010262