

Message

From: Forsgren, Lee [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=A055D7329D5B470FBAA9920CE1B68A7D-FORSGREN, D]
Sent: 4/26/2018 4:03:31 PM
To: Wheeler, Andrew R. [Andrew.Wheeler@FaegreBD.com]
CC: Ross, David P [/o=ExchangeLabs/ou=Exchange Administrative Group (FYDIBOHF23SPDLT)/cn=Recipients/cn=119cd8b52dd14305a84863124ad6d8a6-Ross, David]; Ringel, Aaron [/o=ExchangeLabs/ou=Exchange Administrative Group (FYDIBOHF23SPDLT)/cn=Recipients/cn=1654bdc951284a6d899a418a89fb0abf-Ringel, Aar]
BCC: Hladick, Christopher [/o=ExchangeLabs/ou=Exchange Administrative Group (FYDIBOHF23SPDLT)/cn=Recipients/cn=b82d04419c42423a97bd7624a3a09908-Hladick, Ch]
Subject: Options on the Washington Water Quality Standards
Attachments: WA HHC Options_4 26 2018.docx

Sir,

Deliberative Process / Ex. 5

If you have any questions or comments please just let me know.

Respectfully,
Lee

D. Lee Forsgren

Deputy Assistant Administrator
Office Of Water
Environmental Protection Agency
1200 Pennsylvania Avenue, NW
Room 3219 WJCE
Washington, DC 20460
Phone: 202-564-5700
Forsgren.Lee@epa.gov