

MD-3-A

PACKAGE TICKET

(DRY AND PASTE ONLY)

CODE KY-788 LOT 34791

NET WT/PKG	NO. PKG	PACK. WGT	LOCATION	PQ
<u>50</u>	<u>67</u>	<u>3,450</u>		

STUMP

TOTAL NET WT. 3,450 PKG. N-CODE _____

PROD. SPVR.	DATE	WHSE. OPER.
<u>WY</u>	<u>11-4-85</u>	

CO 03 CODE KY-788-D PKG.
MAI 21 34991
EST. WGT. 968 864 LBS.

OK
HP

PROCESSING INSTRUCTIONS: BATCH UNIT

23 244	PROCESSES KY-788-D (J)	APPROVED BY ENK 9/22/76
		DCG 9/27/76
	TYPED BY NE 2/17/77	
	MAKING NOTES	

REMARKS

3460
Total Wgt. 3580# Req()

NAME: "KROLOR" YELLOW - LIGHT

NON-BLEEDING

INSTRUCTIONS				-PRESSING-		RECORD				
VAT				PRESSLOAD		1ST	2ND	3RD	4TH	5TH
DATE	3-22-82			STARTED		7:30 PM				
TIME	6:15 PM			CAKES USED		54				
RELEASED BY	60			WATER ON		2:30 PM				
PRESS	22	23	24	HRS. WASHED		5 1/2				
NO. OF CAKES	46	46	46	OHMS		2000				
PRESS With	AGITATION			HRS. WASHED						
WASH TO 2000	OHMS with 35-75°F water			OHMS						
TEST AFTER 2	HOURS			HRS. WASHED						
LOAD ON 6 CARS				OHMS						
				CAKE CONDITION		7				
				NO. CARS LOADED						
				EXPLAIN LOSSES						
SAMPLES 1- 8oz JAR				SAMPLED BY 469						
DELIVER TO Ctl for Color				RELEASED BY J.K.						

-DRYING-

Dry 12 hrs at 220 °F	LUMP: - OK - WET - SALTS - CONTAMINATED
Then Dry 8 hrs at 160 °F	
	ADDITIONAL DRYING HOURS REQUIRED
SAMPLES	NO. CARS PULLED
DELIVER TO	SAMPLED BY
	RELEASED BY
	No. Drums 14
	LUMP WGT. 3466

-GRINDING-

MILL 939 HSP 3/32" RP	SCREEN 3500	RPM	SCREEN	RPM
MAX. TEMP. 150 °F			MAX. TEMP.	°F
			EXPLAIN LOSSES	
SAMPLE AFTER / WITHOUT MIXING			DATE MIXED	
SAMPLES 1 Env. & 1 Pt can				
DELIVER TO C T L			SAMPLED BY	RELEASED BY

34991#
.41#
354#
.00 T

264
.14 -
259
.14 -
257
.14 -
257
.14 -
278
.14 -
268
.14 -
256
.14 -
276
.14 -
259
.14 -
262
.14 -
257
.14 -
257
.14 -
258
.14 -
254
.14 -
3466 T