

MD-3-A

PACKAGE TICKET

(DRY AND PASTE ONLY)

CODE	A 20 40		LOT	7 1 52	
NET WT/PKG	NO. PKG	PACK. WGT	LOCATION	PQ	
2568	1		7 208		
2612	1		7 209		
TOTAL NET WT. 5180			PKG. N-CODE		
PROD. SPVR. WK	DATE 1/27	WHSE. OPER.			

N34625

24
247

CG 04 CODE KO-909-D PKG. _____

→ NOV-17 80 37930

EST. WGT. 1674 LBS.

OK
1P

TOTAL WGT. 5296 (Req _____)

PROCESSING INSTRUCTIONS: BATCH UNIT

PROCESSSES KO-909-D (C)	APPROVED BY EWK 1-27-78 DCG 1-30-78
TYPED BY NSA 3-13-78	
MAKING NOTES	
REMARKS	

AME: KROLOR® ORANGE Y

NON-BLEEDING

INSTRUCTIONS					-PRESSING-	RECORD				
AT	247				PRESSLOAD	1ST	2ND	3RD	4TH	5TH
ATE	11-18				STARTED	11:30 PM				
IME	10:15 PM				CAKES USED	52				
ELEASED BY	237				WATER ON	3:30				
RESS	2	22	23	24	HRS. WASHED	5				
O. OF CAKES	46	46	46	52	OHMS	3500				
RESS with	AGITATION				HRS. WASHED					
ASH TO 2000	OHMS with 135-145° water				OHMS					
EST AFTER	HOURS				HRS. WASHED					
QAD on 6 cars					OHMS					
					CAKE CONDITION	7				
					NO. CARS LOADED	7				
					EXPLAIN LOSSES					
AMPLES 1-8 oz										
ELIVER TO CTL for color					SAMPLED BY	4/92	RELEASED BY			

-DRYING-	
BY 24 HOURS AT 180°F	LUMP: - OK - WET - SALTS - CONTAMINATED
Dry on first stage only.	
Re-pel every 5 hours til dry.	
	ADDITIONAL DRYING HOURS REQUIRED
AMPLES	NO. DRUMS: 19
ELIVER TO	NO. CARS PULLED
	LUMP WGT. 5262
	SAMPLED BY
	RELEASED BY BLL

-GRINDING-	
LL 938 HSP 1/8" RP	SCREEN 3500 RPM
AX. TEMP. 170°F	SCREEN
	MAX. TEMP. °F
	EXPLAIN LOSSES
AMPLE / WITHOUT MIXING	DATE MIXED
AMPLES 1 ENV & 1 PT CAN	
ELIVER TO CTL	SAMPLED BY
	RELEASED BY

DUP050104678

37230

41

119

313

12

301

12

329

12

278

12

292

12

287

12

302

12

300

12

320

12

279

12

37530

4100

18

0

2801

290

14

292

14

293

14

287

14

290

14

274

14

293

14

287

14

201

14

5262