PUBLICATION NO. 6194A

COATINGS PRODUCTS INDEX

ALPHABETICAL BY APPLICATION (&) PRODUCT



Monsanto

0614356

TOWOLDMON0038508

Working on a coating that's got to win in tomorrow's environment? Or, reformulating a solvent-base coating?

THIS BOOK HELPS YOU GET WHAT YOU WANT

It lists all known coating applications of all products made by all Monsanto divisions.

HERE'S HOW

Start with your application. Applications are listed alphabetically, starting on the next page. You'll find all Monsanto products known to be used in an application listed beneath that application.

Or, start with a product you know you need. All Monsanto products for coatings are listed, by generic and trademark name, in a second index in the back of this book.

Want technical literature? It's ready for every product. Order what you want by Publication Numbers. They're given every time a product is listed.

Want to talk with a Monsanto representative? You'll find one near you. Check the list of district offices on the back cover.

0614357

TOWOLDMON0038509

YOUR APPLICATIONS

OUR PRODUCTS

ACRYLIC LACQUER MODIFIERS	
Santicizer® 160 plasticizer for flexibility and reflow	O/PL-347
Santicizer 261 plasticizer is lower in volatility and more flexible than Santicizer 160	IC/PL-261
ALKYD MODIFIERS	
Benthal® benzoic acid technical in alkyd resins	RE-8
Modaflow® flow and leveling improver for alkyd varnishes and enamels	IC/PL-338
Multiflow™ flow and leveling improver	IC/PL-363
Phos-Chek® P/30 fire retardant for polyesters and epoxies	I-270, SR-7088
RJ-100® and RJ® 101 resins for improved gloss, hardness, adhesion, and detergent, corrosion and chemical resistance	6324
Santocel® silica aerogel flatting agents	IC/SCS-309
Tetrathal® tetrachlorophthalic anhydride reactive intermediate for flame-retardant polyester, polyol and alkyd polymers	O/RE-19
APPLIANCE FINISHES	
Primer	
Resimene® melamine resins	6288A
Resimene butylated urea resins	6289
Resimene methylated urea resins	6303
Resimene high solids melamine resins	6246
RJ-100 for improved detergent and corrosion resistance	6324
Topcoat	
Modaflow to eliminate craters and improve flow	IC/PL-338
Multiflow flow and leveling improver	IC/PL-363
Resimene melamine resins	6288A
Resimene butylated urea resins	6289
Resimene methylated urea resins	6303
RJ 101 for improved detergent, stain and corrosion resistance	6324
AQUEOUS INDUSTRIAL FINISHES	
Water-soluble industrial finishes	IC/SCS-261, 6288A, 6289
Resimene high solids melamine resins	6246
Resimene methylated urea resins	6303
RJ 101 for aqueous general-purpose baking enamel	6324
Santocel silica aerogel flatting agents	IC/SCS-309
ARCHITECTURAL FINISHES	
Ceiling tile paint	I-270
Cement additives	6059, 6061, 6134, 6082B

® Registered trademark Monsanto Company
™ Trademark of Monsanto Company

0614358

TOWOLDMON0038510

Concrete floor paints	RE-17
Ethylene vinyl chloride latices (EVCL)	Booklet
Exterior house paint	6290, 6291, RE-17
Fire-retardant coatings	IC/PL-140, O/RE-19, PL-301, IC/PL-351, O/PL-141, IC/PL-358, I-270
Interior house paint	RE-17
Joint compounds	6135, 6082B

AUTOMOTIVE FINISHES (including buses, trucks, farm equipment, etc.)

Primers	
Resimene melamine resins	6288A
Resimene butylated urea resins	6289
Resimene methylated urea resins	6303
RJ-100 aqueous automotive primer	6324
Topcoats	
Acrylic lacquer modifiers	O/PL-347, IC/PL-261
Alkyd modifiers	RE-8, IC/PL-338, IC-PL/363, I-270, 6324, O/RE-19, IC/SCS-309
Resimene melamine resins	6288A
Resimene butylated urea resins	6289
Resimene high solids melamine resins	6246
Refinish	
Acrylic lacquer modifiers	O/PL-347, IC/PL-261
Alkyd modifiers	RE-8, IC/PL-338, IC/PL-363 I-270, 6324, O/RE-19, IC/SCS-309

CAN COATINGS (metal decorating of can, pail and drum coatings)

Ethylene vinyl chloride for aqueous interior can coatings	Booklet
Modaflow to improve flow and eliminate craters	IC/PL-338
Multiflow flow and leveling improver	IC/PL-363
Resimene butylated urea resins	6289
Resimene melamine resins	6288A
Resimene high solids melamine resins	6246
Resinox® P-97 phenolic resin	1047A
Santolite® MHP and MS–80%–resins are adhesion promoters and flexibilizers. They also improve gloss and toughness	O/PL-320

CATALYSTS

Toluenesulfonic acid	IN-5

CEILING TILE PAINT

Phos-Chek P/30 for fire-retardant coatings	I-270, SR-7088, SR-6512

*There are no "B" listings

TOWOLDMON0038511

CELLULOSIC LACQUER MODIFIERS	
Santicizer 160 plasticizer improves flexibility and reflow properties	O/PL-347
Santicizer 261 plasticizer, lower in volatility and more flexible than Santicizer 160	IC/PL-261
Santicizer 8 / Santicizer I-H — Plasticizers showing excellent balance of flexibility, adhesion and water resistance properties	O/PL-339 / O/PL I-H
Santocel silica aerogel flatting agents	IC/SCS-309
Santolite MHP and MS—80%—significantly improve adhesion, flexibility, water resistance and gloss	O/PL-320
Solid plasticizers for coatings and lacquers	O/PL-345
Triphenyl phosphate, flame-retardant plasticizer	PL-301
CEMENT ADDITIVES	
Additives and bonding agents for stucco	6059
Cement paint suggested starting formulation based on polyvinyl alcohol	6061
Gelva® powder 700, powdered polyvinyl acetate binder for dry mix cementitious products—improves bond to substrate and compressive strength	6134
Gelvatol® polyvinyl alcohols generally used in combination with Gelva powder 700	6082B, 6134
CHEMICALS	
Acrylonitrile	MCA SD-31
Benthal benzoic acid	RE-8
Bisphenol A	RE-1
Dibutyl maleate and dibutyl fumarate	RE-7A, RE-17
Ethyl acetate	6085B
Formaldehyde	1069B, 6178
Glacial acetic acid	6158
Maleic anhydride	O/RE-5
Paints, varnish, lacquer production trends	IC/GP-2
Phos-Chek P/30 fire retardant	I-270
Phthalic anhydride	IC/GP-31
Styrene monomer	Booklet
Tetrathal tetrachlorophthalic anhydride	O/RE-19
Toluenesulfonic acid	IN-5
Vinyl acetate monomer	MCA SD-75
COIL COATING	
Modaflow to improve flow, eliminate craters	IC/PL-338
Multiflow flow and leveling improver	IC/PL-363
Resimene melamine resins	6288A
Resimene butylated urea resins	6289
Resimene high solids melamine resins	6246
RJ 101 polyester for aqueous topcoats	6324
Santocel silica aerogel flatting agents	IC/SCS-309
CONCRETE FLOOR PAINT	
Fumarate and maleate esters for latex coatings	RE-17

0614360

TOWOLDMON0038512



ELECTRODEPOSITION

RJ-100 and RJ 101 styrene-allyl alcohol	6324

EPOXY MODIFIERS

Modaflow flow and leveling improver for epoxies and Multiflow flow and leveling improver	IC/PL-338, IC/PL-363
Mod-Epox viscosity improver for epoxies	O/PL-313
Phos-Chek P/30 fire retardant	I-270
Plasticizers for hard-to-plasticize resins	PL-332A
Santocel Z silica aerogel thickening agent	I-262

EXTERIOR HOUSE PAINT

Fumarate and maleate esters for latex coatings	RE-17
RJ 101 modifiers for improved wet adhesion and color retention	6290, 6291







FABRIC COATINGS

Fire-retardant additive based on Phos-Chek P/30	I-270

FINGER NAIL LACQUER

Santolite MHP and MS—80%—significantly improve adhesion, flexibility, water resistance and gloss	O/PL-320

FIRE-RETARDANT COATINGS

Ethylene vinyl chloride latices (EVCL)	Booklet
Fire-retardant plasticizers and resin modifiers	IC/PL-358
Phos-Chek P/30 for intumescent coatings	I-270, SR-7088, SR-6512
Phosgard® C-22-R organophosphorus compound. Excellent flame retardant for many polymer systems such as urethanes, acrylics and epoxies. Also synergist for flame-retardant polyesters when used in combination with Tetrathal	IC/PL-22
Santicizer 141 / Santicizer 148 Phosphate esters	O/PL-141 / IC/PL-351
Tetrathal tetrachlorophthalic anhydride used in synthesis of polyester, polyol and alkyd polymers	O/RE-19
Tricresyl phosphate	IC/PL-305
Triphenyl phosphate	PL-301

FLATTING AGENTS

Santocel silica aerogels	IC/SCS-309

FLOW AGENTS

Modaflow for alkyd varnishes and enamels, acrylic and cellulose lacquers and epoxies	IC/PL-338
Multiflow flow and leveling improver	IC/PL-363

*There are no "D" listings

*There are no "G" listings

0614361

TOWOLDMON0038513







HOUSE PAINT

Concrete floor paints	RE-17
Ethylene vinyl chloride latices (EVCL)	Booklet
Exterior house paint	RE-17, 6290, 6291
Fire-retardant coatings	I-270, SR-6512, SR-7088, IC/PL-140 O/PL-141, O/RE-19, IC/PL-305, PL-301, IC/PL-351, IC/PL-358
Interior house paint	RE-17

INKS AND FLEXIBLE PACKAGING

Modaflow for flow and elimination of common ink problems	IC/PL-338
Multiflow flow and leveling improver	IC/PL-363
Resimene melamine resins	6288A
Resimene butylated urea resins	6289
Resimene methylated urea resins	6303
Resimene high solids melamine resins	6246
Santocel bodying agent for printing ink vehicles	I-253

INTERIOR FLATS

Santocel silica aerogels for gloss retention	IC/SCS-309

INTERIOR HOUSE PAINT

Fumarate and maleate esters for latex coatings	RE-17

INTUMESCENT COATINGS

Fire-retardant coatings	IC/PL-140, O/PL-141, O/RE-19, IC/PL-305, IC/PL-358, PL-301, IC/PL-351
Phos-Chek P/30 fire retardant for paints and mastics	I-270, SR-6512, SR-7088, SR-7734

JOINT COMPOUNDS

Gelva powder 702, powdered polyvinyl acetate binder for dry mix joint compounds	6135
Gelvatol, polyvinyl alcohol, generally used in combination with Gelva powder 702 in dry mix joint compounds	6082B

0614362

TOWOLDMON0038514



LACQUER MODIFIERS

Acrylic lacquer modifiers	O/PL-347, IC/PL-261
Cellulose lacquer modifiers	O/PL-347, O/PL-339, O/PL-320, O/PL-345, PL-301, IC/SCS-309 O/PL I-H, IC/PL-261

LATEX MODIFIERS

Lytron® styrene-maleic anhydride copolymers to improve mechanical, freeze-thaw, package and viscosity stability	1023C
Maleate and fumarate esters as softening co-monomers	RE-17
Styrene-allyl alcohol (SAA) derivative modifiers	6290, 6291



MAINTENANCE AIR DRY COATINGS

Ethylene vinyl chloride latices (EVCL)	Booklet
RJ-100 modifiers for improved chemical and corrosion resistance	6324

MARINE WASH PRIMERS

Butvar® resin, single package wash primer B-1011. Clear primer for variety of metal substrates	6107
Butvar resin, wash primer B-1030. Offers improved adhesion and performance as compared to specification wash primers	6062
Butvar resin, wash primer B-1032. Similar to B-1030 but with different pigmentation	6011A
Formvar® resin, wash primer F-1031. Offers improved solvent resistance	6007A
U. S. Navy specification wash primers	6095

MASTIC COATINGS FOR STRUCTURAL STEEL

Fire-retardant additive Phos-Chek P/30	I-270, SR-7734

METAL DECORATING

Can coatings and general industrial finishes	6288A, 6289, 1047A, O/PL-320, IC/PL-338, IC/PL-363
Ethylene vinyl chloride lactices (EVCL)	Booklet
Resimene high solids melamine resins	6246

MILDEW AND MOLD RESISTANCE

Preservatives	O/PS-1, IC/PS-6



ODORANTS

Santomask® II odor control agent for paints	PL-325

OVERPRINT VARNISHES

Resimene melamine resins	6288A
Resimene butylated urea resins	6289
Resimene methylated urea resins	6303
Resimene high solids melamine resins	6246
RJ-100 and RJ 101 for improved gloss, hardness and chemical resistance	6324

*There are no "K" listings *There are no "N" listings

0614363

TOWOLDMON0038515



PAPER COATING

Alkali-soluble polyvinyl acetate resin binders for paper coating	6110
Ethylene vinyl chloride latices (EVCL)	Booklet
Fire-retardant additive Phos-Chek P/30	I-270
Gelva multipolymer solutions for reprographic coatings	6133
Gelva polyvinyl acetate greaseproof coatings for paper and board	6047
Gelvatol polyvinyl alcohol for paper coatings	6050, 6082B
Polyvinyl alcohol calender coatings	6048
Resimene melamine resins	6288A
Resimene butylated urea resins	6289
Resimene high solids melamine resins	6246
Santolite MHP and MS–80%–significantly improves adhesion, flexibility, water resistance and gloss	O/PL-320
Scripset® 500 resin for coating holdout	O/PC-4
Scripset 520 for alkaline sizing	IC/PC-31
Scripset 101 for clay coatings	IC/PC-2
Solid plasticizers for coatings and lacquers	O/PL-345

PIGMENTS

Monsanto® lampblacks	I-155

PIPE COATINGS

Fire-retardant mastic coating	I-270, SR-6512, SR-7088

PLASTICIZERS

Modaflow to eliminate craters, improve flow	IC-PL/338
Multiflow flow and leveling improver	IC/PL-363
Resinox P-97 phenolic coatings	1047A
Dicychlohexyl phthalate (DCHP) for nitrocellulose lacquers	PL-312
Fire-retardant plasticizers and resin modifiers	IC/PL-358
Permanent plasticizers	IC/PL-360
Phosgard C-22-R	IC/PL-22
Phosgard 1320	IC/PL-362
Plasticizers guide	Fold-Out
Plasticizers for hard-to-plasticize resins	PL-332
Santicizer 1-H versatile solid plasticizer	O/PL I-H
Santicizer 8	O/PL-339
Santicizer 9 solid processing aid and reactive plasticizer	IC/PL-9
Santicizer 160	O/PL-347
Santicizer 261 monomeric processing aid with polymeric permanence	IC/PL-261
Santicizer M-17 for cellulose and polyvinyl acetate coatings	PL-17
Santolite MHP and MS–80%	O/PL-320
Solid plasticizers for coatings and lacquers	O/PL-345
Tricresyl phosphate	IC/PL-305
Triphenyl phosphate	PL-301

POLYESTER MODIFIERS

Phos-Chek P/30 for flame-retardant polyesters	I-270

*There are no "Q" listings

0614364

TOWOLDMON0038516

Phosgard C-22-R synergist for flame retardant polyester when used in combination with Tetrathal	IC/PL-22
Phosgard 1320	IC/PL-362
Tetrathal fire retardant	O/RE-19
POWDER COATINGS	
Solid melamine crosslinkers for acrylic and polyester powders	
Phenolic novolak for thin film epoxy-phenolic powders	
PRESERVATIVES	
Monsanto® Prilled Penta, an additive for oil-based coatings, will control mold and mildew formation on the painted surface	O/PS-1
Santobrite® preservative for water-based coatings, will not only control mold and mildew formation on the painted surface but will also protect the water-based paint in the can against spoilage	IC/PS-6

RULE 66 (Los Angeles County) COATINGS	
Ethylbenzene solvent	TX-12
Resimene high solids melamine resins	6246
Resimene aminoplasts in non-photochemically reactive solvents as defined in Rule 66	6117D
RJ-100 and RJ 101 aqueous primers and topcoats for appliance, automotive, coil and general industrial use	6324

SEALERS	
Wood finishing sealers	6070A, 6008B, 6199
STRIPPABLE COATINGS	
Wash-off coatings	6257
SURFACE ACTIVE AGENTS	
Modaflow for alkyd varnishes and enamels, acrylic and cellulose lacquers and epoxies	IC/PL-338
Multiflow flow and leveling modifier	IC/PL-363
SWIMMING POOL PAINT (concrete)	
Modaflow modifier for reducing pinholes	IC/PL-338
Multiflow flow and leveling modifier	IC/PL-363

TEMPORARY COATINGS	
Wash-off coatings	6257
THICKENING AGENTS	
EMA® ethylene-maleic anhydride resins for aqueous resin systems	IC/SCS-261
Santocel silica aerogels	I-262, I-243

0614365

TOWOLDMON0038517

TRENDS

Paint, varnish, lacquer production and price trends	IC/GP-2

WASH COATS

Wood finishing wash coats	6070A, 6008B

WASH-OFF COATINGS

Temporary wash-off coatings RF-7428 and RF-9086	6257

WASH PRIMERS

Marine wash primers	6107, 6062, 6011A, 6007A, 6095

WATER-SOLUBLE INDUSTRIAL FINISHES

EMA thickening agents for aqueous resin systems	IC/SCS-261
Ethylene vinyl chloride latices (EVCL)	Booklet
Resimene water-soluble melamine resins	6288A
Resimene high solids melamine resins	6246
Resimene methylated urea resins	6303
Trade sales coatings	
Concrete floor paints	RE-17
Exterior house paints	RE-17, 6290, 6291
Phos-Chek P/30 fire retardant for latex paints	I-270, SR-6512
Fire-retardant coatings	IC/PL-140, O/PL-141, O/RE-19, IC/PL-305, PL-301, IC/PL-351, IC/PL-358
Interior house paints	RE-17

WOOD FINISHES

Washcoats and sealers	
Butvar and Formvar—properties and uses	6070A
Butvar intermediate coats for wood finishes. Wash coat and wood sealer systems for upgrading wood and hardboard finish properties	6008B
Cellulose lacquer modifiers	O/PL-347, IC/PL-261, O/PL-339, O/PL I-H, O/PL-320, O/PL-345, PL-301
Ethylene vinyl chloride latices (EVCL)	Booklet
Topcoats	
Cellulose lacquer modifiers	O/PL-347, IC/PL-261, O/PL-339, O/PL I-H, O/PL-320, O/PL-345, PL-301
Phos-Chek P/30 for intumescent finishes	I-270, SR-6512, SR-7088
Resimene urea resin crosslinkers	6289
Santocel silica aerogel flatting agents	IC/PL-300

* There are no "U" listings *There are no "V" listings
* There are no "X" "Y" "Z" listings

0614366

TOWOLDMON0038518

Alphabetical listing of Monsanto products including an index of their trademarks

PRODUCT and Trademark	
Acetate resins, polyvinyl Gelva® multipolymer solution	6133
Acetic acid, glacial	6158
Acrylonitrile	MCA SD-31
Alcohol resins, polyvinyl Gelvatol®	6082B
Aminoplasts Resimene®	6117D
Aryl sulfonamide-formaldehyde resins Santolite® MHP and MS	O/PL-320
Benthal® (benzoic acid)	RE-8
Bisphenol A	RE-1
Butvar® (polyvinyl butyral resins)	6070A
Dibutyl fumarate	RE-7A, RE-17
Dibutyl maleate	RE-7A, RE-17
Dicychlohexyl phthalate (DCHP)	PL-312
Dioctyl fumarate (DOF)	RE-17

PRODUCT and Trademark	
Dioctyl maleate (DOM)	RE-17
EMA® (ethylene-maleic anhydride resins)	IC/SCS-261
Ethyl acetate	6085B
Ethylbenzene solvent	TX-12
Ethylene vinyl chloride latices (EVCL)	Booklet
Formaldehyde	1069B, 6178
Formvar® (polyvinyl formal resins)	6070A
Fumarate and maleate esters (dibutyl)	RE-17
Gelva powder 700 and 702 resins	6134, 6135
Gelva multipolymer solutions	6133
Gelvatol (polyvinyl alcohol resins)	6082B
Glacial acetic acid	6158
Glycollate, methyl phthalyl ethyl Santicizer® M-17	PL-17

0614367

TOWOLDMON0038519

PRODUCT and Trademark	
Lampblack (paint pigment)	I-155
Lytron® (styrene-maleic anhydride copolymer resins)	1023C
Maleate and fumarate esters	RE-17
Maleic anhydride	O/RE-5, IC/GP-30
Melamine and urea resins Resimene	6288A, 6289, 6246, 6303
Modaflow® (resin modifier)	IC/PL-338
Mod-Epox® (epoxy resin modifier)	O/PL-313
Multiflow™ (resin modifier)	IC/PL-363
Pentachlorophenol (prilled penta)	O/PS-1
Phenolic resins Resinox® P-97	1047A
Phos-Chek® P/30 (fire retardant)	I-270, SR-7088, SR-6512, SR-7734
Phosgard® C-22-R (organo-phosphorus compound)	IC/PL-22
Phosphate, alkyl aryl Santicizer 148	IC/PL-351
Phosphate, mixed cresyl phenyl Santicizer 140	IC/PL-140
Phosphate, octyl diphenyl Santicizer 141	O/PL-141
Phthalate, alkyl benzyl Santicizer 261	IC/PL-261
Phthalate, butyl benzyl Santicizer 160	O/PL-347
Phthalic anhydride (safe handling and storage)	IC/GP-31

PRODUCT and Trademark	
Pigment, lampblack	I-155
Plasticizers See detailed listings under DCHP Santicizer Santolite	
Plasticizers guide	Fold-Out
Plasticizers for hard-to-plasticize resins	PL-332A
Solid plasticizers for coatings and lacquers	O/PL-345
Polyvinyl acetate spray dry emulsions Gelva powder 700 and 702	6134, 6135
Polyvinyl alcohol resins Gelvatol	6082B
Polyvinyl butyral resins Butvar	6070A
Polyvinyl formal resins Formvar	6070A
Prilled penta (pentachlorophenol)	O/PS-1
Resimene (melamine and urea resins)	6288A, 6289, 6246, 6303
Resinox P-97 (phenolic resin)	1047A
RJ-100® (styrene-allyl alcohol)	6324
RJ® 101 (styrene-allyl alcohol with higher hydroxyl content than RJ-100)	6324
Santicizer (plasticizers)	
Santicizer 160 (butyl benzyl phthalate)	O/PL-347
Santicizer 261 (alkyl benzyl phthalate)	IC/PL-261

TOWOLDMON0038520

PRODUCT and Trademark	
Santicizer 8 (mixture of N-ethyl-ortho and para-toluene sulfonamides)	O/PL-339
Santicizer 9 (mixture of ortho and para-toluene sulfonamides)	IC/PL-9
Santicizer I-H (N-cyclohexyl para-toluene sulfonamide)	O/PL I-H
Santicizer 140 (mixed cresyl phenyl phosphate)	IC/PL-140
Santicizer 141 (octyl diphenyl phosphate)	O/PL-141
Santicizer 148 (alkyl aryl phosphate)	IC/PL-351
Santicizer M-17 (methyl phthalyl ethyl glycollate)	PL-17
Santobrite® (sodium pentachlorophenate)	O/PS-1, IC/PS-6
Santocel® (silica aerogel)	IC/SCS-309
Santocel Z	I-262, I-253, I-243
Santolite MHP and MS (aryl sulfonamide-formaldehyde resins)	O/PL-320
Santomask® II (odor masking agent)	PL-325
Scripset® 101, 500, 520 resins	IC/PC-2 O/PC-4
Silica aerogel Santocel	IC/SCS-309

PRODUCT and Trademark	
Sodium pentachlorophenate Santobrite	O/PS-1, IC/PS-6
Styrene-allyl alcohol RJ-100	6324
RJ 101	6324
Styrene-maleic anhydride copolymer resins, Lytron	1023C
Styrene monomer	Booklet
Tetrathal® (tetrachlorophthalic anhydride)	O/RE-19
Toluenesulfonamides, mixture of N-ethyl ortho and para-Santicizer 8	O/PL-339
Toluenesulfonamides, mixture of ortho- and para-, Santicizer 9	IC/PL-9
Toluenesulfonamide, N-cyclohexyl para-, Santicizer I-H	O/PL 1-H
Toluenesulfonic acid	IN-5
Tricresyl phosphate (TCP)	IC/PL-305
Triphenyl phosphate	PL-301
Urea and melamine resins Resimene	6288A 6289, 6246, 6303, 6117D
Vinyl acetate monomer	MCA SD-75

"Nothing contained herein is to be construed as a recommendation to use any product in conflict with any patent. MONSANTO MAKES NO WARRANTY ... TO THE FITNESS OR MERCHANTABILITY OF ANY PRODUCTS REFERRED TO, no guarantee of satisfactory results from reliance upon ... contained information or recommendations, and disclaims all liability for any resulting loss or damage."

0614369

TOWOLDMON0038521

1. How to get more information fast

Write to this address using publication number

Monsanto Company
Dept. 804
800 N. Lindbergh Blvd.
St. Louis, Mo. 63166

2. Use publication number on application pages:

ACRYLIC LACQUER MODIFIERS

Santicizer® 160 plasticizer for flexibility and reflow..... O/PL-347

Santicizer 261 plasticizer is lower in volatility and more flexible than Santicizer 160..... IC/PL-261

Or, on product pages:

PRODUCT and Trademark

Acetate resins, pol... vinyl

Geiva... multipoly...tion..... 6133

0614370

TOWOLDMON0038522

Monsanto District Sales Offices

AKRON, OHIO 44313
260 Springside Drive
Montrose Development Park
Tel. (216) 666-4111

ATLANTA, GEORGIA 30339
320 Interstate North Parkway
Suite 500
Tel. (404) 432-7111

BOSTON, MASSACHUSETTS 02149
Everett Station
Tel. (617) 387-5010

CHICAGO, ILLINOIS
3158 Des Plaines Avenue
Des Plaines, Illinois 60018
Tel. (312) 296-6688

CINCINNATI, OHIO 45206
1501 Madison Road
Tel. (513) 751-6707

DETROIT, MICHIGAN
500 Northland Towers West
Southfield, Michigan 48075
Tel. (313) 357-0910

EUGENE, OREGON 97402
855 Seneca Road
Tel. (503) 342-7201

HOUSTON, TEXAS 77027
1301 Post Oak Tower
5051 Westheimer Road
Tel. (713) 621-9550

LOS ANGELES, CALIFORNIA 90022
6670 E. Flotilla Street
Tel. (213) 723-2492

NEW ENGLAND AREA
190 Grochmal Avenue
Indian Orchard,
Massachusetts 01051
Tel. (413) 788-6911

730 Worcester Street
Indian Orchard,
Massachusetts 01051
Tel. (413) 788-6911

NEW YORK, NEW YORK 10036
1114 Avenue of the Americas
Tel. (212) 764-5000

ST. LOUIS, MISSOURI 63166
800 North Lindbergh Blvd.
Tel. (314) 694-1000

SAN FRANCISCO BAY AREA
2710 Lafayette Street
Santa Clara, California 95052
Tel. (408) 243-0414

SEATTLE, WASHINGTON 98121
2112 Third Avenue
Tel. (206) 622-4203

WILMINGTON, DELAWARE 19810
Suite 204, Bancroft Bldg.
3411 Silverside Road
Tel. (302) 478-4600

Monsanto Company/800 N. Lindbergh Blvd./St. Louis, Mo. 63166

LITHO IN USA

10M0973-AL

0614371

TOWOLDMON0038523