

MAY 27 1982

F2H37

5547* LBS.

COMTYP JOB NAME: 01YE698DMS

(DATE)

(LOT)

(EST WGT)

TYPED BY: JMW

EQUIP MENT	NAME: MOLYBDATE DRANGE	USE LBS	N-CODE	ACCT LBS
PREP 1	1 OBTAIN FOR S-20	84	108-A	84
	2 CALCULATE & SET ON BADGER METER FOR S-23 64.48 %	93	33-D	60
	3 OBTAIN FOR S-28	734	4-A	734
	4 OBTAIN FOR S-32	146	3-A	146
	5 OBTAIN FOR S-34	237	32-D	237
	6 OBTAIN FOR S-38	350	3-A	350
	7 OBTAIN FOR S-41	70	711-B	70
351 2	8 WEIGH INTO V-351 CHECKED BY: #342 ML 38.8 %	4932	10-D	1885
359 3	9 WEIGH IN. OPTR 342, MK 31, T-30, 31.30 % OPTR _____, MK _____, T-_____, _____ %	968	423-D	303
SV 4	10 RUN 20" (996 G) WATER INTO V-245			
	11 RUN IN FROM V-354: OPTR 342, MK 31, 78 *F RECORD: G/ML 1.317 (1.270-1.328) 28.75 %	17724	41-D	5110
	RECORD: PH 2.6 (2.2-3.7)			
	12 ADJ TO 76" (3625G) AT 67-69*F			
	RECORD: TEMP 69 *F		57-A	
	13 STIR 5 MIN & RECORD: PH 2.4 (2.2-3.7)	3	33-D	
	14 IF NECESSARY, ADJ TO PH 3.0-3.1 ASSUME 60% RECORD: PH 3.1			
	NOTE: DILUTE N-7-D 10:1 WITH WATER BEFORE ADDING ASSUME 50%	2	7-D	
	15 RECORD: 1.143 G/ML (1.142-1.144)			
	NOTE: IF G/ML OUT OF LIMITS FILL OUT CHECK LIST & ATTACH			
	16 STIR AT 67-69*F FOR S26. TAKE 1 QT SAMPLE.			
58 5	17 RUN 10" (500 G) WATER INTO V-358			
	18 RUN V-359 INTO V-351 & PUMP IN V-351.			
	19 ADJ TO 55" (2600 G)			
	20 SIFT IN N-108-A FROM S 1			
	21 STIR 5 MIN & RECORD: PH 9.7 (9.0-10.0)			
	22 ADJ TO PH 9.8-9.9 & RECORD: PH 9.8			
	ASSUME 50%	1	7-D	1
	ASSUME 60%		33-D	
	23 ADD N-33-D FROM S 2 USING BADGER METER			
	24 ADJ TO 66" (3121 G) AT 67-69*F			
	RECORD: VOL 66" & 69" *F			
	25 STIR 5 MIN & RECORD: PH 7.4 (7.4-7.6) & G/ML 1.082 (1.080-1.083)			
	NOTE IF G/ML OUT OF LIMITS FILL OUT CHECK LIST & ATTACH. TAKE 1 QT. SAMPLE			

JUN 3 1982

N37657

YE-698 F2H-37

0 10 20 30 40 50 60 70 80 90 100

7.69

ME-71190


0 10 20 30 40 50 60 70 80 90 100

7.67

0 10 20 30 40 50 60 70 80 90 100

7.62

7.63



62437