



Waste Management, Inc. **IS21**
RECEIPTIFICATION OF
GENERATOR'S WASTE MATERIAL PROFILE SHEET



WASTE PROFILE SHEET CODE

LCH **A.8.9.6.0.6**

INSTRUCTIONS: A COPY OF THE COMPLETE GENERATOR'S WASTE MATERIAL PROFILE SHEET WHICH IS BEING RECERTIFIED MUST BE ATTACHED TO THIS RECERTIFICATION FORM. ORDINARILY THE LAST COMPLETE PROFILE SHEET WILL BE ATTACHED TO YOUR CONTRACT. IF YOU HAVE ANY DIFFICULTY LOCATING THE LAST COMPLETE PROFILE SHEET, CONTACT THE PERSON SHOWN BELOW. IN ADDITION WE ASK YOU TO COMPLETE THE REMAINDER OF THIS FORM AND TO HAVE IT SIGNED BY AN AUTHORIZED EMPLOYEE. ANSWERS MUST BE MADE TO ALL QUESTIONS AND MUST BE COMPLETED IN INK. INFORMATION SUPPLIED WILL BE MAINTAINED IN STRICT CONFIDENCE CONSISTENT WITH LEGAL REQUIREMENTS.


RETURN THIS FORM AND ATTACHMENTS TO: CHEMICAL WASTE MANAGEMENT, INC.
John Brannon Road
Carlyss, Louisiana Attn: Pam Auguststein

A. GENERAL INFORMATION

GENERATOR NAME: PPG Industries, Inc. TRANSPORTER: CWM - Baytown, TX
 FACILITY ADDRESS: P.O. Box 1000 TRANSPORTER PHONE: (713) 427-6772
Columbia Southern Road, Westlake, LA GENERATOR USEPA ID: LA.D.0.0.B.0.B.6.5.0.6
Lake Charles, LA 70602 GENERATOR STATE I.D.:
 TECHNICAL CONTACT: Gerald L. Perry TITLE: Env. Control Specialist PHONE: (318) 491-4370
 NAME OF WASTE: Dowtherm and water
 PROCESS GENERATING WASTE: Production of chlorinated solvents and anhydrous caustic

B. CHANGES OR ADDITIONS SINCE LAST PROFILE SHEET PREPARATION OR RECERTIFICATION

- HAVE YOU OBTAINED ANY LABORATORY ANALYSIS OF THIS WASTE? ☐ YES ☒ NO (IF YES, PLEASE ATTACH COPIES)
- HAVE YOU CHANGED THE RAW MATERIALS USED IN THE WASTE-GENERATING PROCESS? ☐ YES ☒ NO
- HAVE YOU CHANGED THE WASTE-GENERATING PROCESS ITSELF? ☐ YES ☒ NO
- ARE YOU AWARE OF ANY FACTS OR CIRCUMSTANCES WHICH HAVE, OR REASONABLY COULD HAVE, ALTERED THE PHYSICAL OR HAZARDOUS CHARACTERISTICS, OR CHEMICAL COMPOSITION OF THE WASTE? ☐ YES ☒ NO
- ARE YOU AWARE OF ANY HUMAN HEALTH EFFECTS OF EXPOSURE TO THE WASTE NOT PREVIOUSLY DESCRIBED? ☐ YES ☒ NO
- IF YOU ANSWERED "YES" TO QUESTIONS 2, 3, 4 OR 5, PLEASE PROVIDE DETAILS BELOW:



C. SPECIFIC CONSTITUENTS

DOES THIS WASTE CONTAIN POLYCHLORINATED BIPHENYLS? ☐ YES ☒ NO
 DOES THIS WASTE CONTAIN 2,3,7,8-TCDF? ☐ YES ☒ NO

D. SHIPPING INFORMATION

METHOD OF SHIPMENT: ☒ BULK LIQUID ☐ BULK SOLID ☒ DRUM TYPE/SIZE: 55 gallon
 ANTICIPATED VOLUME: GALS. 5 CUBIC YDS. OTHER: Tons
 PER: ☐ ONE TIME ☐ WEEK ☐ MONTH ☐ QUARTER ☒ YEAR

RECERTIFICATION, I AM AN EMPLOYEE OF THE GENERATOR AUTHORIZED TO SIGN THIS CERTIFICATION. THE INFORMATION PROVIDED IN THE RECERTIFIED WASTE PROFILE SHEET IS ATTACHED HERETO, AND THE INFORMATION SUPPLIED ABOVE, ARE COMPLETE, TRUE AND CORRECT.

NAME: E. Anne Corallo SIGNATURE: E. Anne Corallo
 TITLE: SR. Environmental Lab Analyst DATE: 11-3-86



Waste Management, Inc.

GENERATOR'S WASTE MATERIAL PROFILE SHEET

LCH
TSOR

A-89606

A GENERAL INFORMATION

GENERATOR NAME: PPG Industries, Inc. TRANSPORTER: CWM - Orange, TX
FACILITY ADDRESS: P. O. Box 1000 TRANSPORTER PHONE: (318) 625-9003
Columbia Southern Road GENERATOR USEPA I.D. LA, D, 0, 0, 8, 0, 8, 6, 5, 0
Lake Charles, LA 70602 GENERATOR STATE I.D. NA
TECHNICAL CONTACT: Andy P. Plauche TITLE: Plt. Env. Foreman PHONE: (318) 491-4814
NAME OF WASTE: Dowtherm and Water
PROCESS GENERATING WASTE: Production of Chlorinated Solvents and Anhydrous Caustic

B PHYSICAL CHARACTERISTICS OF WASTE

COLOR <u>Black to Brown</u>	ODOR ☐ NONE ☐ MILD ☒ STRONG DESCRIBE: _____	PHYSICAL STATE @ 70°F ☐ SOLID ☐ SEMI-SOLID ☒ LIQUID ☐ POWDER	LAYERS ☐ MULTILAYERED ☒ BI-LAYERED ☒ SINGLE PHASED	FREE LIQUIDS ☒ YES ☐ NO VOLUME <u>90-100%</u>
pH: ☐ < 2 ☒ 2.1-10 ☐ N/A ☐ 2-4 ☐ 10.1-12.5 ☒ 4.1-6.9 ☐ > 12.5 ☒ 7 ☐ EXACT _____		SPECIFIC GRAVITY ☐ < .8 ☐ 1.3-1.4 ☒ .8-1.0 ☐ 1.5-1.7 ☐ 1.1-1.2 ☐ > 1.7 ☐ EXACT _____		FLASH POINT ☐ < 70°F ☐ > 200°F ☐ CLOSED CUP ☐ 70°F - 100°F ☒ NO FLASH ☐ OPEN CUP ☐ 101°F - 139°F ☐ EXACT _____ ☐ 140°F - 200°F

C CHEMICAL COMPOSITION (TOTALS MUST ADD TO 100%)

<u>Biphenyl</u>	<u>20-80</u> %
<u>Phenyl Ether</u>	<u>20-80</u> %
<u>Water</u>	<u>20-80</u> %
<u>Solid</u>	<u>0-10</u> %

D METALS ☒ TOTAL (PPM) ☐ EPA EXTRACTION PROCEDURE (mg/L)

ARSENIC (As)	<u>None</u>	SELENIUM (Se)	<u>None</u>
BARIUM (Ba)	<u>None</u>	SILVER (Ag)	<u>None</u>
CADMIUM (Cd)	<u>None</u>	COPPER (Cu)	<u>None</u>
CHROMIUM (Cr)	<u>None</u>	NICKEL (Ni)	<u>None</u>
MERCURY (Hg)	<u>None</u>	ZINC (Zn)	<u>None</u>
LEAD (Pb)	<u>None</u>	THALLIUM (Tl)	<u>None</u>
CHROMIUM-HEX (Cr + 6)	<u>None</u>		

E OTHER COMPONENTS - TOTAL (PPM)

CYANIDES	<u>None</u>	PCB'S	<u>None</u>
SULFIDES	<u>None</u>	PHENOLICS	<u>Section C</u>

F SHIPPING INFORMATION

D.O.T. HAZARDOUS MATERIAL? ☐ YES ☒ NO
PROPER SHIPPING NAME: Dowtherm and Water
HAZARD CLASS: None I.D. NO.: None R.O.: None
METHOD OF SHIPMENT: ☒ BULK LIQUID ☐ BULK SOLID
☒ DRUM (TYPE/SIZE) 55 gallon drum
ANTICIPATED VOLUME: _____ GALS. _____ CUBIC YARDS
5 OTHER Tons
PER: ☐ ONE TIME ☐ WEEK ☐ MONTH
☐ QUARTER ☒ YEAR ☐ _____

G HAZARDOUS CHARACTERISTICS

REACTIVITY: ☒ NONE ☐ PYROPHORIC ☐ SHOCK SENSITIVE
☐ EXPLOSIVE ☐ WATER REACTIVE ☐ OTHER _____
OTHER HAZARDOUS CHARACTERISTICS:
☒ NONE ☐ RADIOACTIVE ☐ ETIOLOGICAL
☐ PESTICIDE MANUFACTURING WASTE ☐ OTHER _____
USEPA HAZARDOUS WASTE? ☐ YES ☒ NO
USEPA HAZARDOUS CODE(S) _____
STATE HAZARDOUS WASTE? ☐ YES ☒ NO
STATE CODE(S) _____

H SPECIAL HANDLING INFORMATION

Clean up all spills - Non-Hazardous Industrial Solid WasteAs per Gerald Perry (Env. Cont. Spec.) 2-S-8
PAGES ATTACH

I HEREBY CERTIFY THAT ALL INFORMATION SUBMITTED IN THIS AND ALL ATTACHED DOCUMENTS IS COMPLETE AND ACCURATE AND THAT ALL KNOWN OR SUSPECTED HAZARDS HAVE BEEN DISCLOSED.

AUTHORIZED SIGNATURE

TITLE

DATE

Andy P. PlauchePlant Env. Liaison Foreman3-12-85

SL 04608E



Waste Management, Inc.
RECERTIFICATION OF
GENERATOR'S WASTE MATERIAL PROFILE SHEET



RECERTIFIED
WASTE PROFILE SHEET CODE *IS2*
LCH *A.896.0.6*

INSTRUCTIONS: A COPY OF THE COMPLETE GENERATOR'S WASTE MATERIAL PROFILE SHEET WHICH IS BEING RECERTIFIED MUST BE ATTACHED TO THIS RECERTIFICATION FORM. ORDINARILY THE LAST COMPLETE PROFILE SHEET WILL BE ATTACHED TO YOUR CONTRACT. IF YOU HAVE ANY DIFFICULTY LOCATING THE LAST COMPLETE PROFILE SHEET, CONTACT THE PERSON SHOWN BELOW. IN ADDITION WE ASK YOU TO COMPLETE THE REMAINDER OF THIS FORM AND TO HAVE IT SIGNED BY AN AUTHORIZED EMPLOYEE. ANSWERS MUST BE MADE TO ALL QUESTIONS AND MUST BE COMPLETED IN INK. INFORMATION SUPPLIED WILL BE MAINTAINED IN STRICT CONFIDENCE CONSISTENT WITH LEGAL REQUIREMENTS.

RETURN THIS FORM AND ATTACHMENTS TO: CHEMICAL WASTE MANAGEMENT, INC.
John Brannon Road
Carlyssa, Louisiana Attn: Pam Auguststein

A GENERAL INFORMATION

GENERATOR NAME: PPG Industries, Inc. TRANSPORTER: CWM - Baytown, TX
FACILITY ADDRESS: P.O. Box 1000 TRANSPORTER PHONE: (713) 427-6772
Columbia Southern Road, Westlake, LA GENERATOR USEPA I.D. LA.D.0.0.B.0.B.6.5.0.6.
LAKE CHARLES, LA 70602 GENERATOR STATE I.D. _____
TECHNICAL CONTACT: Gerald L. Perry TITLE: Env. Control Specialist PHONE: (318) 491-4370
NAME OF WASTE: Dioxin and water
PROCESS GENERATING WASTE: Production of chlorinated solvents and anhydrous caustic

B CHANGES OR ADDITIONS SINCE LAST PROFILE SHEET PREPARATION OR RECERTIFICATION

- HAVE YOU OBTAINED ANY LABORATORY ANALYSIS OF THIS WASTE? ☐ YES ☒ NO (IF YES, PLEASE ATTACH COPIES)
- HAVE YOU CHANGED THE RAW MATERIALS USED IN THE WASTE-GENERATING PROCESS? ☐ YES ☒ NO
- HAVE YOU CHANGED THE WASTE-GENERATING PROCESS ITSELF? ☐ YES ☒ NO
- ARE YOU AWARE OF ANY FACTS OR CIRCUMSTANCES WHICH HAVE, OR REASONABLY COULD HAVE, ALTERED THE PHYSICAL OR HAZARDOUS CHARACTERISTICS, OR CHEMICAL COMPOSITION OF THE WASTE? ☐ YES ☒ NO
- ARE YOU AWARE OF ANY HUMAN HEALTH EFFECTS OF EXPOSURE TO THE WASTE NOT PREVIOUSLY DESCRIBED? ☐ YES ☒ NO
- IF YOU ANSWERED "YES" TO QUESTIONS 2, 3, 4 OR 5, PLEASE PROVIDE DETAILS BELOW:

C SPECIFIC CONSTITUENTS

DOES THIS WASTE CONTAIN POLYCHLORINATED BIPHENYLS? ☐ YES ☒ NO
DOES THIS WASTE CONTAIN 2, 3, 7, 8-TCDD? ☐ YES ☒ NO

D SHIPPING INFORMATION

METHOD OF SHIPMENT: ☒ BULK LIQUID ☐ BULK SOLID ☒ DRUM (TYPE/SIZE) 55 gallon
ANTICIPATED VOLUME: _____ GALS. _____ CUBIC YDS. 5 OTHER Tons
☐ ONE TIME ☐ WEEK ☐ MONTH ☐ QUARTER ☒ YEAR ☐ _____

RECERTIFICATION. I AM AN EMPLOYEE OF THE GENERATOR AUTHORIZED TO SIGN THIS CERTIFICATION. THE INFORMATION PROVIDED IN THE RECERTIFIED WASTE PROFILE SHEET ATTACHED HERETO, AND THE INFORMATION SUPPLIED ABOVE, ARE COMPLETE, TRUE AND CORRECT.

NAME: F. Anne Corallo SIGNATURE: F. Anne Corallo
TITLE: SR. Environmental Lab Analyst DATE: 12-3-86 SL 046089

LCH

A89606

WASTE PROFILE SHEET CODE

CERTIFICATION OF REPRESENTATIVE SAMPLE

GENERAL DIRECTIONS: IN ORDER TO DETERMINE WHETHER WE CAN ACCEPT THE SPECIAL WASTE DESCRIBED IN THE ABOVE NUMBERED PROFILE SHEET, WE MUST OBTAIN A REPRESENTATIVE SAMPLE OF THE WASTE. WE WILL ANALYZE THE SAMPLE TO VERIFY THE INFORMATION YOU HAVE PROVIDED US, SO IT IS PARTICULARLY IMPORTANT THAT THE SAMPLE BE TRULY REPRESENTATIVE. IN MOST CIRCUMSTANCES YOU WILL BE OBTAINING THE SAMPLE. HOWEVER, IN THOSE CASES IN WHICH WE OBTAIN THE SAMPLE, WE MUST ASK THAT ONE OF YOUR EMPLOYEES BE PRESENT TO DIRECT THE PARTICULAR SOURCE TO BE SAMPLED AND TO WITNESS THE SAMPLING. IN SUCH CASE, YOUR EMPLOYEE MUST SIGN THIS CERTIFICATION AS A WITNESS.

THIS CERTIFICATION MUST BE RETURNED, WITH THE REPRESENTATIVE WASTE SAMPLE, TO:

CHEMICAL WASTE MANAGEMENT, INC.

ROUTE 2 BOX 1935

SULPHUR, LA 70663

ATTN: SALES OFFICE

THE UNDERSIGNED CERTIFIES THAT HE/SHE OBTAINED A REPRESENTATIVE SAMPLE OF THE WASTE MATERIAL DESCRIBED IN THE "GENERATOR'S WASTE MATERIAL PROFILE SHEET" ABOVE REFERENCED, AND THAT THE FOLLOWING REPRESENTATIONS ARE TRUE AND CORRECT:

1. HOUR AND DATE OF SAMPLING: 1200 11-05-86
2. SOURCE FROM WHICH SAMPLE TAKEN: West Douthern System At
Fels Production
3. EQUIPMENT AND SAMPLING METHOD USED: valve opened flowed into
Sample Bottle / Random grab
4. AMOUNT OF SAMPLE OBTAINED: 1 pint
5. TYPE OF CONTAINER INTO WHICH SAMPLE WAS PLACED: plastic Bottle
6. THE SAMPLING EQUIPMENT USED, AND THE CONTAINER INTO WHICH THE SAMPLE WAS PLACED, WERE THEMSELVES UNCONTAMINATED BEFORE USE.
7. AT THE TIME OF SAMPLING I AFFIXED A LABEL TO THE CONTAINER IN THE FOLLOWING FORM WITH THE FOLLOWING INFORMATION (FILL IN THIS PORTION, INCLUDING YOUR SIGNATURE, JUST AS IT APPEARS ON THE LABEL YOU PREPARED):

GENERATOR: PPG Industries, Inc
WASTE NAME: Douthern And Water
SAMPLE HOUR/DATE: 1200 11-5-86
PROFILE SHEET CODE: LCH-A89606
SAMPLER SIGNATURE: Roy Consiglio by FAC

WITNESS VERIFICATION: I WAS PERSONALLY PRESENT DURING THE SAMPLING DESCRIBED; I DIRECTED THE WASTE SOURCE TO BE SAMPLED; AND I VERIFY THE INFORMATION ABOVE NOTED.

WITNESS: F. ANNE CORABELLO

SIGNATURE: F. Anne Corbello

TITLE: Sr. Env. Analyst

EMPLOYER: PPG Industries

DATE: 12/3/86

SAMPLER NAME: Roy Consiglio

SIGNATURE: Roy Consiglio by FAC

TITLE: Foreman

EMPLOYER: PPG Industries, Inc

DATE: 12/3/86

LABORATORY REVIEW OF SAMPLING PROTOCOL

BASED UPON MY REVIEW OF THE ABOVE PROFILE SHEET, I CONCLUDE THAT THE ABOVE METHODOLOGY IS:

☐ ADEQUATE FOR YIELDING A REPRESENTATIVE SAMPLE

☐ INADEQUATE FOR THE REASONS NOTED HEREON

DATE: _____

SL 04609C



GENERATOR'S WASTE MATERIAL PROFILE SHEET

GENERAL DIRECTIONS: In order for us to determine whether we can lawfully, safely and environmentally transport, store, treat or dispose of your waste stream, we must ask certain information about your waste. All of the information we seek is necessary, for our purposes and yours. Be complete in your answers: if your response is "none," so indicate. Answers must be in ink or typewritten. Information you provide will be maintained in strictest confidence. Please make a copy of this form for your records, returning the original to the location indicated below.

THIS FORM AND ANY SUPPLEMENTAL INFORMATION SHOULD BE RETURNED TO:

CWM

Rt. 2, Box 1955

Carlyss, LA 70663

Attn: Chief Chemist

1. GENERATOR NAME: PPG Industries, Inc.
2. GENERATING FACILITY NAME/ADDRESS/USEPA FACILITY I.D. NUMBER (IF ANY): PPG Industries, Inc.
P. O. Box 1000, Columbia Southern Road, Lake Charles, LA 70602
EPA ID #LAD008086506
3. COMPANY CONTACTS:
- | | | | | | |
|-----------|----------------------------|-------|--------------------------|-------|-----------------------|
| GENERAL | <u>Andy P. Plauche'</u> | TITLE | <u>Plt. Env. Foreman</u> | PHONE | <u>(318) 491-4814</u> |
| | <u>J. Mike DiGiglia</u> | TITLE | <u>Env. Contr. Asst.</u> | PHONE | <u>(318) 491-4307</u> |
| TECHNICAL | <u>Arlen L. Greathouse</u> | TITLE | <u>Sr. Env. Engineer</u> | PHONE | <u>(318) 491-4422</u> |
| | <u>Mark W. Wood</u> | TITLE | <u>Supv. Env. Lab</u> | PHONE | <u>(318) 491-4450</u> |
4. WASTE NAME: Water contaminated with Dowtherm
5. PROCESS GENERATING WASTE: Production of Chlorinated Solvents and Anhydrous Caustic
6. WASTE CHARACTERISTICS:
- A. PHASES/LAYERS: BILAYERED ☒ MULTILAYERED ☐ NONE ☐
- B. PHYSICAL STATE AT 70°F: SOLID ☐ SEMI-SOLID ☐ LIQUID ☒
POWDER ☐ OTHER: _____
- C. SOLIDS: TOTAL (%): < 1 TOTAL DISSOLVED (ppm or %): _____
- D. SPECIFIC WEIGHT (AS # PER UNIT): 8.3 lb/gal
- E. pH: 6 - 8 (Show the following as range of %)
- | | | | | | |
|------------------------------------|------------|---|--------------------------------|------------|---|
| AS: H ₂ SO ₄ | <u>N/A</u> | % | H ₃ PO ₄ | <u>N/A</u> | % |
| HC1 | <u>N/A</u> | % | NaOH | <u>N/A</u> | % |
| HF | <u>N/A</u> | % | NH ₄ OH | <u>N/A</u> | % |
| HNO ₃ | <u>N/A</u> | % | Ca(OH) ₂ | <u>N/A</u> | % |
| OTHER: | _____ | % | _____ | _____ | % |
| | _____ | % | _____ | _____ | % |
- F. FLASH POINT: > 200 °F (CLOSED CUP TEST ONLY)
- G. VAPOR PRESSURE (in mm of Hg at 25°C): Variable
- H. BTU PER #: Variable ASH CONTENT Variable %
- I. CHARACTERISTIC COLOR Black DISTINCTIVE ODOR Strong, pungent
- J. HALOGENATED? N/A % SULFONATED? N/A %
- K. ALPHA RADIATION AS pCi/l: N/A

7. WASTE COMPOSITION:

A. ORGANIC COMPONENTS (WITH RANGES — INDICATE WHETHER % OR ppm)

Dowtherm A:		
Biphenyl	50% of Dowtherm phase	
Phenyl Ether	50% of Dowtherm phase	

(ATTACH ADDITIONAL PAGES IF NECESSARY)

DOES THIS WASTE CONTAIN ENDRIN, LINDANE, METHOXYCHLOR, TOXAPHENE, 2,4-D, 2,4,5-TP SILVEX, OR ANY OTHER ORGANIC COMPOUNDS LISTED BY USEPA AT 40 CFR 261.24? No IF SO, PLEASE NOTE ABOVE.

B. HEAVY METALS (WITH ppm RANGES):

TOTAL	TOTAL LEACHABLE	TOTAL	TOTAL LEACHABLE
Ag <u>N/A</u>		Hg <u>N/A</u>	
As <u>N/A</u>		Ni <u>N/A</u>	
Ba <u>N/A</u>		Pb <u>N/A</u>	
Cd <u>N/A</u>		Se <u>N/A</u>	
Cr <u>N/A</u>		Zn <u>N/A</u>	
Cu <u>N/A</u>		Other (ATTACH ADDITIONAL PAGES)	

(IF YOU HAVE DETERMINED TOTAL LEACHABLES USING USEPA'S "EP TOXICITY TEST PROCEDURE" — AT 40 CFR, PART 261, APPENDIX II — SO INDICATE BY MARKING "EP" AFTER THE RESULT SHOWN ABOVE.)

C. INORGANIC COMPONENTS (WITH % RANGES):

OTHER

TOTAL CYANIDE	<u>N/A</u> — %		— %
FREE CYANIDE	<u>N/A</u> — %		— %
SULFIDE AS:	<u>N/A</u> — %		— %
BISULFITE AS:	<u>N/A</u> — %		— %
SULFITE AS:	<u>N/A</u> — %		— %

(ATTACH ADDITIONAL PAGES IF NECESSARY)

D. DOES THIS WASTE STREAM CONTAIN BIOLOGIC MATERIALS, PATHOGENS, OR ETIOLOGICAL AGENTS? No
IF SO, ATTACH ADDITIONAL PAGES DESCRIBING SUCH MATERIALS.

E. IS THE WASTE A PESTICIDE OR PRODUCED BY A PESTICIDE MANUFACTURING PROCESS? No
IF SO, INDICATE WHETHER IT CONTAINS:

- ☐ ORGANOPHOSPHATES — CONTAINING SULFUR ☐ YES ☐ NO
- ☐ CARBAMATES
- ☐ CHLORINATED HYDROCARBONS

8. HAZARDOUS COMPONENTS AND CHARACTERISTICS


A. HAZARDOUS PROPERTIES (INSERT NUMBER CODES PER INSTRUCTIONS ON LAST PAGE)

(1) TOXICITY RATING: INHALATION 1 DERMAL 1 ORAL 1

Flammability

(2) HAZARD IDENTIFICATION SYSTEM:

Health



Reactivity

Special Instructions

B. LIST ANY OTHER ACUTE OR CHRONIC HAZARDS ASSOCIATED WITH OR ALLEGED TO BE ASSOCIATED WITH HUMAN CONTACT-WITH OR EXPOSURE TO THE WASTE: _____

9. REGULATORY CLASSIFICATION OF WASTE

A. IS THIS WASTE A "HAZARDOUS MATERIAL" AS DEFINED BY REGULATIONS OF THE U.S. DEPARTMENT OF TRANSPORTATION PURSUANT TO THE HAZARDOUS MATERIALS TRANSPORTATION ACT? No
(SEE 49 CFR 172.101 AND 173 FOR "HAZARDOUS MATERIALS" LIST AND CHARACTERISTICS.) IF SO, PLEASE ADVISE OF THE FOLLOWING:

- (1) CORRECT SHIPPING DESCRIPTION: Waste Dowtherm and water
(2) HAZARD CLASS(ES): Non-Hazardous
(3) MATERIAL I.D. NO.(S) _____

B. DOES THIS WASTE CONTAIN ANY "HAZARDOUS SUBSTANCE" AS DEFINED BY REGULATIONS OF THE U.S. ENVIRONMENTAL PROTECTION AGENCY PURSUANT TO SECTION 311 OF THE CLEAN WATER ACT? No
(SEE 40 CFR 117 FOR "HAZARDOUS SUBSTANCES" AND CATEGORIES.) IF SO, PLEASE ADVISE OF THE FOLLOWING:

- (1) THE NAMES OF EACH HAZARDOUS SUBSTANCE PRESENT IN THE WASTE, THE HAZARD CATEGORY (X, A, B, C OR D) AND THE APPROXIMATE CONCENTRATION OF THE SUBSTANCE BY WEIGHT IN THE WASTE:

(ATTACH ADDITIONAL PAGES IF NECESSARY)

C. IS THIS WASTE A "HAZARDOUS WASTE" AS DEFINED BY REGULATIONS OF THE U.S. ENVIRONMENTAL PROTECTION AGENCY PURSUANT TO SECTION 3001 OF THE RESOURCE CONSERVATION AND RECOVERY ACT? No (SEE 40 CFR. PART 261 FOR WHAT IS A "HAZARDOUS WASTE.") IF SO, STATE:

- (1) THE USEPA HAZARDOUS WASTE NUMBER(S): ---
(2) DO YOU CLAIM TO BE A SMALL QUANTITY GENERATOR? No (SEE 40 CFR 261.5.)

D. IS THIS WASTE A "HAZARDOUS WASTE" AS DEFINED BY THE ENVIRONMENTAL REGULATORY AGENCY IN YOUR STATE? No IF SO, STATE WHY IT IS SO DEFINED AND ANY STATE HAZARDOUS WASTE CODE NUMBERS ASSIGNED: ---

10. IS THE INFORMATION PROVIDED IN SECTIONS 6-9 BASED UPON LABORATORY ANALYSIS OF THE WASTE MATERIAL? No IF SO, PLEASE ADVISE OF THE DATE OF THE MOST RECENT ANALYSIS: ---

11. HAVE YOU OBTAINED TOXICITY STUDIES OF THIS WASTE STREAM? No IF SO, PLEASE ATTACH A COPY OF THE RESULTS.

12. QUANTITY/SHIPPING REQUIREMENTS:

ANTICIPATED VOLUME IS: 500


GALLONS ☒ TONS ☐ CUBIC YARDS ☐ DRUMS ☐ OTHER ☐

PER: DAY ☐ WEEK ☐ MONTH ☐ YEAR ☒ ONE TIME ☐

TRANSPORTATION EQUIPMENT REQUIRED: Vacuum Truck or Drums.

SERVICE/SCHEDULING REQUIREMENTS: As required.

GENERATOR'S

AUTHORIZED SIGNATORY: 

Env. Control

TITLE Assistant DATE 5/31/83

CONFIDENTIALITY AGREEMENT: _____

as consideration for the Generator's release of the above information, and any other supplemental data provided, agrees to treat such information as confidential property and will not disclose such information to others except as is required by law, and in such circumstances only after first giving notice to the Generator.

By: _____

Name

SL 046093

Title

SALES

CODE

LCH

A-89606

WASTE PROFILE SHEET CODE

CERTIFICATION OF REPRESENTATIVE SAMPLE

GENERAL DIRECTIONS: IN ORDER TO DETERMINE WHETHER WE CAN ACCEPT THE SPECIAL WASTE DESCRIBED IN THE ABOVE NUMBERED PROFILE SHEET, WE MUST OBTAIN A REPRESENTATIVE SAMPLE OF THE WASTE. WE WILL ANALYZE THE SAMPLE TO VERIFY THE INFORMATION YOU HAVE PROVIDED US, SO IT IS PARTICULARLY IMPORTANT THAT THE SAMPLE BE TRULY REPRESENTATIVE. IN MOST CIRCUMSTANCES YOU WILL BE OBTAINING THE SAMPLE. HOWEVER, IN THOSE CASES IN WHICH WE OBTAIN THE SAMPLE, WE MUST ASK THAT ONE OF YOUR EMPLOYEES BE PRESENT TO DIRECT THE PARTICULAR SOURCE TO BE SAMPLED AND TO WITNESS THE SAMPLING. IN SUCH CASE, YOUR EMPLOYEE MUST SIGN THIS CERTIFICATION AS A WITNESS.

THIS CERTIFICATION MUST BE RETURNED, WITH THE REPRESENTATIVE WASTE SAMPLE, TO:

CWM


Rt. 2, Box 1955

Carlyss, LA 70663


Attn: Chief Chemist

THE UNDERSIGNED CERTIFIES THAT HE/SHE OBTAINED A REPRESENTATIVE SAMPLE OF THE WASTE MATERIAL DESCRIBED IN THE "GENERATOR'S WASTE MATERIAL PROFILE SHEET" ABOVE REFERENCED, AND THAT THE FOLLOWING REPRESENTATIONS ARE TRUE AND CORRECT:

1. HOUR AND DATE OF SAMPLING: A.M. 5/10/83
2. SOURCE FROM WHICH SAMPLE TAKEN: Drum of waste
3. EQUIPMENT AND SAMPLING METHOD USED: Glass Coliwasa; Grab Sample
4. AMOUNT OF SAMPLE OBTAINED: 1 quart
5. TYPE OF CONTAINER INTO WHICH SAMPLE WAS PLACED: Glass Jar
6. THE SAMPLING EQUIPMENT USED, AND THE CONTAINER INTO WHICH THE SAMPLE WAS PLACED, WERE THEMSELVES UNCONTAMINATED BEFORE USE.
7. AT THE TIME OF SAMPLING I AFFIXED A LABEL TO THE CONTAINER IN THE FOLLOWING FORM WITH THE FOLLOWING INFORMATION (FILL IN THIS PORTION, INCLUDING YOUR SIGNATURE, JUST AS IT APPEARS ON THE LABEL YOU PREPARED):

GENERATOR:	PPG Industries, Inc.
SAMPLE HOUR/DATE:	A.M. 5/10/83
PROFILE SHEET CODE:	A-89606
SAMPLER SIGNATURE:	

WITNESS VERIFICATION. I WAS PERSONALLY PRESENT DURING THE SAMPLING DESCRIBED; I DIRECTED THE WASTE SOURCE TO BE SAMPLED; AND I VERIFY THE INFORMATION ABOVE NOTED.

WITNESS: Andy P. Plache'SIGNATURE: TITLE: Plant Environmental ForemanEMPLOYER: PPG Industries, Inc.DATE: 5/31/83SAMPLER NAME: Mike DiGigliaSIGNATURE: TITLE: Environmental Control AssistantEMPLOYER: PPG Industries, Inc.DATE: 5/31/83**LABORATORY REVIEW OF SAMPLING PROTOCOL.**

BASED UPON MY REVIEW OF THE ABOVE PROFILE SHEET, I CONCLUDE THAT THE ABOVE METHODOLOGY IS:

- ☐ ADEQUATE FOR YIELDING A REPRESENTATIVE SAMPLE.
- ☐ INADEQUATE FOR THE REASONS NOTED HEREON.

DATE: _____

SL 046094