

Message

From: Kathy Bishop -MDE- [kathy.bishop@maryland.gov]
Sent: 10/19/2017 5:41:25 PM
To: Forsgren, Lee [/o=ExchangeLabs/ou=Exchange Administrative Group (FYDIBOHF23SPDLT)/cn=Recipients/cn=a055d7329d5b470fbaa9920ce1b68a7d-Forsgren, D]
Subject: Fwd: Tried calling your cell and got an intercept
Attachments: MDE_PressRelease_10-2017.pdf

MDE's Nutrient Trading press release is attached.

--

*Kathy Bishop
Executive Associate to the Secretary
Maryland Department of the Environment
1800 Washington Boulevard
Baltimore, Maryland 21230
410.537.4187
Kathy.Bishop@Maryland.gov*

----- Forwarded message -----

From: Ben Grumbles -MDE- <ben.grumbles@maryland.gov>
Date: Mon, Oct 16, 2017 at 11:33 AM
Subject: Re: Tried calling your cell and got an intercept
To: "Forsgren, Lee" <Forsgren.Lee@epa.gov>
Cc: Kathy Bishop <kathy.bishop@maryland.gov>

Thanks Lee. Intercept because I went to Serbia Saturday and am still there till Wednesday. Back in the hood Wednesday night.

Kathy could you email Lee our press release on nutrient trading.

Best.
Ben

Sent from my iPhone

On Oct 16, 2017, at 4:24 PM, Forsgren, Lee <Forsgren.Lee@epa.gov> wrote:

Ben,

Got your voicemail from Friday when I got in this morning. Tried calling your cell at Ex. 6 and got an intercept that the call could not be completed due to technical difficulties (called Ex. 6 3 times). Call me on my EPA cell at Ex. 6

Love that trading!

Lee

D. Lee Forsgren

Deputy Assistant Administrator

Office Of Water

Environmental Protection Agency

1200 Pennsylvania Avenue, VW

Room 3219 WJCE

Washington, DC 20460

Phone: 202-564-5700

Forsgren.Lee@epa.gov

[Click here](#) to complete a three question customer experience survey.

[Click here](#) to complete a three question customer experience survey.