

APR 19 '91 8:30

PAGE 002

93 AB AND 93/94 AD BRAKE PROGRAMS

MEETING: Monday, April 22, 1991 at 8:30 AM
Chelsea Proving Grounds, Conference Room B

INVITEES: JTE: S. C. Brown CPG: D. E. Bain
J. M. Knoll J. L. Boyd
M. C. Long J. M. Edgar
D. K. Mienko D. E. Kvarnberg

The following are items for discussion at the meetings:

1993 AB

Will non-asbestos program be for 93 or 93 1/2 MY? *93 1/2 CO-OP ABS.*

B2

- What linings will be used (front and rear) for B1 and B2? (11 *DELCO 3/20 9/00/9100*)
- When will these linings be available for PG testing? *✓ 6/1/91 (ATHIN INK 3 MAY 91)*
• 100 CARS RS OF REAR AT ELCON (BOWDOX)
• 100 CARS RS FRONT COMING FROM DELCO
- When will vehicles be available for PG testing? (Must test both RHAL and hybrid ABS) ?
- Note: Computer analysis for proportioning valve selection is essential before any vehicle testing can start. *AL BOOTH?*

B1

- Will front linings be common for B1, B2 and B3? If not, what will B3 use? *YES*
- What rear brake size will be on B3? (12 or 12 1/8 or both) *BOTH*
- What will rear linings be? *DELCO 9/00/9100* DC 01883
- Today front and rear linings are common for the majority of AB and AD models. Starting with 93 (or 93 1/2) the linings will be different. Is this a problem? *NO NOT THINK SO, DIFFERENT PLANTS.*

JTEP Truck Engineering Fax Transmitted		# of pages
To	DOUG BAIN	3
cc	CPG	
From	JIM KNOLL	
cc	JTE	
Date	BRAKE	3 2854
Page	836 5590	733 869

93 AS AND 93/94 AD BRAKE PROGRAMS
Page 3

1994 AD

- What is the plan for AD models which don't become T300 vehicles in 1994? (Club cabs and D3, D6 Chassis cabs). These must switch to non-asbestos to comply with the law. **YES DELCO 12 1/8 X 3 1/2 9100/9100**
FRT 7503J OR DELCO 8120
- These systems will be used for just one year since vehicles will become T300 in 1995. **TRUE, CHANGE ONLY TO MEET ASB. LAW.**
- In addition to linings, will there be other changes? (Diameter, width, ^{SIZE} wheel cylinder sizes?) **? 12 X 3 IN PLACE OF 12 X 2 1/2 & 12 1/8 X 3 1/2 IN PLACE OF 12 X 3 - NEEDS TO DETERM BY TESTING**
- When will parts be available for P.D. testing? **AXLES ON ORDERED WITH 12 1/8 X 3 1/2 & 12 X 3 FITS 12 X 2 1/2**
- When will vehicles be available for P.D. testing? (These will be production AD models with only RWAL.) **2 ORDERED * ? NEED LOAD BEDS, & BRACKETS**
- **Note:** Computer analysis is essential before any vehicle testing can start. **AGRA**
Will ALLAN BOOTH ASSIST?

D. S. Bain

D. S. Bain
April 18, 1991

