

**Industrial Hygiene****Test Results**

Sample Date Range      2/28/73      8/5/81  
Concentration Range  
Action Level      100%

| Sample Dt                                  | Sample # | Duration | Type | Employee Name | Pers | Chemical | Conc    | Unit | Percent |
|--------------------------------------------|----------|----------|------|---------------|------|----------|---------|------|---------|
| BTO: 08 TEFLON@                            |          |          |      |               |      |          |         |      |         |
| LOC: 016 MONOMER ANALYZER COMPUTER ROOM    |          |          |      |               |      |          |         |      |         |
| 11/15/79                                   | 61389    |          | Z    |               |      | C-8      | 0.0006  | PPM  | 0.0%    |
| 11/26/79                                   | 61390    |          | Z    |               |      | C-8      | 0.0003  | PPM  | 0.0%    |
| 11/29/79                                   | 61391    |          | Z    |               |      | C-8      | 0.0004  | PPM  | 0.0%    |
| BTO: 08 TEFLON@                            |          |          |      |               |      |          |         |      |         |
| LOC: 023 TRAINING FACILITY (OLD PROD C.C.) |          |          |      |               |      |          |         |      |         |
| 3/3/81                                     | 54817    |          | Z    |               |      | C-8      | 0.0004  | PPM  | 0.0%    |
| 3/3/81                                     | 54818    |          | Z    |               |      | C-8      | 0.0005  | PPM  | 0.0%    |
| 3/16/81                                    | 54819    |          | Z    |               |      | C-8      | 0.0002  | PPM  | 0.0%    |
| 3/17/81                                    | 54820    |          | Z    |               |      | C-8      | 0.0006  | PPM  | 0.0%    |
| 3/18/81                                    | 54821    |          | Z    |               |      | C-8      | 0.0002  | PPM  | 0.0%    |
| 3/18/81                                    | 54822    |          | Z    |               |      | C-8      | <0.0001 | PPM  | 0.0%    |
| 3/19/81                                    | 54823    |          | Z    |               |      | C-8      | 0.0003  | PPM  | 0.0%    |
| 3/19/81                                    | 54824    |          | Z    |               |      | C-8      | 0.0004  | PPM  | 0.0%    |
| 3/27/81                                    | 54825    |          | Z    |               |      | C-8      | <0.0001 | PPM  | 0.0%    |
| BTO: 08 TEFLON@                            |          |          |      |               |      |          |         |      |         |
| LOC: 701 FINE POWDER DRYER-EAST SIDE #2    |          |          |      |               |      |          |         |      |         |

ALP007141

TestResults

file:///C:/WINDOWS/TEMP/Monomers C-8 2-26-73 thru 8-5-81 9 pages.htm

|          |       |   |     |             |      |
|----------|-------|---|-----|-------------|------|
| 2/26/73  | 62670 | Z | C-8 | <0.1 PPM    | 0.0% |
| 9/3/74   | 62671 | Z | C-8 | <0.1 PPM    | 0.0% |
| 2/3/77   | 62672 | Z | C-8 | <0.1 PPM    | 0.0% |
| 2/16/78  | 62673 | Z | C-8 | <0.1 PPM    | 0.0% |
| 2/12/79  | 62674 | Z | C-8 | <0.1 PPM    | 0.0% |
| 12/13/79 | 62675 | Z | C-8 | <0.0001 PPM | 0.0% |
| 12/31/80 | 62676 | Z | C-8 | 0.0073 PPM  | 0.0% |
| 8/5/81   | 62677 | Z | C-8 | 0.0091 PPM  | 0.0% |
| 8/5/81   | 62678 | Z | C-8 | 0.0005 PPM  | 0.0% |

BTO : 08 TEFLON@

LOC : 702 FINE POWDER DRYER CONTROL ROOM (ALSO SEE TTF031

|         |       |   |     |          |      |
|---------|-------|---|-----|----------|------|
| 2/26/73 | 57136 | Z | C-8 | <0.1 PPM | 0.0% |
| 9/3/74  | 57137 | Z | C-8 | <0.1 PPM | 0.0% |
| 2/3/77  | 57138 | Z | C-8 | <0.1 PPM | 0.0% |

Tuesday, August 28, 2001 3:18:48 PM

Page 1 of 9

| Sample Dt | Sample # | Duration | Type | Employee Name | Pers | Chemical | Conc   | Unit | Percent |
|-----------|----------|----------|------|---------------|------|----------|--------|------|---------|
| 2/16/78   | 57139    |          | Z    |               |      | C-8      | <0.1   | PPM  | 0.0%    |
| 2/12/79   | 57140    |          | Z    |               |      | C-8      | <0.1   | PPM  | 0.0%    |
| 11/28/79  | 57141    |          | Z    |               |      | C-8      | 0.0002 | PPM  | 0.0%    |

AIP007142

## TestResults

file:///C:/WINDOWS/TEMP/Monomers C-8 2-26-73 thru 8-5-81 9 pages.htm

|          |       |   |     |         |     |      |
|----------|-------|---|-----|---------|-----|------|
| 11/29/79 | 57142 | Z | C-8 | 0.0005  | PPM | 0.0% |
| 7/9/80   | 57143 | Z | C-8 | 0.0009  | PPM | 0.0% |
| 7/14/80  | 57144 | Z | C-8 | 0.0022  | PPM | 0.0% |
| 7/16/80  | 57145 | Z | C-8 | 0.0001  | PPM | 0.0% |
| 8/28/80  | 57146 | Z | C-8 | <0.0001 | PPM | 0.0% |
| 6/9/81   | 57147 | Z | C-8 | 0.0004  | PPM | 0.0% |
| 6/13/81  | 57148 | Z | C-8 | 0.0004  | PPM | 0.0% |
| 7/21/81  | 57149 | Z | C-8 | 0.0002  | PPM | 0.0% |
| 7/23/81  | 57150 | Z | C-8 | 0.0003  | PPM | 0.0% |

BTO: 08 TEFLON@

LOC: 703 FINE POWDER PACKOUT ROOM

|          |       |   |     |         |     |      |
|----------|-------|---|-----|---------|-----|------|
| 2/3/77   | 49590 | Z | C-8 | <0.1    | PPM | 0.0% |
| 2/16/78  | 49591 | Z | C-8 | <0.1    | PPM | 0.0% |
| 2/12/79  | 49592 | Z | C-8 | <0.1    | PPM | 0.0% |
| 11/12/79 | 49593 | Z | C-8 | 0.0003  | PPM | 0.0% |
| 11/14/79 | 49594 | Z | C-8 | 0.0001  | PPM | 0.0% |
| 12/31/80 | 49595 | Z | C-8 | <0.0001 | PPM | 0.0% |
| 6/16/81  | 49596 | Z | C-8 | <0.0001 | PPM | 0.0% |

BTO: 08 TEFLON@

LOC: 704 A/S - FINE POWDER C-8 WEIGH HOOD

|         |       |   |     |      |     |      |
|---------|-------|---|-----|------|-----|------|
| 2/3/77  | 51169 | Z | C-8 | <0.1 | PPM | 0.0% |
| 2/16/78 | 51170 | Z | C-8 | <0.1 | PPM | 0.0% |
| 2/12/79 | 51171 | Z | C-8 | <0.1 | PPM | 0.0% |

AJP007143

## TestResults

file:///C:/WINDOWS/TEMP/Monomers C-8 2-26-73 thru 8-5-81 9 pages.htm

|          |       |   |     |        |     |      |
|----------|-------|---|-----|--------|-----|------|
| 12/3/79  | 51172 | Z | C-8 | 0.0008 | PPM | 0.0% |
| 12/31/80 | 51173 | Z | C-8 | 0.0004 | PPM | 0.0% |

BTO : 08 TEFLON@

LOC : 705 DISPERSION PACK OUT AREA

|         |       |   |     |         |     |      |
|---------|-------|---|-----|---------|-----|------|
| 1/16/80 | 60378 | Z | C-8 | 0.0017  | PPM | 0.0% |
| 1/17/80 | 60379 | Z | C-8 | 0.0002  | PPM | 0.0% |
| 3/31/80 | 60380 | Z | C-8 | <0.0001 | PPM | 0.0% |
| 6/16/81 | 60381 | Z | C-8 | 0.0002  | PPM | 0.0% |

Tuesday, August 28, 2001 3:18:48 PM

Page 2 of 9

| Sample Dt                      | Sample # | Duration | Type | Employee Name | Pers | Chemical | Conc    | Unit | Percent |
|--------------------------------|----------|----------|------|---------------|------|----------|---------|------|---------|
| BTO : 08 TEFLON@               |          |          |      |               |      |          |         |      |         |
| LOC : 706 FINE POWDER DRYER #3 |          |          |      |               |      |          |         |      |         |
| 10/5/79                        | 48575    |          | Z    |               |      | C-8      | 0.002   | PPM  | 0.0%    |
| 10/15/79                       | 48576    |          | Z    |               |      | C-8      | 0.0002  | PPM  | 0.0%    |
| 10/17/79                       | 48577    |          | Z    |               |      | C-8      | 0.0044  | PPM  | 0.0%    |
| 11/14/79                       | 48578    |          | Z    |               |      | C-8      | 0.004   | PPM  | 0.0%    |
| 12/13/79                       | 48579    |          | S    |               |      | C-8      | <0.0001 | PPM  | 0.0%    |
| 1/30/80                        | 48580    |          | Z    |               |      | C-8      | 0.0065  | PPM  | 0.0%    |
| 4/29/80                        | 48581    |          | Z    |               |      | C-8      | 0.029   | PPM  |         |

AJP007144

|         |       |   |     |        |     |      |
|---------|-------|---|-----|--------|-----|------|
|         |       |   |     |        |     | 0.0% |
| 4/29/80 | 48582 | Z | C-8 | 0.005  | PPM | 0.0% |
| 7/14/80 | 48583 | Z | C-8 | 0.0095 | PPM | 0.0% |
| 7/23/80 | 48584 | Z | C-8 | 0.0039 | PPM | 0.0% |
| 7/23/80 | 48585 | Z | C-8 | 0.0009 | PPM | 0.0% |
| 7/29/80 | 48586 | Z | C-8 | 0.0055 | PPM | 0.0% |
| 7/29/80 | 48587 | Z | C-8 | 0.0051 | PPM | 0.0% |
| 6/5/81  | 48588 | Z | C-8 | 0.0081 | PPM | 0.0% |
| 6/5/81  | 48589 | Z | C-8 | 0.0043 | PPM | 0.0% |
| 6/9/81  | 48590 | Z | C-8 | 0.0015 | PPM | 0.0% |
| 6/9/81  | 48591 | Z | C-8 | 0.0016 | PPM | 0.0% |
| 6/13/81 | 48592 | Z | C-8 | 0.0015 | PPM | 0.0% |

BTO: 08 TEFLON@  
LOC: 707 FINE POWDER DRYER #2

|          |       |   |     |        |     |      |
|----------|-------|---|-----|--------|-----|------|
| 10/15/79 | 60137 | Z | C-8 | 0.0003 | PPM | 0.0% |
| 10/17/79 | 60138 | Z | C-8 | 0.0047 | PPM | 0.0% |
| 12/11/79 | 60139 | S | C-8 | 0.0038 | PPM | 0.0% |
| 12/11/79 | 60140 | Z | C-8 | 0.0038 | PPM | 0.0% |
| 4/17/80  | 60141 | Z | C-8 | 0.0051 | PPM | 0.0% |
| 4/17/80  | 60142 | Z | C-8 | 0.0035 | PPM | 0.0% |
| 6/3/81   | 60143 | Z | C-8 | 0.0946 | PPM | 0.0% |
| 6/3/81   | 60144 | Z | C-8 | 0.0061 | PPM | 0.0% |
| 6/13/81  | 60145 | Z | C-8 | 0.0014 | PPM | 0.0% |

AIP007145

## TestResults

file:///C:/WINDOWS/TEMP/Monomers C-8 2-26-73 thru 8-5-81 9 pages.htm

|         |       |   |     |        |     |      |
|---------|-------|---|-----|--------|-----|------|
| 7/21/81 | 60146 | Z | C-8 | 0.0358 | PPM | 0.0% |
| 7/21/81 | 60147 | Z | C-8 | 0.0056 | PPM | 0.0% |
| 7/22/81 | 60148 | Z | C-8 | 0.0445 | PPM | 0.0% |
| 7/22/81 | 60149 | Z | C-8 | 0.0058 | PPM | 0.0% |

BTO: 08 TEFLON@

LOC: 708 P/S - FINE POWDER PACKOUT (08PJ)

|          |       |   |     |         |     |      |
|----------|-------|---|-----|---------|-----|------|
| 10/17/79 | 49585 | Z | C-8 | <0.0001 | PPM | 0.0% |
|----------|-------|---|-----|---------|-----|------|

Tuesday, August 28, 2001 3:18:48 PM

Page 3 of 9

| Sample Dt | Sample # | Duration | Type | Employee Name | Pers | Chemical | Conc   | Unit | Percent |
|-----------|----------|----------|------|---------------|------|----------|--------|------|---------|
| 12/11/79  | 49586    |          | Z    |               |      | C-8      | 0.0032 | PPM  | 0.0%    |
| 1/16/80   | 49587    |          | Z    |               |      | C-8      | 0.0006 | PPM  | 0.0%    |

BTO: 08 TEFLON@

LOC: 709 DRYER FLOATATION TANK

|          |       |  |   |  |  |     |        |     |      |
|----------|-------|--|---|--|--|-----|--------|-----|------|
| 12/11/79 | 48567 |  | Z |  |  | C-8 | 0.0012 | PPM | 0.0% |
|----------|-------|--|---|--|--|-----|--------|-----|------|

BTO: 08 TEFLON@

LOC: 710 FP&amp;D AUTOCLAVE CONTROL ROOM

|          |       |  |   |  |  |     |         |     |      |
|----------|-------|--|---|--|--|-----|---------|-----|------|
| 11/13/79 | 62583 |  | Z |  |  | C-8 | 0.0006  | PPM | 0.0% |
| 11/15/79 | 62584 |  | Z |  |  | C-8 | 0.0007  | PPM | 0.0% |
| 12/10/79 | 62585 |  | Z |  |  | C-8 | 0.0004  | PPM | 0.0% |
| 12/13/79 | 62586 |  | Z |  |  | C-8 | <0.0001 | PPM | 0.0% |

AJP007146

## TestResults

file:///C:/WINDOWS/TEMP/Monomers C-8 2-26-73 thru 8-5-81 9 pages.htm

|         |       |   |     |         |     |      |
|---------|-------|---|-----|---------|-----|------|
| 1/25/80 | 62587 | Z | C-8 | 0.0012  | PPM | 0.0% |
| 2/11/80 | 62588 | Z | C-8 | 0.0008  | PPM | 0.0% |
| 2/26/80 | 62589 | Z | C-8 | 0.0004  | PPM | 0.0% |
| 6/26/80 | 62590 | Z | C-8 | 0.001   | PPM | 0.0% |
| 7/14/80 | 62591 | Z | C-8 | 0.0024  | PPM | 0.0% |
| 7/16/80 | 62592 | Z | C-8 | <0.0001 | PPM | 0.0% |
| 7/31/80 | 62593 | Z | C-8 | 0.0005  | PPM | 0.0% |
| 7/31/80 | 62594 | Z | C-8 | 0.0009  | PPM | 0.0% |
| 8/4/80  | 62595 | Z | C-8 | 0.0026  | PPM | 0.0% |
| 8/25/80 | 62596 | Z | C-8 | 0.0001  | PPM | 0.0% |
| 1/8/81  | 62597 | Z | C-8 | <0.0001 | PPM | 0.0% |
| 3/5/81  | 62598 | Z | C-8 | 0.0004  | PPM | 0.0% |
| 6/13/81 | 62599 | Z | C-8 | 0.0009  | PPM | 0.0% |
| 7/23/81 | 62600 | Z | C-8 | 0.0002  | PPM | 0.0% |

BTO : 08      TEFLON@  
LOC : 711      CLAVE AREA - GENERAL

|          |       |   |     |         |     |      |
|----------|-------|---|-----|---------|-----|------|
| 11/14/79 | 62827 | Z | C-8 | 0.0002  | PPM | 0.0% |
| 12/13/79 | 62828 | Z | C-8 | <0.0001 | PPM | 0.0% |

BTO : 08      TEFLON@  
LOC : 712      NORTH END OF DRYER #3

|         |       |   |     |        |     |      |
|---------|-------|---|-----|--------|-----|------|
| 1/7/80  | 62831 | Z | C-8 | 0.0023 | PPM | 0.0% |
| 1/9/80  | 62832 | Z | C-8 | 0.0021 | PPM | 0.0% |
| 1/25/80 | 62833 | Z | C-8 | 0.0007 | PPM | 0.0% |

AJP007147

|         |       |   |     |        |     |      |
|---------|-------|---|-----|--------|-----|------|
| 1/29/80 | 62834 | Z | C-8 | 0.0007 | PPM | 0.0% |
| 2/7/80  | 62835 | Z | C-8 | 0.0016 | PPM | 0.0% |

Tuesday, August 28, 2001 3:18:48 PM

Page 4 of 9

| Sample Dt | Sample # | Duration | Type | Employee Name | Pers | Chemical | Conc    | Unit | Percent |
|-----------|----------|----------|------|---------------|------|----------|---------|------|---------|
| 2/26/80   | 62836    |          | Z    |               |      | C-8      | 0.0005  | PPM  | 0.0%    |
| 3/6/80    | 62837    |          | Z    |               |      | C-8      | 0.0005  | PPM  | 0.0%    |
| 3/18/80   | 62838    |          | Z    |               |      | C-8      | 0.0034  | PPM  | 0.0%    |
| 6/12/80   | 62839    |          | Z    |               |      | C-8      | <0.0001 | PPM  | 0.0%    |
| 7/9/80    | 62840    |          | Z    |               |      | C-8      | 0.0015  | PPM  | 0.0%    |
| 8/28/80   | 62841    |          | Z    |               |      | C-8      | 0.0004  | PPM  | 0.0%    |

BTO: 08 TEFLON@

LOC: 713 FINE POWDER OFFICE AREA-GENERAL

|         |       |  |   |  |  |     |        |     |      |
|---------|-------|--|---|--|--|-----|--------|-----|------|
| 1/23/80 | 62620 |  | Z |  |  | C-8 | 0.0004 | PPM | 0.0% |
| 1/23/80 | 62621 |  | Z |  |  | C-8 | 0.001  | PPM | 0.0% |
| 2/11/80 | 62622 |  | Z |  |  | C-8 | 0.0007 | PPM | 0.0% |
| 2/11/80 | 62623 |  | Z |  |  | C-8 | 0.0011 | PPM | 0.0% |
| 2/26/80 | 62624 |  | Z |  |  | C-8 | 0.0003 | PPM | 0.0% |
| 7/10/80 | 62625 |  | Z |  |  | C-8 | 0.0004 | PPM | 0.0% |
| 4/28/81 | 62626 |  | Z |  |  | C-8 | 0.0004 | PPM | 0.0% |

AJP007148

|                                         |       |   |     |         |     |      |
|-----------------------------------------|-------|---|-----|---------|-----|------|
| 4/28/81                                 | 62627 | Z | C-8 | 0.0005  | PPM | 0.0% |
| 4/28/81                                 | 62628 | Z | C-8 | 0.0002  | PPM | 0.0% |
| <br>                                    |       |   |     |         |     |      |
| BTO: 08      TEFLON@                    |       |   |     |         |     |      |
| LOC: 714      C-8 STORAGE ROOM          |       |   |     |         |     |      |
| 12/11/79                                | 62645 | Z | C-8 | 0.0032  | PPM | 0.0% |
| 3/3/81                                  | 62646 | Z | C-8 | 0.0004  | PPM | 0.0% |
| 3/17/81                                 | 62647 | Z | C-8 | <0.0001 | PPM | 0.0% |
| <br>                                    |       |   |     |         |     |      |
| BTO: 08      TEFLON@                    |       |   |     |         |     |      |
| LOC: 715      SOUTH END DRYER #2        |       |   |     |         |     |      |
| 1/23/80                                 | 62530 | Z | C-8 | 0.0042  | PPM | 0.0% |
| 7/9/80                                  | 62531 | Z | C-8 | 0.0129  | PPM | 0.0% |
| 8/28/80                                 | 62532 | Z | C-8 | 0.0003  | PPM | 0.0% |
| <br>                                    |       |   |     |         |     |      |
| BTO: 08      TEFLON@                    |       |   |     |         |     |      |
| LOC: 716      FINE POWDER C-8 PUMP AREA |       |   |     |         |     |      |
| 12/13/79                                | 62629 | Z | C-8 | <0.0001 | PPM | 0.0% |
| 6/11/80                                 | 62630 | Z | C-8 | 0.0064  | PPM | 0.0% |
| 7/10/80                                 | 62631 | Z | C-8 | 0.0034  | PPM | 0.0% |
| 7/10/80                                 | 62632 | Z | C-8 | 0.0019  | PPM | 0.0% |
| 7/16/80                                 | 62633 | Z | C-8 | 0.012   | PPM | 0.0% |
| 7/16/80                                 | 62634 | Z | C-8 | 0.0066  | PPM | 0.0% |
| 7/17/80                                 | 62635 | Z | C-8 | 0.0056  | PPM | 0.0% |

Tuesday, August 28, 2001 3:18:48 PM

Page 5 of 9

AJP007149

| Sample Dt | Sample # | Duration | Type | Employee Name | Pers | Chemical | Conc    | Unit | Percent |
|-----------|----------|----------|------|---------------|------|----------|---------|------|---------|
| 7/17/80   | 62636    |          | Z    |               |      | C-8      | 0.0041  | PPM  | 0.0%    |
| 7/22/80   | 62637    |          | Z    |               |      | C-8      | 0.0024  | PPM  | 0.0%    |
| 8/26/80   | 62638    |          | Z    |               |      | C-8      | 0.0005  | PPM  | 0.0%    |
| 8/26/80   | 62639    |          | Z    |               |      | C-8      | 0.0001  | PPM  | 0.0%    |
| 8/26/80   | 62640    |          | Z    |               |      | C-8      | 0.0001  | PPM  | 0.0%    |
| 1/5/81    | 62641    |          | Z    |               |      | C-8      | <0.0001 | PPM  | 0.0%    |

BTO : 08 TEFLON@

LOC : 717 ROOF AREA-GENERAL

|         |       |  |   |  |  |     |         |     |      |
|---------|-------|--|---|--|--|-----|---------|-----|------|
| 1/18/80 | 62601 |  | Z |  |  | C-8 | <0.0001 | PPM | 0.0% |
| 1/18/80 | 62602 |  | Z |  |  | C-8 | 0.0003  | PPM | 0.0% |
| 1/18/80 | 62603 |  | Z |  |  | C-8 | 0.0013  | PPM | 0.0% |
| 3/27/81 | 62604 |  | Z |  |  | C-8 | 0.0015  | PPM | 0.0% |
| 6/16/81 | 62605 |  | Z |  |  | C-8 | 0.0022  | PPM | 0.0% |
| 6/16/81 | 62606 |  | Z |  |  | C-8 | 0.0013  | PPM | 0.0% |
| 6/17/81 | 62607 |  | Z |  |  | C-8 | 0.0009  | PPM | 0.0% |
| 6/17/81 | 62608 |  | Z |  |  | C-8 | 0.0022  | PPM | 0.0% |
| 6/18/81 | 62609 |  | Z |  |  | C-8 | 0.0002  | PPM | 0.0% |
| 6/18/81 | 62610 |  | Z |  |  | C-8 | 0.0006  | PPM | 0.0% |
| 7/9/81  | 62611 |  | Z |  |  | C-8 | 0.0001  | PPM | 0.0% |
| 7/9/81  | 62612 |  | Z |  |  | C-8 | <0.0001 | PPM | 0.0% |

AJP007150

|                                       |       |   |     |         |     |      |
|---------------------------------------|-------|---|-----|---------|-----|------|
| 7/9/81                                | 62613 | Z | C-8 | <0.0001 | PPM | 0.0% |
| BTO : 08      TEFLON@                 |       |   |     |         |     |      |
| LOC : 718      FINE POWDER DRYER AREA |       |   |     |         |     |      |
| 1/29/80                               | 62770 | Z | C-8 | 0.0011  | PPM | 0.0% |
| 6/4/81                                | 62771 | Z | C-8 | 0.0019  | PPM | 0.0% |
| 6/4/81                                | 62772 | Z | C-8 | 0.0029  | PPM | 0.0% |
| 6/13/81                               | 62773 | Z | C-8 | 0.0018  | PPM | 0.0% |
| 7/27/81                               | 62774 | Z | C-8 | 0.0079  | PPM | 0.0% |
| 7/27/81                               | 62775 | Z | C-8 | 0.0091  | PPM | 0.0% |
| 7/28/81                               | 62776 | Z | C-8 | 0.003   | PPM | 0.0% |
| 7/29/81                               | 62777 | Z | C-8 | 0.0028  | PPM | 0.0% |
| 7/29/81                               | 62778 | Z | C-8 | 0.0027  | PPM | 0.0% |
| 7/29/81                               | 62779 | Z | C-8 | 0.0024  | PPM | 0.0% |
| 7/29/81                               | 62780 | Z | C-8 | 0.0029  | PPM | 0.0% |
| 7/29/81                               | 62781 | Z | C-8 | 0.0025  | PPM | 0.0% |
| 7/29/81                               | 62782 | Z | C-8 | 0.004   | PPM | 0.0% |

Tuesday, August 28, 2001 3:18:48 PM

Page 6 of 9

AJP007151

| Sample Dt | Sample # | Duration | Type | Employee Name | Pers | Chemical | Conc | Unit | Percent |
|-----------|----------|----------|------|---------------|------|----------|------|------|---------|
|-----------|----------|----------|------|---------------|------|----------|------|------|---------|

|           |       |                                 |  |     |         |     |      |
|-----------|-------|---------------------------------|--|-----|---------|-----|------|
| BTO : 08  |       | TEFLON@                         |  |     |         |     |      |
| LOC : 723 |       | AROUND FULL STAB TANK           |  |     |         |     |      |
| 1/23/80   | 49653 | Z                               |  | C-8 | 0.0004  | PPM | 0.0% |
| 3/6/80    | 49654 | Z                               |  | C-8 | <0.0001 | PPM | 0.0% |
|           |       |                                 |  |     |         |     |      |
| BTO : 08  |       | TEFLON@                         |  |     |         |     |      |
| LOC : 726 |       | AISLE IN FRONT OF WAX SEPARATOR |  |     |         |     |      |
| 12/10/79  | 53128 | Z                               |  | C-8 | 0.0002  | PPM | 0.0% |
|           |       |                                 |  |     |         |     |      |
| BTO : 08  |       | TEFLON@                         |  |     |         |     |      |
| LOC : 727 |       | FINE POWDER CELL AREA           |  |     |         |     |      |
| 1/30/80   | 52114 | Z                               |  | C-8 | <0.0001 | PPM | 0.0% |
|           |       |                                 |  |     |         |     |      |
| BTO : 08  |       | TEFLON@                         |  |     |         |     |      |
| LOC : 728 |       | WAX ROOM - B-162 - 1ST FLOOR    |  |     |         |     |      |
| 3/5/81    | 60112 | Z                               |  | C-8 | 0.0012  | PPM | 0.0% |
| 3/5/81    | 60113 | Z                               |  | C-8 | 0.001   | PPM | 0.0% |
|           |       |                                 |  |     |         |     |      |
| BTO : 08  |       | TEFLON@                         |  |     |         |     |      |
| LOC : 729 |       | HOLDUP TANK ROOM - B162         |  |     |         |     |      |
| 3/27/81   | 60110 | Z                               |  | C-8 | 0.0002  | PPM | 0.0% |
| 3/27/81   | 60111 | Z                               |  | C-8 | <0.0001 | PPM | 0.0% |
|           |       |                                 |  |     |         |     |      |
| BTO : 08  |       | TEFLON@                         |  |     |         |     |      |
| LOC : 737 |       | CARR BLDG - GENRAL AREAS        |  |     |         |     |      |
| 4/8/81    | 61581 | Z                               |  | C-8 | <0.0001 | PPM | 0.0% |
| 4/8/81    | 61582 | Z                               |  | C-8 | 0.0002  | PPM | 0.0% |
| 4/8/81    | 61583 | Z                               |  | C-8 | <0.0001 | PPM | 0.0% |
| 4/14/81   | 61584 | Z                               |  | C-8 | 0.0002  | PPM | 0.0% |
| 4/14/81   | 61585 | Z                               |  | C-8 | 0.001   | PPM | 0.0% |
| 4/15/81   | 61586 | Z                               |  | C-8 | <0.0001 | PPM | 0.0% |

AJP007152

## TestResults

file:///C:/WINDOWS/TEMP/Monomers C-8 2-26-73 thru 8-5-81 9 pages.htm

0.0%

BTO: 08 TEFLON@  
LOC: 747 B-162 WEST WAREHOUSE

|         |       |   |     |        |     |      |
|---------|-------|---|-----|--------|-----|------|
| 4/29/81 | 49551 | Z | C-8 | 0.0002 | PPM | 0.0% |
| 4/29/81 | 49552 | Z | C-8 | 0.001  | PPM | 0.0% |

BTO: 08 TEFLON@  
LOC: 748 B-162 EAST WAREHOUSE

|         |       |   |     |        |     |      |
|---------|-------|---|-----|--------|-----|------|
| 1/16/80 | 57615 | Z | C-8 | 0.0002 | PPM | 0.0% |
| 7/20/81 | 57616 | Z | C-8 | 0.003  | PPM | 0.0% |

Tuesday, August 28, 2001 3:18:48 PM

Page 7 of 9

| Sample Dt | Sample # | Duration | Type | Employee Name | Pers | Chemical | Conc   | Unit | Percent |
|-----------|----------|----------|------|---------------|------|----------|--------|------|---------|
| 7/20/81   | 57617    |          | Z    |               |      | C-8      | 0.0009 | PPM  | 0.0%    |
| 7/20/81   | 57618    |          | Z    |               |      | C-8      | 0.0006 | PPM  | 0.0%    |

BTO: 08 TEFLON@  
LOC: 752 TA BLDG-HEAT TREATER

|          |       |   |     |         |     |      |
|----------|-------|---|-----|---------|-----|------|
| 12/12/79 | 47597 | Z | C-8 | <0.0001 | PPM | 0.0% |
|----------|-------|---|-----|---------|-----|------|

BTO: 08 TEFLON@  
LOC: 755 TA BLDG-3RD FLOOR

|          |       |   |     |         |     |      |
|----------|-------|---|-----|---------|-----|------|
| 12/12/79 | 50198 | Z | C-8 | <0.0001 | PPM | 0.0% |
|----------|-------|---|-----|---------|-----|------|

BTO: 08 TEFLON@  
LOC: 802 P/S - FINE POWDER DRYER OPERATOR (08PI)

|          |       |   |      |     |       |     |
|----------|-------|---|------|-----|-------|-----|
| 10/23/79 | 33473 | P | none | C-8 | 0.001 | PPM |
|----------|-------|---|------|-----|-------|-----|

AJP007153

## TestResults

file:///C:/WINDOWS/TEMP/Monomers C-8 2-26-73 thru 8-5-81 9 pages.htm

|          |       |   |      |     |         |     |      |
|----------|-------|---|------|-----|---------|-----|------|
|          |       |   |      |     |         |     | 0.0% |
| 10/28/79 | 33474 | P | none | C-8 | 0.0009  | PPM | 0.0% |
| 10/30/79 | 33475 | P | none | C-8 | <0.0001 | PPM | 0.0% |
| 3/18/80  | 33476 | P | none | C-8 | 0.0009  | PPM | 0.0% |
| 3/20/80  | 33477 | P | none | C-8 | 0.0009  | PPM | 0.0% |
| 3/21/80  | 33478 | P | none | C-8 | 0.0023  | PPM | 0.0% |
| 3/21/80  | 33479 | P | none | C-8 | 0.0016  | PPM | 0.0% |
| 3/22/80  | 33480 | P | none | C-8 | 0.0025  | PPM | 0.0% |
| 3/22/80  | 33481 | P | none | C-8 | 0.0026  | PPM | 0.0% |
| 3/23/80  | 33482 | P | none | C-8 | 0.0015  | PPM | 0.0% |
| 3/25/80  | 33483 | P | none | C-8 | 0.0011  | PPM | 0.0% |
| 3/26/80  | 33484 | P | none | C-8 | 0.0006  | PPM | 0.0% |
| 3/26/80  | 33485 | P | none | C-8 | 0.0004  | PPM | 0.0% |
| 3/27/80  | 33486 | P | none | C-8 | 0.001   | PPM | 0.0% |
| 3/27/80  | 33487 | P | none | C-8 | 0.0022  | PPM | 0.0% |
| 3/28/80  | 33488 | P | none | C-8 | <0.0001 | PPM | 0.0% |
| 9/3/80   | 33489 | P | none | C-8 | 0.0003  | PPM | 0.0% |
| 9/4/80   | 33490 | P | none | C-8 | 0.0004  | PPM | 0.0% |
| 9/4/80   | 33491 | P | none | C-8 | 0.0006  | PPM | 0.0% |
| 9/4/80   | 33492 | P | none | C-8 | 0.0004  | PPM | 0.0% |
| 9/5/80   | 33493 | P | none | C-8 | 0.0001  | PPM | 0.0% |
| 9/6/80   | 33494 | P | none | C-8 | 0.0002  | PPM | 0.0% |
| 9/7/80   | 33495 | P | none | C-8 | 0.0002  | PPM | 0.0% |

AJP007154

## TestResults

file:///C:/WINDOWS/TEMP/Monomers C-8 2-26-73 thru 8-5-81 9 pages.htm

|         |       |   |      |     |         |     |      |
|---------|-------|---|------|-----|---------|-----|------|
| 9/8/80  | 33496 | P | none | C-8 | <0.0001 | PPM | 0.0% |
| 9/9/80  | 33497 | P | none | C-8 | <0.0001 | PPM | 0.0% |
| 9/10/80 | 33498 | P | none | C-8 | 0.0001  | PPM | 0.0% |
| 6/13/81 | 33499 | P | none | C-8 | 0.001   | PPM | 0.0% |

Tuesday, August 28, 2001 3:18:48 PM

Page 8 of 9

| Sample Dt | Sample # | Duration | Type | Employee Name                               | Pers | Chemical | Conc   | Unit | Percent |
|-----------|----------|----------|------|---------------------------------------------|------|----------|--------|------|---------|
| BTO :     | 08       |          |      | TEFLON@                                     |      |          |        |      |         |
| LOC :     | 804      |          |      | P/S - FINE POWDER AUTOCLAVE OPERATOR (08PE) |      |          |        |      |         |
| 11/9/79   | 33588    |          | P    |                                             | none | C-8      | 0.0005 | PPM  | 0.0%    |
| 11/9/79   | 33589    |          | P    |                                             | none | C-8      | 0.0003 | PPM  | 0.0%    |
| 1/10/80   | 33590    |          | P    |                                             | none | C-8      | 0.0014 | PPM  | 0.0%    |

|          |       |  |   |                                                  |      |     |         |     |      |
|----------|-------|--|---|--------------------------------------------------|------|-----|---------|-----|------|
| BTO :    | 08    |  |   | TEFLON@                                          |      |     |         |     |      |
| LOC :    | 805   |  |   | P/S - FINE POWDER FINISHING DISPERSION OP (08PH) |      |     |         |     |      |
| 12/14/79 | 33449 |  | P |                                                  | none | C-8 | 0.015   | PPM | 0.0% |
| 12/18/79 | 33450 |  | P |                                                  | none | C-8 | 0.0027  | PPM | 0.0% |
| 1/10/80  | 33451 |  | P |                                                  | none | C-8 | <0.0001 | PPM | 0.0% |
| 1/29/80  | 33452 |  | P |                                                  | none | C-8 | <0.0001 | PPM | 0.0% |
| 3/18/80  | 33453 |  | P |                                                  | none | C-8 | 0.0013  | PPM | 0.0% |

AJP007155

Tuesday, August 28, 2001 3:18:48 PM

Page 9 of 9

ALP007156