

Mon - 5
Tues 5
Thurs 5
Fri 5

cc: Mr. H. O. Bourque
Mr. R. E. Conrad
Mr. J. F. Hamilton
Mr. D. M. Kirk
Mr. L. R. Parker

ETHYL CORPORATION

INTER-OFFICE

To T. R. Robinson, M.D.

ADDRESS

FROM E. W. Feierabend

ADDRESS

SUBJECT OSHA - Required Examinations for
Asbestos Workers

DATE August 30, 1974

PLAINTIFF'S EXHIBIT

ETCO-632

Listed below are the names of workers who have had a potentially significant exposure to asbestos dust and should be scheduled for an examination this year:

<u>Name</u>	<u>Badge Number</u>	<u>Area</u>	<u>Craft</u>
✓Stringer	4201	H-C	Insulator
✓Delaune	4002	H-C	Insulator
✓Aucoin	5152	H-C	Insulator
✓Ford	4906	H-C	Insulator
✓Agnew	5205	H-C	Insulator
✓Hubbs	2067	TEL	Insulator
✓Boudier	1536	TEL	Insulator
✓Tullier	101	TEL	Insulator
✓Riche	3817	TEL	Insulator
✓Crawford	440	TEL	Insulator
✓Dugas	2206	TEL	Insulator
✓Butler	1725	Sodium	Insulator
✓Duhon	619	Sodium	Insulator
✓Spence	1025	PVC	PVC Mechanic
✓Hebert	1059	PVC	PVC Mechanic
✓David	1660	Central Shops	Carpenter
✓Steib	4840	Central Shops	Carpenter
✓Gibben	1645	Central Shops	Machinist
✓Kennison	2111	Central Shops	Machinist
✓Patin	1560	Central Shops	Machinist
✓Hill	4868		Insulator

E. W. Feierabend
E. W. Feierabend

EWf:pmk

10/23/74
All above names finished
EM

ETH 000130