

FROM: Mr. W. M. Tomc

July 5, 1972

FOR: See Distribution
Below

CITY: Strongsville, DEORC

Attached is an updated and expanded listing of the
solvent and lead status for solvent based products
current to July 5, 1972.

W. M. Tomc

WMT:jm
Att.

Distribution: Mr. G. L. Rechtel - UCB
Mr. W. J. Bennis - UCB
Mr. S. T. Howell
Mr. R. M. Brenner - UCB
Mr. E. B. Buchner
Mr. R. J. Haviland - #1. (6)
Mr. F. G. Hidalgo
Mr. H. J. Horton - UCB
Mr. J. G. Kingston
Mr. W. D. Kinsell - UCB
Mr. J. W. Kocher - UCB
Mr. L. F. Long - UCB
Mr. J. E. Peters - UCB
Mr. E. J. Romay - UCB
Mr. J. D. Russell - UCB
Mr. J. E. Southwick
Mr. H. M. Werner - UCB
Dr. T. J. Walsh
Mr. C. W. Wright - (6)
Mr. W. W. Page
Mr. R. P. Shong
Mr. I. Nusser
Mr. I. J. Foote - UCB
Dr. H. J. Kiefer - UCB

GLD012470

SOLVENT & LEAD STATUS REPORT
SOLVENT BASED PRODUCTS

Date of Report: July 5, 1972

Supersedes: May 25, 1972 listing

Basis of Listing: Maintenance Finished Price List
Zone No. 24 MI dated 2/26/72

Code: Solvents

- o = Plug in conforming S-330 or S-332, S-348
- E = Exempt formula available
- X = Requires reformulation
- * = Buy-outs - need supplier certification of compliance

Lead

- OK = Less than 0.06% lead
- + = between 0.06% - 0.5% lead
- X = greater than 0.5% lead

Product		Code	Solvent	Lead
<u>Alkyd Hi-Mil Primer</u>				
White	<i>To be discontinued 11/72</i>	Y-5219-X	E	+
Red	To be discontinued	500-R-01102	X	X
<u>Alkyd Industrial Enamel</u>				
(1) Safety Orange		Y-4510-B	o	OK
Safety Red	Relabel 917-C	Y-4520-A	o	OK
Warm Brown (937-D)		Y-4537	o	OK
(2) Safety Yellow		Y-4540-B	o	OK
White		Y-4550-H	o	OK
Black		Y-4551-J	o	OK
(3) Deep Green		Y-4553-K	o	OK
(4) Medium Green		Y-4554-L	o	OK
(5) Medium Yellow		Y-4560-M	o	OK
Machine Gray		Y-4562-L	o	OK

Footnotes:

- (1) Suggest Relabel of 921-C (not exact color match)
- (2) Try 4580 8 ply 16 yox 2NT
- (3) Probably drop per JDR.
- (4) Suggest Relabel of 965-D (not exact color match)
- (5) Probably drop per JDR.

GLD012471

N 2069.01

Product		Code	Solvent	Lead
<u>Alkyd Industrial Enamel (Cont'd.)</u>				
Imperial Blue	Relabel 988-D	← Y-4564-J	O	OK
Bright Red	To be dropped 12/72	Y-4565-C	O	X
Red Oxide Primer	Relabel 999-A	← Y-4570	O	OK
Neutral Gray		Y-4572-F	O	OK
E.Z.C. Green		Y-4573-F	O	OK
Deep Orange	To be dropped 12/72	Y-4576-C	O	X
Pastel Tint Base		Y-4575-D	O	OK
Intermediate Tint Base	Relabel 987-D	← Y-4587	O	OK
Deep Tint Base	Relabel 980-F	← Y-4580	O	OK
<u>Alkyd Tank & Structural Enamel</u>				
Aluminum		Y-5227-C	X	OK
White Galvanize Iron Primer		Y-5229-E	O	OK
Light Gray Gloss	1818-C	← Y-5226	O	OK
Red Oxide Primer		Y-585	E	X
Tinting White, Gloss		Y-5221-J	O	OK
White Gloss		Y-5220-F	O	OK
<u>Chlorinated Rubber Hi-Mil</u>				
Red Oxide Primer		Y-5535-A	E	OK
Gray Intermediate		Y-5536-C	E	OK
White, Gloss		Y-5537-A	E	OK
<u>*Coal Tar Epoxy</u>				
		Y-5254	*	OK
<u>Duranite Food Contact</u>				
Coating		287-W-501X	E	OK
Coating Converter	Now 287-C-50101 X	← 287-C-508 X	E	OK
<u>Epoxy Chemical Resistant Finish</u>				
Clear Gloss		Y-5253	E	OK
Curing Agent - Clear		Y-5242	E	OK
Light Gray Gloss		Y-5243	E	OK
Medium Gray Gloss	To be discontinued 12/72	Y-5244	E	OK
Tinting White Gloss		Y-5250	E	OK
White Gloss		Y-5240	E	OK
Safety Yellow		512-L-01102-X	E	OK
Safety Orange		512-L-01105-AX	E	OK
Safety Green		512-G-01106 X	E	OK
Safety Blue		512-A-01101-X	E	OK
Safety Red		512-R-01103-AX	E	OK
Tile Red (5566)	85-R-102-X	512-R-01107	E	OK
Black (5241)	85-B-34-X	512-B-01100	E	OK
E.Z.C. Green		512-G-01104AX	E	OK
<u>Epoxy Chemical Resistant Finish</u>				
<u>Double Build</u>				
Curing Agent		512-C-01100 DX	X E	OK

GLD012472

<u>Product</u>	<u>Code</u>	<u>Solvent</u>	<u>Lead</u>
<u>Epoxy Chemical Resistant Finish</u>			
<u>Water Dispersed</u>			
Metal Primer - Red	550-R-01102	E	OK
White	556-W-01104	E	OK
Curing Agent	550-C-01100	E	OK
Reducer	330-S-01106	E	OK
<u>Epoxy Chromate Metal Primer</u>	Y-5251	E	+
Curing Agent Clear	Y-5252	E	OK
<u>Epoxy Ester Enamel</u>	511-W-30100	E	OK
		See Y-49	
		For 5232	
<u>Epoxy Ester Exterior Masonry Coating</u>	Y-5235-C	E	OK
<u>Epoxy Ester Metal Primer</u> <i>To be disc 12-72</i>	Y-5570	E	X
<u>Epoxy Patch Putty</u> <i>To be disc 12-72</i>	Y-5258	E E	OK
<u>Epoxy Patch Putty</u>			
Curing Agent Clear <i>To be disc 12-72</i>	Y-5259	E	OK
<u>Epoxy, Self Priming Mastic</u>			
Red, Eggshell <i>To be disc 12-72</i>	Y-5256	E	X
Curing Agent, Clear <i>To be disc 12-72</i>	Y-5257	E	OK
<u>Epoxy Solvent</u>	Y-5568-C-X	E	OK
<u>Epoxy Surfacing Compound</u>			
Gray (Complete Unit)	Y-5561	E	OK
<u>Glid Tile "100"</u>			
Curing Agent, Clear (5242)	Y-5595	E	OK
Tinting Gloss White (5250)	Y-5594	E	OK
White Gloss (5240)	Y-5593	E	OK
<u>Glid-Tile Epoxide</u>			
Curing Agent Sealer (5242)	Y-5504	E	OK
White Semi-Gloss	Y-5598	E	OK
White Block Filler	Y-5512	E	OK
White Sealer (5240)	Y-5503	E	OK
Deep Tint Curing Agent	Y-5509	E	OK
Curing Agent	Y-5597	E	OK
White Gloss	Y-5596	E	OK

GLD012473

Product	Code	Solvent	Lead
<u>Glid-Zinc</u>			
100	287-E-6	E	OK
100 Reducer	330-S-30102	E	OK
101	287-E-7 X	E E	OK
	297C-9AX Gw. { 287-E-8X (only)		
<u>Lifemaster</u>			
Primer	304-D-1	E	X
Finish	304-W-1	E	OK
<u>*Polyurethane</u>			
Clear Gloss	298-C-13	*	*
<u>Silicone Alkyd</u>			
White	523-W-01100	X	OK
Blue	523-A-01102	X	OK
Gray	523-E-01104	X	OK
Red	523-R-01106	X	OK
<u>Silicone Hi-Temp</u>			
Black	282-B-400	E	OK
Aluminum	282-E-400	E	OK
Primer, Yellow	282-Y-400	E	OK
<u>Strathclyde Primer</u>			
Red	503-R-30100	E	OK
<u>Vinyl Chloride Finish</u>			
Aluminum Eggshell	Y-5282	E	OK
Metallic Eggshell	Y-5285	E	X
Light Gray Eggshell	Y-5283AX	E E	OK
Metal Conditioning Primer			
(Complete Unit)	Y-5290	E	OK
Metal Conditioning Primer Base	Y-5291	E	OK
Metal Conditioning Primer Acid	Y-5292	E	OK
Metal Conditioning Primer Reducer	Y-5293	E	OK
Red Lead Eggshell	Y-5295	E	X
Spray Reducer	Y-5289	E	OK
White Eggshell	Y-5280	E	OK
Vinyl Chloride Hi-Mil Primer	Y-5515	E	OK
- White Eggshell	Y-5518	E	OK
- Light Gray Eggshell	Y-5516	E	OK
- Aluminum Eggshell	Y-5517	E	OK
- Reducer	Y-5519 X	E E	OK
<u>Alkyd Eggshell Enamel</u>			
One Coat White	Y-5050-C	O	OK
Pastel Tint Base	Y-5086-J	O	OK
Alaska White	Y-5450-B	O	OK
Ebony Black	Y-5634-D	O	OK

<u>Product</u>	<u>Code</u>	<u>Solvent</u>	<u>Lead</u>
<u>Alkyd Eggshell Stipple White</u>	Y-5099-E	o	OK
<u>Alkyd Enamel Undercoat White</u> <i>To be disc 12-72</i> <i>Relabel SSS - not disc.</i>	Y-5005	o	OK
<u>Alkyd Flat Enamel</u>			
One Coat White	Y-5700-H	o	OK
Pastel Tint Base	Y-5718-K	o	OK
Intermediate Tint	Y-5787-G	o	OK
Deep Tint	Y-5780-L	o	OK
Ebony Black	Y-5734-C	o	OK
	<i>To be disc 12-72</i>		
<u>Alkyd Gloss Fungicidal Enamel</u> <u>(Sani-Glene)</u>	Y-5069-G	o	OK
<u>Alkyd Semi-Gloss Enamel</u>			
One Coat White	Y-5600	o	OK
Pastel Tint Base	Y-5618	o	OK
Intermediate Tint Base	Y-5687	o	OK
Deep Tint Base	Y-5680	o	OK
Alaska White	Y-5950-B	o	OK
	<i>(4600 not net)</i> <i>4618 " "</i> <i>4687 " "</i> <i>4680 " "</i>		
<u>Alkyd Spray Eggshell Dry Fog</u>	Y-1180-P	o	OK
<u>Alkyd Spray Flat Dry Fog</u>	Y-5067-L	o	OK
<u>Alkyd Wall Primer</u>	Y-5016-L	o	OK
<u>Clear Silicone (Dri Wall)</u> <i>To be disc 12-72</i>	Y-534	o	OK
<u>Gel-Flo Alkyd Eggshell Enamel</u>			
Super White	Y-5400-F	o	OK
Pastel Tint Base	Y-5418-F	o	OK
	<i>To be disc 12-72</i>		
<u>Gel-Flo Alkyd Semi-Gloss</u>			
Super White	Y-5900-F	o	OK
Pastel Tint Base	Y-5918-F	o	OK
Intermediate Tint Base	Y-5987-G	o	OK
Deep Tint Base	Y-5980-G	o	OK
Deep Tint Base No. 2	Y-5995-C	b	OK
Deep Tint Base No. 3	Y-5996-C	o	OK
Deep Tint Base No. 4	Y-5997-C	o	OK
Deep Tint Base No. 5	Y-5998-D	o	OK
<u>House Paint</u>	Y-5003-D	o	+
<u>Polyurethane Gym Floor Finish</u> <i>To be disc 12-72</i> <i>YS, SSS, not.</i>	Y-5013-C	o	OK
<u>Quick Drying Sanding Sealer</u>	Y-5035-E	o	OK

<u>Product</u>	<u>Code</u>	<u>Solvent</u>	<u>Lead</u>
<u>Aluminum Metallite All-Purpose</u>	Y-592-F Y592 E	X	OK
<u>Glidden Farm Paint</u>			
Farm White (2240) <i>Feb 1942 2240 5A 11 act.</i>	Y-2201-F	o	+
Barn Red	Y-2216-E Y2217 H	o	OK +
<u>Dramatone Multipurpose Tinting</u>	Y-1750	o	OK
	Y-1751	o	OK
	Y-1752	o	OK
	Y-1753	o	OK
	Y-1754	o	OK
	Y-1755	o	OK
	Y-1756	o	OK
	Y-1757	o	OK
	Y-1758	o	OK
	Y-1760	o	OK
	Y-1782	o	OK
	Y-1786	o	OK
<u>Endurance House Paint</u>			
Basecoat	Y-1851-S	o	+
White	Y-1800-M	o	+
Non-chalking Trim	Y-1801-F	o	+
Crylite Green	Y-1828-U	o	+
Shutter Green	Y-1861-H	o	OK
Pastel Tint	Y-1818-C	o	+
Intermediate	Y-1877-B	o	+
Deep Tint	Y-1880-D-CH	o	+
Colonial Red	Y-1815-A-CH	o	+
Stratford Brown	Y-1837-CH	o	+
Revere Green	Y-1853-A-CH	o	+
Windsor Gray	Y-1805-B-CH	o	+
Clearwater	Y-1863-B	o	+
Ivory	Y-1831-B	o	+
<u>Glidden Alkyd Florenamel</u>	Y-842-F Y-843-E Y-841-G Y-845-B	o	OK OK OK OK
<u>Glidden Alkyd Semi-Gloss</u>	Y-6650	o	OK
<u>White & Colors</u>			
<u>Glidden Oil House Paint</u>			
Non-Chalking Trim White	Y-2240-S-CH	o	+
Exterior Primer	Y-2251-H-CH	o	+
<u>Glidden Redwood Stain</u>	Y-32	o	+

GL0012476

<u>Product</u>	<u>Code</u>	<u>Solvent</u>	<u>Lead</u>
<u>Gliddencoat Enamel Undercoat</u>	Y-555-C	o	OK
<u>Glid-Strip P&V Remover</u>	Y-74	o	OK
<u>Glid-Tone Hi Gloss Varnish</u>	Y-49-A	E	OK
<u>Glid-Tone Satin Sheen Varnish</u>	Y-47-G	o	OK
<u>*Insul-Blaze Fire Retardant Paint</u>			
Flat White	Y-5027	"?	OK
Semi-Gloss White	Y-5028	" +	*
<u>Speedenamel Q.D.</u>			
White	Y-4300-A	X	OK
Aluminum	Y-4304-A	X	OK
Black - To be used 12-72	Y-4309	X	OK
Light Red " " " "	Y-4315	X	X
White Primer " " " "	Y-4397-A	X	X
Gray Primer	Y-4399-A	X	X
<u>Spred Brush & Roller Cleaner</u>	Y-60	X	OK
<u>Spred Exterior Stains Solid Colors</u>			
Clear Eggshell Finish	Y-280 ^A	o	OK
Colors	Y-281-Y-289	o	OK
2810-2820-2830-1840-1850, 1860-1870 1880, 1890.			
<u>Spred Ext. Stains - Semi-Transparent</u>			
Colors	Y-270-277	o	+
<u>Spred Gel-Flor House Paint</u>			
White	Y-1901-B-CH	o	+
Pastel Tint Base	Y-1918-A-CH	o	+
Deep Tint Base	Y-1980-A-CH	o	+
Intermediate Tint	Y-1987-B-CH	o	+
<u>Spred Gloss All-Purpose Enamel</u>			
White	Y-900-F	o	OK
Flat Black	Y-908-C	o	OK
Gloss Black	Y-909	o	OK
Red Pepper	Y-917-C	o	OK
Shamrock	Y-965-D	o	OK
Pastel Tint Base	Y-918-F	o	OK
Intermediate Tint Base	Y-987-D	o	OK
Deep Tint Base	Y-980-F	o	OK
Galvanize Primer	5229-E Y-998	o	OK
Metal Primer	Y-999-A	o	OK

GLD012477

<u>Product</u>	<u>Code</u>	<u>Solvent</u>	<u>Lead</u>
<u>Spred Gloss All-Purpose Enamel (Cont'd.)</u>			
Orange	Y-921-C	o	OK
Acorn	Y-937-D	o	OK
Tulip Yellow	Y-943-D	o	OK
Avocado	Y-959-D	o	OK
Empress Blue	Y-985-D	o	OK
Admiral Blue	Y-988-D	o	OK
<u>Spred House Paint</u>			
Primecoat	Y-3651-D	o	+
<u>Spred Lustre Semi-Gloss Enamel</u>			
One Coat White	Y-4600-G	o	OK
Smoky White - To be disc 12-72	Y-4663-M	o	OK
Pastel Tint Base	Y-4618-R	o	OK
Intermediate Tint Base	Y-4687-L	o	OK
Deep Tint Base	Y-4680-M	o	OK
<u>Spred Spar Varnish</u>			
	Y-40	o	OK
<u>Spred Surfacing</u>			
	Y-66-B	E	OK
<u>Spred Urethane Florenamel</u>			
White	Y-800-E	o	OK
Pastel Tint Base	Y-818-J	o	OK
Intermediate Tint Base	Y-887-H	o	OK
Deep Tint Base	Y-880-H	o	OK
<u>Glidden Polyurethane Floor Enamels</u>			
Tile Red	Y-891-B H	o	OK
Tile Green	Y-892 F	o	OK
Harbor Gray	Y-893-B F	o	OK
Chateau Gray	Y-894-B F	o	OK
Spicewood	Y-895-B F	o	OK
<u>Spred Urethane Liquid Plastic</u>			
Gloss (5013)	Y-51	o	OK
Satin Sheen To be disc 12-72	Y-37-L	o	OK
*Satin Sheen (Spray)	Y-4035	*	*
<u>Spred Velvet</u>			
White To be disc 12/72	Y-2750	o	+
Pastel Tint " "	Y-2718	o	+
Intermediate " "	Y-2787	o	+

GLD012478

<u>Product</u>	<u>Code</u>	<u>Solvent</u>	<u>Lead</u>
<u>Surface Bond</u>	Y-55 E	E	OK
<u>Spred Wood Stains (Interior)</u> <u>All Colors</u>	Y-200 Series	o	OK
<u>Miscellaneous</u>			
Antique Base	Y-507-C	o	OK
Patina Glaze	Y-508-D	o	OK
Scroll Green	Y-510-C	o	OK
French Blue	Y-512-C	o	OK
Olive Teak	Y-514-A	o	OK
Canterbury Red	Y-516-A	o	OK
Jacobean	Y-518-C	o	OK
Feudal Oak	Y-520-A	o	OK
Boxwood	Y-524-A	o	OK

GLD012479