

REPLY MEMO

CYANAMID

FROM

W. Allen, Jr. & Co. Inc.

RETURN
TO

Chicago

INDIVIDUAL

W. Allen, Jr.

ATTENTION

W. Allen, Jr.

SUBJECT AND
OR REFERENCE

DATE

10/10/75

Re: - This is a request made
made of all our people at Chicago to
help control blood banks.

Could you send me some thought,
as how we might be able to
have our own control?

CYWI 3-000912
N14535

10/10/75

TEAM EFFORTCONTROL OF LEAD ABSORPTION

YOUR DAILY WORK ASSIGNMENT GIVES YOU THE VALUABLE EXPERIENCE AND KNOWLEDGE IN THE AREA OF CONTROL OF LEAD ABSORPTION.

WOULD YOU PLEASE RECORD YOUR THOUGHTS AS TO HOW A MAN CAN ABSORB LEAD AND THE TECHNIQUE REQUIRED TO CONTROL THIS.

Note - Personnel moonlighting in service stations can also pickup lead while washing parts or their hands in gasoline containing lead additives.

1. Breathing of dust evolved from operation. — Wear correct fitting respiratory protective equipment in good condition.
2. Breathing of dust from clothing — Clean clothing with vacuum prior to break periods.
3. Breathing of dust in general production area — make sure dust collection systems are working properly prior to performing any handling operation. Clean up all product spills as soon as possible.
4. Breathing of dust in non production area being cleaned. — Do not permit floor sweeping of lead based materials. Vacuum cleaners should be provided.
5. Breathing of dust following work hours — All personnel should change clothing daily with laundry service provided. No work clothing should leave the plant for home laundering.
6. Breathing of toxic lead fumes from smoking materials contaminated by product dust — Keep smoking & chewing materials out of shop area.
7. Injection of lead based materials while eating or drinking — Vacuum clothing, wash face & hands & brush teeth prior to eating or drinking.

CYWI 3-000913

N14535.01

10/10/75

TEAM EFFORTCONTROL OF LEAD ABSORPTION

YOUR DAILY WORK ASSIGNMENT GIVES YOU THE VALUABLE EXPERIENCE AND KNOWLEDGE IN THE AREA OF CONTROL OF LEAD ABSORPTION.

WOULD YOU PLEASE RECORD YOUR THOUGHTS AS TO HOW A MAN CAN ABSORB LEAD AND THE TECHNIQUE REQUIRED TO CONTROL THIS.

Note - Personnel moonlighting in service stations can also pickup lead while washing parts or their hands in gasoline containing lead additives.

1. Breathing of dust evolved from operation. — Near correct fitting respiratory protective equipment in good condition.
2. Breathing of dust from clothing — Clean clothing with vacuum prior to break periods.
3. Breathing of dust in general production area — make sure dust collection systems are working properly prior to performing any handling operation. Clean up all product spills as soon as possible.
4. Breathing of dust in non production area being cleaned. — Do not permit floor sweeping of lead based materials. Vacuum cleaners should be provided.
5. Breathing of dust following work hours — All personnel should change clothing daily with laundry service provided. No work clothing should leave the plant for home laundering.
6. Breathing of toxic lead fumes from smoking materials contaminated by product dust — Keep smoking & chewing materials out of shop area.
7. Ingestion of lead based materials while eating or drinking — Vacuum clothing, wash face & hands & brush teeth prior to eating or drinking.

CYWI 3-000914

10/10/75

TEAM EFFORTCONTROL OF LEAD ABSORPTION

YOUR DAILY WORK ASSIGNMENT GIVES YOU THE VALUABLE EXPERIENCE AND KNOWLEDGE IN THE AREA OF CONTROL OF LEAD ABSORPTION.

WOULD YOU PLEASE RECORD YOUR THOUGHTS AS TO HOW A MAN CAN ABSORB LEAD AND THE TECHNIQUE REQUIRED TO CONTROL THIS.

Note - Personnel moonlighting in service stations can also pickup lead while washing parts or their hands in gasoline containing lead additives.

1. Breathing of dust evolved from operation. — Wear correct fitting respiratory protective equipment in good condition.
2. Breathing of dust from clothing — Clean clothing with vacuum prior to break periods.
3. Breathing of dust in general production area — make sure dust collection systems are working properly prior to performing any handling operation. Clean up all product spills as soon as possible.
4. Breathing of dust in non production area-being cleaned. — Do not permit floor sweeping of lead based materials. Vacuum cleaners should be provided.
5. Breathing of dust following work hours — All personnel should change clothing daily with laundry service provided. No work clothing should leave the plant for home laundering.
6. Breathing of toxic lead fumes from smoking materials contaminated by product dust — Keep smoking & chewing materials out of shop area.
7. Ingestion of lead based materials while eating or drinking — Vacuum clothing, wash face & hands & brush teeth prior to eating or drinking.

CYWI 3-000915

RECEIVED
JAN 11 1961
U.S. AIR FORCE
HEADQUARTERS
WASHINGTON, D.C.

CYWI 3-000916

N14535.02