To: Dunham, Sarah[Dunham.Sarah@epa.gov]
Cc: Doyle, Colleen[DoyleC@hunton.com]; Jackson, Ryan[jackson.ryan@epa.gov]; Gunasekara, Mandy[Gunasekara.Mandy@epa.gov]; paula.forbis@sdcounty.ca.gov[paula.forbis@sdcounty.ca.gov]; Greg.Knapp@hanson.biz[Greg.Knapp@hanson.biz]; Ana.Damonte@leHighHanson.com[Ana.Damonte@leHighHanson.com]; Ian.Firth@hanson.biz[Ian.Firth@hanson.biz]; Douglas.erwin@sdcounty.ca.gov[Douglas.erwin@sdcounty.ca.gov]; jim.swaney@sdcounty.ca.gov[jim.swaney@sdcounty.ca.gov]
From: Zapatero, Rosie
Sent: Wed 8/2/2017 9:54:28 PM
Subject: Hanson Aggregates' Request for Guidance Re Common Control - (Part 1 of 2)
EPA Letter re Lack of Common Control-c.pdf

Please see attached sent on behalf of Colleen Doyle (Part 1 of 2)

HUNTON & WILLIAMS **Rosie Zapatero**

Sr Professional Assistant

rzapatero@hunton.com
p 213.532.2104

Hunton & Williams LLP
550 South Hope Street
Suite 2000
Los Angeles, CA 90071

hunton.com

This communication is confidential and is intended to be privileged pursuant to applicable law. If the reader of this message is not the intended recipient, please advise by return email immediately and then delete this message and all copies and backups thereof.