Hexagon Laboratories

Manufacturing Chemists

3920 PEARTREE AVENUE · NEW YORK 66, N. Y. · FAIRBANKS 4-7880

February 14, 1961

Monsanto Chemical Co.
800 N. Lynberg Blvd.
St. Louis 66, Missouri

Attention: Dr. Emmet Kelly

Dear Dr. Kelly:

In reference to our recent telephone conversation, I would like to further discuss the incident wherein two of our plant personnel were exposed to hot Arochlor (1248) vapors generated by a broken pipe connection. For your information and records the two men developed symtoms of Hepatitis as you predicted and were confined to a hospital for approximately two weeks.

In view of the above experience which has given me considerable concern I felt that the matter should be brought to your attention. Since we are dealing with a highly toxic material at high temperatures and since these failures cannot be prevented, it is felt that a more thorough and clearly written description of the hazards be described under Safety of Handling. Also the antidote or first aid treatment if any be included. I certainly would be interested in this information if available.

I trust that this matter will be given your serious consideration so that other or new users are fully aware of the problem.

Thank you for your assistance in this incident and would appreciate hearing your views on the above.

Very truly yours,

HEXAGON LABORATORIES, INC.

Joseph P. Allen

JOSEPH P. ALLEN
Chief Engineer

JA:fd

Kelly
EXHIBIT NO. 2
R.G. 12/16/96

PRR 025476
SCM 042281

WATER_PCB-00048593

ORIGINAL

IN THE COURT OF COMMON PLEAS
PHILADELPHIA COUNTY

IN RE: PAOLI RAILROAD YARD)
PCB LITIGATION,)
)
)
)
) MASTER FILE
) NO. 90-0609-C-6

EXHIBITS TO THE
DEPOSITION OF R. EMMET KELLY, M.D.
DECEMBER 11-12, 1990

GORE REPORTING COMPANY
408 OLIVE STREET ST. LOUIS, MISSOURI
241-6750

WATER_PCB-00048594